

Product Brief

BLDC Shield for Arduino

3-phase motor driver Shield with the TLE9879QXA40 chip

The BLDC Shield for Arduino uses the TLE9879QXA40 chip, which is part of TLE987x family of the Infineon® Embedded Power IC portfolio. This enables the Shield to drive 3-phase electric motors with a variety of different features. One Arduino board can control up to four Shields stacked on top of each other via SPI. These Shields can all be controlled independently and, if desired, run completely different applications. The Shield implements three different advanced motor control algorithms: field-oriented control (FOC), Back EMF (BEMF) and Hall. Additionally, it has a 3x2 pin strip to easily connect the Hall pins of an electric motor. It also allows the user to easily change the motor parameters of the motor control algorithms. The whole dataset of parameters can also be saved and loaded from the flash memory of the Shield or written and read from the Arduino. Lastly, the Shield has an RGB LED, which can be controlled by the user.

The included Arduino library offers an intuitive API to quickly setup and configure an application. Moreover, the stackable active BLDC Shield can be used in a wide spectrum of applications.

Key features

- TLE9879QXA40 chip
- 3-phase motor driver
- implemented motor control algorithms
 - FOC, BEMF, Hall
- controlled over Arduino via SPI
- compatible with the Arduino Uno
- up to four Shields can be used simultaneously
- each Shield can be controlled independently
- motor parameters can be set for each Shield individually

Key benefits

- › Easy to use API, allowing the user to quickly setup an application
- › High performance BLDC motor control in form of the TLE987x chip

Applications

- › 3D-printer
- › Multi-axis CNC-milling machines
- › Construction robot arms
- › Multi-copter and other RC applications
- › Side-mirrors, HVAC-flaps, light regulation, wiper, seat-control




www.infineon.com/blcdmotorshield

www.infineon.com/shields-for-arduino

BLDC Shield for Arduino

3-phase motor driver Shield with the TLE9879QXA40 chip



Published by
Infineon Technologies AG
81726 Munich, Germany

© 2017 Infineon Technologies
AG. All Rights Reserved.

Please note!
THIS DOCUMENT IS FOR INFORMATION PURPOSES ONLY AND ANY INFORMATION GIVEN HEREIN SHALL IN NO EVENT BE REGARDED AS A WARRANTY, GUARANTEE OR DESCRIPTION OF ANY FUNCTIONALITY, CONDITIONS AND/OR QUALITY OF OUR PRODUCTS OR ANY SUITABILITY FOR A PARTICULAR PURPOSE. WITH REGARD TO THE TECHNICAL SPECIFICATIONS OF OUR PRODUCTS, WE KINDLY ASK YOU TO REFER TO THE RELEVANT PRODUCT DATA SHEETS PROVIDED BY US. OUR CUSTOMERS AND THEIR TECHNICAL DEPARTMENTS ARE REQUIRED TO EVALUATE THE SUITABILITY OF OUR PRODUCTS FOR THE INTENDED APPLICATION.

WE RESERVE THE RIGHT TO CHANGE THIS DOCUMENT AND/OR THE INFORMATION GIVEN HEREIN AT ANY TIME.

Additional information
For further information on technologies, our products, the application of our products, delivery terms and conditions and/or prices, please contact your nearest Infineon Technologies office (www.infineon.com).

Warnings
Due to technical requirements, our products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by us in a written document signed by authorized representatives of Infineon Technologies, our products may not be used in any life-endangering applications, including but not limited to medical, nuclear, military, life-critical or any other applications where a failure of the product or any consequences of the use thereof can result in personal injury.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power Management IC Development Tools](#) category:

Click to view products by [Infineon](#) manufacturer:

Other Similar products are found below :

[EVB-EP5348UI](#) [MIC23451-AAAYFL EV](#) [MIC5281YMME EV](#) [124352-HMC860LP3E](#) [DA9063-EVAL](#) [ADP122-3.3-EVALZ](#) [ADP130-0.8-EVALZ](#) [ADP130-1.8-EVALZ](#) [ADP1740-1.5-EVALZ](#) [ADP1870-0.3-EVALZ](#) [ADP1874-0.3-EVALZ](#) [ADP199CB-EVALZ](#) [ADP2102-1.25-EVALZ](#) [ADP2102-1.875EVALZ](#) [ADP2102-1.8-EVALZ](#) [ADP2102-2-EVALZ](#) [ADP2102-3-EVALZ](#) [ADP2102-4-EVALZ](#) [AS3606-DB](#) [BQ25010EVM](#) [BQ3055EVM](#) [ISLUSBI2CKIT1Z](#) [LM2734YEVAL](#) [LP38512TS-1.8EV](#) [EVAL-ADM1186-1MBZ](#) [EVAL-ADM1186-2MBZ](#) [ADP122UJZ-REDYKIT](#) [ADP166Z-REDYKIT](#) [ADP170-1.8-EVALZ](#) [ADP171-EVALZ](#) [ADP1853-EVALZ](#) [ADP1873-0.3-EVALZ](#) [ADP198CP-EVALZ](#) [ADP2102-1.0-EVALZ](#) [ADP2102-1-EVALZ](#) [ADP2107-1.8-EVALZ](#) [ADP5020CP-EVALZ](#) [CC-ACC-DBMX-51](#) [ATPL230A-EK](#) [MIC23250-S4YMT EV](#) [MIC26603YJL EV](#) [MIC33050-SYHL EV](#) [TPS60100EVM-131](#) [TPS65010EVM-230](#) [TPS71933-28EVM-213](#) [TPS72728YFFEVM-407](#) [TPS79318YEQEV](#) [UCC28810EVM-002](#) [XILINXPWR-083](#) [LMR22007YMINI-EVM](#)