



Fast, flexible, and easy prototyping for IoT applications

Infiniteon's Shield2Go boards and My IoT adapter

www.infineon.com/2go





Infineon's Shield2Go boards and My IoT adapter

Easy evaluation for shorter time to market

Through semiconductors and innovation, Infineon makes growth possible. With its technologies, Infineon helps to create sustainable and stable IoT environments by providing solutions with advanced sensing capabilities through sensors, control and processing (microcontrollers), security, and efficient power management.

Key benefits



Faster prototyping and shorter time to market



Customized prototyping



Easy to connect to external systems



Flexible use



Cost savings - Arduino-ready at an attractive price

Prototyping has never been easier

Infineon's Shield2Go boards are equipped with featured Infineon ICs and provide a standardized form factor and pin layout for fast orientation. All boards come with solderless connectors allowing designers to stack the boards instead of soldering them. This makes the usage of the Shield2Go boards simple and flexible. In addition, each Shield2Go board comes with a dedicated and ready-to-use software library for Arduino.

The Shield2Go boards are compatible with Arduino Uno with Infineon's My IoT adapter. This combination of flexible hardware components and accompanying software speeds up the prototyping process. Designers now can select only those parts that the intended design and layout require, thus reducing the costs for a "box" or all-in-one solution of components that are rarely used in their entirety.

Product overview

Advanced sensing capabilities for edge devices



DPS310 Pressure Shield2Go

Featured product: XENSIV™
pressure sensor DPS310
OPN: S2GOPRESSUREDPS310TOBO1

Interfaces:



TLV493D 3DSense Shield2Go

Featured product: XENSIV™ magnetic
position sensor TLV493D-A1B6
OPN: S2GO3DSENSETLV493DTOBO1

Interfaces:



IM69D130 Microphone Shield2Go

Featured product: XENSIV™ MEMS
microphone IM69D130
OPN: S2GOMEMSMICIM69DTOBO1

Interfaces:




TLI4970 Current Sense Shield2Go

Featured product: XENSIV™ magnetic
current sensor TLI4970-D050T4
OPN: S2GOCURSENSETLI4970TOBO1

Interfaces:



Trusted security solutions



OPTIGA™ Trust X Security Shield2Go

Featured product: OPTIGA™ Trust X SLS 32AIA
 OPN: S2GOSECURITYOPTIGAXTOBO1

Interfaces:




OPTIGA™ Trust E Security Shield2Go

Featured product: OPTIGA™ Trust E SLS 32AIA
 OPN: S2GOSECURITYOPTIGAETOBO1

Interfaces:



Cross-application control



XMC™ 2Go kit

Featured product: XMC1100 (ARM® Cortex™-M0 based)
 OPN: KITXMC2GOXMC1100V1TOBO1

Interfaces:



My IoT adapter board for Arduino




The My IoT adapter board enables designers to combine the Shield2Go boards into a system. Infineon's flexible evaluation boards are compatible with the existing solutions on the market.

My IoT adapters act as gateways to external hardware solutions such as Arduino, one of the most common IoT evaluation and prototyping platforms.

OPN: MYIOTADAPTERTOBO1

Shield2Go boards and My IoT adapter

Concept for modular blocks of hardware



Maximum flexibility with minimum effort

The IoT market and environment consist of a range of different wireless connectivity technologies, offering varying benefits. In the end, it is the designer who decides which to use.

Infineon's new prototyping concept consists of a hardware and a software package that allows designers to quickly and efficiently set up the demonstration environment. The prototyping concept based on Shield2Go boards and My IoT adapters provides designers with the flexibility they seek.

Engineers can now develop their own, customized system solutions by selecting and combining Shield2Go boards in multiple ways based on their needs and use cases. Together with Infineon's My IoT adapter, they are able to easily connect to external systems.

Where to buy

Infiniteon distribution partners and sales offices:
www.infineon.com/wheretobuy



Mobile product catalog
Mobile app for iOS and Android.

Service hotline

Infiniteon offers its toll-free 0800/4001 service hotline as one central number, available 24/7 in English, Mandarin and German.

- > Germany 0800 951 951 951 (German/English)
- > China, mainland 4001 200 951 (Mandarin/English)
- > India 000 800 4402 951 (English)
- > USA 1-866 951 9519 (English/German)
- > Other countries 00* 800 951 951 951 (English/German)
- > Direct access +49 89 234-0 (interconnection fee, German/English)

* Please note: Some countries may require you to dial a code other than "00" to access this international number.
Please visit www.infineon.com/service for your country!

Published by
Infineon Technologies Austria AG
9500 Villach, Austria

© 2018 Infineon Technologies AG.
All Rights Reserved.

Order Number: B138-I0613-V2-7600-EU-EC-P
Date: 12/2018

Please note!

THIS DOCUMENT IS FOR INFORMATION PURPOSES ONLY AND ANY INFORMATION GIVEN HEREIN SHALL IN NO EVENT BE REGARDED AS A WARRANTY, GUARANTEE OR DESCRIPTION OF ANY FUNCTIONALITY, CONDITIONS AND/OR QUALITY OF OUR PRODUCTS OR ANY SUITABILITY FOR A PARTICULAR PURPOSE. WITH REGARD TO THE TECHNICAL SPECIFICATIONS OF OUR PRODUCTS, WE KINDLY ASK YOU TO REFER TO THE RELEVANT PRODUCT DATA SHEETS PROVIDED BY US. OUR CUSTOMERS AND THEIR TECHNICAL DEPARTMENTS ARE REQUIRED TO EVALUATE THE SUITABILITY OF OUR PRODUCTS FOR THE INTENDED APPLICATION.

WE RESERVE THE RIGHT TO CHANGE THIS DOCUMENT AND/OR THE INFORMATION GIVEN HEREIN AT ANY TIME.

Additional information

For further information on technologies, our products, the application of our products, delivery terms and conditions and/or prices, please contact your nearest Infineon Technologies office (www.infineon.com).

Warnings

Due to technical requirements, our products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by us in a written document signed by authorized representatives of Infineon Technologies, our products may not be used in any life-endangering applications, including but not limited to medical, nuclear, military, life-critical or any other applications where a failure of the product or any consequences of the use thereof can result in personal injury.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Magnetic Sensor Development Tools](#) category:

Click to view products by [Infineon](#) manufacturer:

Other Similar products are found below :

[AS5134 AB](#) [MMC5633NJL-B](#) [MIKROE-1647](#) [MIKROE-1646](#) [EVAL-CN0332-PMDZ](#) [AS5510-WL_EK_DB](#) [ADA4571R-EBZ](#) [AS5170A-SO_EK_AB](#) [4366](#) [AS5013-QF_EK_AB](#) [AS5040 DB V2](#) [AS5045 AB](#) [AS5047D-TS_EK_AB](#) [AS5048A-EK-AB-STM1.1](#) [AS5048-TS_EK_DB](#) [AS5050A-QF_EK_AB](#) [AS5132 AB](#) [AS5132 DB](#) [AS5132-PB](#) [AS5145B-EK-AB-STM1.0](#) [AS5147P-TS_EK_AB](#) [AS5162-EK-AB](#) [AS5172B-TS_EK_AB](#) [AS5247-MF_EK_SB](#) [AS5247U-TQ_EK_SB](#) [AS5306-TS_EK_AB](#) [AS5311-TS_EK_AB](#) [AS5510-SOIC8-AB](#) [AS5600-SO_EK_AB](#) [AS5600-SO_EK_ST](#) [AS5601-SO_EK_ST](#) [AS5601-SO_RD_ST](#) [AS5X47U-TS_EK_AB](#) [SD4Y-EK-XX](#) [USB I&P BOX](#) [EVAL-CN0323-SDPZ](#) [EVAL-CN0368-SDPZ](#) [DFR0033](#) [S2GO3DSENSETLV493DTOBO1](#) [S2GOCURSENSETLI4970TOBO1](#) [TLE5012BE5000MS2GOTOB01](#) [TLE5014PROGKITTOBO1](#) [EVB90316-DC](#) [EVB90316-GO](#) [EVB90333-DC](#) [EVB90393](#) [EVB922xx](#) [MMC5983-B](#) [EXTENSION BOARD V.4.0](#) [HAL USB PROGRAMMER TOOL V.1.0](#)