

SAK-TC267D-40F200N BC

[Overview](#)[Parametrics](#)[Order](#)[Boards](#)[Support](#)

Buy online

Parametrics

Parametrics	SAK-TC267D-40F200N BC
A/D Input Lines	50
Additional Features	Dual Core; Lockstep; Safety IO Monitor; Stand-By Controller
CAN Nodes	5
Clock Frequency max	200.0 MHz
DMA Channels	48
EEPROM Emulation	yes
External Bus Interface	no
Fast Flash Programming	no
FlexRay™	yes
Instruction Set Architecture	TriCore™ v1.6P (32-bit); TriCore™ v1.6E (32-bit)
Instruction Width ([bits])	32/16
Number of ADC Modules	7.0
Program Memory	2.5 MByte
SRAM (incl. Cache)	240.0 kByte
Type of Memory	Flash

Order

Sales Product Name	SAK-TC267D-40F200N BC
OPN	TC267D40F200NBCKXUMA1
Product Status	active and preferred
Package name	PG-LFBGA-292

Sales Product Name	SAK-TC267D-40F200N BC
Order online	 Buy online
Completely lead free	yes
Halogen free	yes
RoHS compliant	yes
Packing Size	1000
Packing Type	TAPE & REEL
Moisture Level	
Moisture Packing	DRY

Boards

Image	Board	Family	Description	Status
	KIT_AURIX_TC264_TRB	Microcontroller	<p>For evaluation of SAK-TC264T including Getting Started, free Tricore Entry Tool Chain , technical documentation, compiler and debugger. USB cable for power supply and extension board.</p> <ul style="list-style-type: none"> • TC264T 	active and preferred
	KIT_AURIX_TC265_S_TRB	Microcontroller	<p>For evaluation of SAK-TC265T including Getting Started, free Tricore Entry Tool Chain , technical documentation, compiler and debugger. USB cable for power supply and extension board.</p> <ul style="list-style-type: none"> • TC265T 	active and preferred
	KIT_AURIX_TC265_TFT	Microcontroller	<ul style="list-style-type: none"> • SAK- TC265D-40F200F 	active and preferred
	KIT_AURIX_TC267_TFT	Microcontroller	<ul style="list-style-type: none"> • SAK- TC267D-40F200F 	active and preferred
	KIT_AURIX_TFT_MC_EXT	Microcontroller	<p>An extension board to the Aurix TFT Application Kit allowing to control up to 4 uni and bi-directional Brushed DC Motors together with the high current half bridge BTN8982 Novalithic</p> <ul style="list-style-type: none"> • TC2xx, BTN8982 	active and preferred

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for 32-bit Microcontrollers - MCU category:

Click to view products by Infineon manufacturer:

Other Similar products are found below :

[MB91F575BHSPMC-GSE1](#) [MB91F594BSPMC-GSE1](#) [PIC32MX120F032B-50I/ML](#) [MB91F464AAPMC-GSE2](#) [MB91F577BHSPMC-GSE1](#)
[MB91F579CHSPMC1-GSE1](#) [MB91F528USCPMC-GSE2](#) [MB91F248PFV-GE1](#) [MB91F594BPMC-GSE1](#) [MB91243PFV-GS-136E1](#)
[MB91F577BHSPMC1-GSE1](#) [PIC32MM0032GPL020-E/ML](#) [PIC32MM0016GPL028-E/SS](#) [PIC32MM0016GPL028-E/ML](#)
[PIC32MM0032GPL028-E/ML](#) [PIC32MM0032GPL028-E/M6](#) [MB91F526KSEPMC-GSE1](#) [TLE9872QTW40XUMA1](#) [FT902L-T](#)
[R5F564MLCDFB#31](#) [R5F564MLCDFC#31](#) [R5F523E5ADFL#30](#) [R5F524TAADFF#31](#) [MCF51AC256ACPUE](#) [PIC32MX150F128D-I/ML](#)
[PIC32MX230F064D-I/PT](#) [PIC32MM0064GPL028-I/ML](#) [PIC32MM0064GPL028-I/SP](#) [PIC32MM0064GPL028-I/SO](#) [PIC32MX120F032D-I/TL](#) [PIC32MX130F064D-I/ML](#) [PIC32MZ2064DAB169-I/HF](#) [PIC32MZ2064DAB288-I/4J](#) [ATUC256L4U-AUT](#) [R5F56318CDBG#U0](#)
[PIC32MX150F128C-I/TL](#) [PIC32MX130F064C-ITL](#) [PIC32MX230F064D-IML](#) [PIC32MX154F128D-I/PT](#) [PIC32MX154F128B-V/SO](#)
[AT32UC3L0128-AUT](#) [PIC32MX254F128B-I/SO](#) [PIC32MX230F128H-I/MR](#) [PIC32MX150F256H-I/MR](#) [PIC32MX150F128D-50I/TL](#)
[PIC32MZ1064DAB288-I/4J](#) [PIC32MZ1064DAB169-I/HF](#) [ATUC64D4-Z1UT](#) [AT32UC3A3128S-CTUT](#) [ATUC128L3U-Z3UT](#)