



**Data Sheet Supplement
Version 1.0**

Dynamic Differential Hall Effect Sensor

TLE4927C E6547

For all parameters not specified in this document the TLE4926C-HT E6547 data sheet is valid.



Type	Marking	Ordering Code	Package
TLE4927C E6547	27D8	SP000718266	PG-SSO-3-92

1. Absolute Maximum Ratings

Parameter	Symbol	min.	typ.	max.	Unit	Conditions
Junction temperature	T_j	-40			°C	-
				155	°C	2000 h (not additive)
				165	°C	1000 h (not additive)
				175	°C	168 h (not additive)
				195	°C	3x1 h (additive to the other life times).

2. Operating Range

Operating junction temperature	T_j	-40			°C	-
				155	°C	2000 h (not additive)
				165	°C	1000 h (not additive)
				175	°C	168 h (not additive) reduced signal quality permissible (e.g. jitter).

3. Magnetic Characteristics in Running Mode

Minimum signal amplitude	$ \Delta B_{\min} $	0.35	0.75	1.35	mT	
--------------------------	---------------------	------	------	------	----	--




Figure 1 System operation with hidden adaptive hysteresis

4. Typical Hysteresis Values

PGA	GainRange	Hysteresis (peak to peak)	FullRange =MaxSignal	Percentage thresholds
X1	6	10.6 mT	± 120 mT	4.42 %
X2	5	8.0 mT	± 60 mT	6.67 %
X4	4	5.5 mT	± 30 mT	9.17 %
X8	3	3.8 mT	± 15 mT	12.67 %
X16	2	2.6 mT	± 7.5 mT	17.33 %
X32	1	1.8 mT	± 3.75 mT	24 %
X64	0	1.3 mT	± 1.875 mT	34.67 %



Revision History:

November 2009

Version 1.0

Previous Version: -	
Page	Subjects (major changes since last revision)
-	-

Infineon Technologies AG

© Infineon Technologies AIM SC

All Rights Reserved.

<http://www.infineon.com/products/sensors>

We Listen to Your Comments

Any information within this document that you feel is wrong, unclear or missing at all?

Your feedback will help us to continuously improve the quality of this document.

Please send your proposal (including a reference to this document) to:

Sensors@infineon.com



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Board Mount Hall Effect/Magnetic Sensors](#) category:

Click to view products by [Infineon](#) manufacturer:

Other Similar products are found below :

[HGPRDT005A](#) [AH1808-P-A](#) [AH277AZ4-AG1](#) [AV-10379](#) [AV-10448](#) [SS41C](#) [AH1894-Z-7](#) [ATS601LSGTN-LT-WU4-T](#) [TLE4917](#)
[50017859-003](#) [TY-13101](#) [TLE4976L](#) [SS85CA](#) [AH277AZ4-BG1](#) [TLE49614MXTSA1](#) [AH3382-P-B](#) [AH3377-P-B](#) [AH211Z4-AG1](#) [AH3360-](#)
[FT4-7](#) [SS460S-100SAMPLE](#) [50065820-03](#) [TLE4941PLUSCB](#) [AH374-P-A](#) [AH1806-P-A](#) [AH374-W-7](#) [SS460P-T2](#) [AH1912-FA-7](#) [SS413F](#)
[TLE5046ICAKLRHALA1](#) [TLE49421CHAMA2](#) [TLE4941PLUSCXAMA1](#) [AH1912-W-EVM](#) [AH1903-FA-EVM](#) [AH3774-W-EVM](#)
[AH49FNTR-EVM](#) [MMC5633NJL](#) [AH3360-FA-EVM](#) [AH8502-FDC-EVM](#) [AH3366Q-SA-EVM](#) [AH3774-P-EVM](#) [KTH1601SU-ST3](#)
[MG910](#) [MG910M](#) [MG911](#) [MG610](#) [MW921](#) [MW922](#) [TLE4998S3XALA1](#) [TLE5011FUMA1](#) [TLE5027CE6747HAMA1](#)