



Intel® Pentium® Processor G3420

3M Cache, 3.20 GHz

Add to Compare

Specifications

Essentials

Performance

Supplemental Information

Memory Specifications

Processor Graphics

Expansion Options

Package Specifications

Advanced Technologies

Security & Reliability

Ordering and Compliance

Product Images

Compatible Products

Downloads and Software

Essentials

[Export specifications](#)

Product Collection	Intel® Pentium® Processor G Series
Code Name	Products formerly Haswell
Vertical Segment	Desktop
Processor Number	G3420
Status	Launched
Launch Date ?	Q3'13
Lithography ?	22 nm
Recommended Customer Price ?	-
Use Conditions ?	Embedded Broad Market Commercial Temp, PC/Client/Tablet

Performance

# of Cores ?	2
# of Threads ?	2
Processor Base Frequency ?	3.20 GHz
Cache ?	3 MB SmartCache
Bus Speed ?	5 GT/s DMI2
TDP ?	53 W

Supplemental Information

Embedded Options Available ?	Yes
Datasheet	View now

Memory Specifications

Max Memory Size (dependent on memory type) ?	32 GB
Memory Types ?	DDR3-1333/1600, DDR3L-1333/1600 @ 1.5V
Max # of Memory Channels ?	2
Max Memory Bandwidth ?	25.6 GB/s
ECC Memory Supported [†] ?	Yes

Processor Graphics

Processor Graphics [†] ?	Intel® HD Graphics for 4th Generation Intel® Processors
Graphics Base Frequency ?	350 MHz

Graphics Max Dynamic Frequency ?	1.15 GHz
Graphics Video Max Memory ?	1.7 GB
Graphics Output ?	eDP/DP/HDMI/DVI/VGA
Max Resolution (HDMI 1.4)‡ ?	1920x1080@60Hz
Max Resolution (DP)‡ ?	2560x1600@60Hz
Max Resolution (eDP - Integrated Flat Panel)‡ ?	2560x1600@60Hz
Max Resolution (VGA)‡ ?	1920x1200@60Hz
DirectX* Support ?	11.1/12
OpenGL* Support ?	4.3
Intel® Quick Sync Video ?	Yes
Intel® Clear Video HD Technology ?	No
# of Displays Supported ‡	3

Expansion Options

Scalability	1S Only
PCI Express Revision ?	Up to 3.0
PCI Express Configurations ‡ ?	Up to 1x16, 2x8, 1x8+2x4
Max # of PCI Express Lanes ?	16

Package Specifications

Sockets Supported ?	FCLGA1150
Max CPU Configuration	1
Thermal Solution Specification ?	PCG 2013C
T _{CASE} ?	72°C
Package Size	37.5mm x 37.5mm

Advanced Technologies

Intel® Optane™ Memory Supported ‡ ?	No
Intel® Turbo Boost Technology ‡ ?	No
Intel® vPro™ Platform Eligibility ‡ ?	No
Intel® Hyper-Threading Technology ‡ ?	No
Intel® Virtualization Technology (VT-x) ‡ ?	Yes
Intel® Virtualization Technology for Directed I/O (VT-d) ‡ ?	No
Intel® VT-x with Extended Page Tables (EPT) ‡ ?	Yes
Intel® TSX-NI ?	No
Intel® 64 ‡ ?	Yes
Instruction Set ?	64-bit
Instruction Set Extensions ?	Intel® SSE4.1, Intel® SSE4.2
Idle States ?	Yes
Enhanced Intel SpeedStep® Technology ?	Yes
Thermal Monitoring Technologies ?	Yes

Security & Reliability

Intel® AES New Instructions ?	No
Intel® Trusted Execution Technology ‡ ?	No
Execute Disable Bit ‡ ?	Yes

More support options for Intel® Pentium® Processor G3420 (3M Cache, 3.20 GHz)



Product Support



Downloads and Software



Support Community



Warranty and Replacement



Need more help?

Contact support



Give Feedback

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading> for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

For benchmarking data see <http://www.intel.com/performance>.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.



[Company Information](#) [Our Commitment](#) [Communities](#) [Investor Relations](#) [Contact Us](#)

[Newsroom](#) [Jobs](#)



[© Intel Corporation](#) | [Terms of Use](#) | [*Trademarks](#) | [Privacy](#) | [Cookies](#) | [Supply Chain Transparency](#) | [Site Map](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for CPU - Central Processing Units category:

Click to view products by Intel manufacturer:

Other Similar products are found below :

[AT80612003090AAS LBWJ](#) [B4860NSE7QUMD](#) [NPIXP2855AB-S-LA88](#) [IVPX7225-RTM-1](#) [96MPI5-2.9-6M10T](#) [2SC4646D-AN](#)
[SMBV1061LT1G](#) [2SC4646E-AN](#) [2SJ268-DL-E](#) [CP80617003981AHS LBTQ](#) [MATXM-CORE-411-HTSNK](#) [TEC0193BPF](#) [TND516SS-TL-E](#)
[BGSF 1717MN26 E6327](#) [D8086-2](#) [LF80538GF0282M-S-L8VY](#) [CM8063401293902S R1A4](#) [CM8063501521302S R1B8](#)
[CM8066201919901 SR2L0](#) [CM8066201928505 SR2HT](#) [CPH5855-TL-E](#) [CM8063501293200S R1A0](#) [AV8063801129600S R10F](#) [EMS36-02-](#)
[2H-MDT](#) [EMM04-MDT](#) [NG80386DX33](#) [NHIXP432AC](#) [NK80530MZ866256S-L7XH](#) [P1021NXE2HFB](#) [R0K5ML001SS00BR](#)
[LC87F2608A](#) [LC87FBK08A](#) [PRIXP425BC](#) [PRIXP423BB](#) [CM8066201921712S R2LF](#) [CM8064601467102S R152](#) [CM8063501375800S](#)
[R1AX](#) [CM8063501293506S R1A2](#) [CM8063401293802S R1A3](#) [CM8062107185405S R0KM](#) [LC87F0G08A](#) [CM8067702867061S R374](#) [PB-](#)
[8SMB](#) [COMX-300-HSP](#) [RTM-ATCA-7360](#) [96MPI7-3.4-8M11T](#) [CM8066002023801S R2J1](#) [96MPP-2.3-3M10T](#) [96MPI7-3.4-8M11T1](#)
[96MPXE-2.0-15M20T](#)