




Intel® Atom™ Processor E3805 (1M Cache, 1.33 GHz)

Specifications

- Essentials

Status	Launched
Launch Date	Q4'14
Processor Number	E3805
L2 Cache	1 MB
Instruction Set	64-bit
Embedded Options Available	 Yes
Lithography	22 nm
Recommended Customer Price	TRAY: \$31.00
Datasheet	Link

- Performance

# of Cores	2
# of Threads	2
Processor Base Frequency	1.33 GHz
TDP	3 W

- Memory Specifications

Max Memory Size (dependent on memory type)	8 GB
Memory Types	DDR3L 1067
Max # of Memory Channels	1
ECC Memory Supported †	 Yes

- Graphics Specifications

Processor Graphics †	None
Intel® Quick Sync Video	 No
Intel® Wireless Display	 No
Intel® Insider™	No

- Expansion Options

PCI Express Revision	2.0
PCI Express Configurations †	x4, x2, x1
Max # of PCI Express Lanes	4

- I/O Specifications







--	--

USB Revision	2.0, 3.0
Total # of SATA Ports	2
Integrated LAN	No
Integrated IDE	No
UART	Yes

- Package Specifications

T _{JUNCTION}	-40°C to 110°C
Package Size	25mm x 27mm
Sockets Supported	FCBGA1170
Low Halogen Options Available	See MDDS

- Advanced Technologies

Intel® vPro Technology †	 No
Intel® Hyper-Threading Technology †	 No
Intel® Virtualization Technology (VT-x) †	Yes
Intel® Virtualization Technology for Directed I/O (VT-d) †	 No
Intel® VT-x with Extended Page Tables (EPT) †	 Yes
Intel® 64 †	 Yes
Enhanced Intel SpeedStep® Technology	 Yes
Intel® HD Audio Technology	Yes

- Intel® Data Protection Technology

Intel® AES New Instructions	 Yes
-----------------------------	---

- Intel® Platform Protection Technology

Trusted Execution Technology †	 No
Execute Disable Bit †	Yes

Ordering and Spec Information

Trade Compliance Information

ECCN	CCATS	US HTS
5A992CN3	G143235	8542310000-HYBRD

Ordering and Spec Information

Spec Code	Ordering Code	Step	RCP
Intel® Atom™ Processor E3805 (1M Cache, 1.33 GHz) FC-BGA13F, Tray			
SR20Y	FH8065301989700	D0	\$31.00

Download Drivers

**BIOS Implementation Test Suite (BITS)**

BITS provides a bootable pre-OS environment for testing BIOSes and in particular their initialization of Intel® Processors, hardware, and technologies

Version: Build 2070 (Latest)

Date: 1/7/2016

Operating Systems: OS Independent

**Intel® Embedded Drivers for Microsoft Windows* 10 IoT Core (32-bit)**

Intel® Embedded Drivers for Microsoft Windows* 10 IoT Core (32-bit)

Version: 1 (Latest)

Date: 12/23/2015

Operating Systems: Windows® 10, 32-bit

**Intel® Processor Identification Utility - Windows* Version**

The Intel® Processor Identification Utility is provided by Intel to identify characteristics of a processor inside a system.

Version: 5.40 (Latest)

Date: 12/23/2015

Operating Systems: Windows 2000*, Windows 7*, Windows 8*, 8 more

**Intel® HD Graphics Driver v36.19.0 (Gold) for Windows* 10 IoT Core**

Install Package: Intel® HD Graphics Driver v36.19.0 (Gold) for Windows* 10 IoT Core

Version: v36.19.0 (Gold) (Latest)

Date: 12/18/2015

Operating Systems: Windows® 10, 32-bit, Windows® 10, 64-bit

**Intel Embedded Drivers for Windows* 7 (32-bit & 64-bit)**

Install Package: Intel® Embedded Drivers for Windows* 7 (32-bit & 64-bit)

Version: 3 (Latest)

Date: 11/23/2015

Operating Systems: Windows 7, 32-bit*, Windows 7, 64-bit*

**Intel® Embedded Drivers for Microsoft Windows* 8 (32-bit & 64-bit) OS**

Drivers: Installs drivers for embedded Windows* 8 (32-bit & 64-bit) OS for the Intel® Atom™ E3800 Product Family & related processors.(v.1, Oct. 2015)

Version: 1 (Latest)

Date: 10/16/2015

Operating Systems: Windows 8*, Windows 8, 32-bit*, Windows 8, 64-bit*

**BKC (Best Known Configuration) for Fedora* 18 MR2 (Maintenance Release 2)**

This is the Best Known Configuration for Linux* MR2 integration into Fedora* 18 for Intel® Atom™ Processor E3800 product family.

Version: 1 (Latest)

Date: 9/15/2015

Operating Systems: Linux*

**Intel® Processor Identification Utility - Bootable Version**

The Intel® Processor Identification Utility is provided by Intel to identify characteristics of a processor inside a system.

Version: 5.30 (Latest)

Date: 9/11/2015

Operating Systems: OS Independent

**Intel® Processor Diagnostic Tool (64-bit)**

The Intel® Processor Diagnostic Tool is compatible with multiprocessor systems.

Version: 2.20.0.0.W.MP-1 (Latest)

Date: 8/7/2015

Operating Systems: Windows 7*, Windows 8*, Windows 8.1*, 4 more

**Intel® Embedded Media and Graphics Driver (Intel® EMGD)**

For embedded Intel® Atom™ Processor-based systems

Version: 1.15-1.18 (Latest)

Date: 5/7/2015

Operating Systems: OS Independent

**Intel® IoT Gateways Software Development Kit SK50: Getting Started Guide Commands**

Getting Started guide commands for installation of the Intel® IoT Gateways Software Development Kit SK50.

Version: 1 (Latest)

Date: 4/30/2015

Operating Systems: Linux*



Intel® Processor Diagnostic Tool (32-bit)

The Intel® Processor Diagnostic Tool is compatible with multiprocessor systems.

Version: 2.11.0.0.W-2 (Latest)

Date: 4/29/2015

Operating Systems: Windows 7*, Windows 8*, Windows 8.1*, 5 more



Intel® IoT Gateways Development Kit DK300 Series: Getting Started Guide Commands

Getting Started guide commands for installation of the Intel® IoT Gateways Development Kit DK300 Series.

Version: 2 (Latest)

Date: 2/6/2015

Operating Systems: Linux*



Intel® IoT Gateways Development Kit DK300 Series: Get Started Guide Commands

Getting Started guide commands for installation of the Intel® IoT Gateways Development Kit DK300 Series.

Version: 1 (Latest)

Date: 2/6/2015

Operating Systems: Linux*



Linux* Processor Microcode Data File

The microcode data file contains the latest microcode definitions for all Intel processors. Intel periodically releases these microcode updates.

Version: 20150121 (Latest)

Date: 1/27/2015

Operating Systems: Caldera Linux*, Chromium OS*, Debian 3.1 Linux*, 91 more



Linux* Processor Microcode Data File

The microcode data file contains the latest microcode definitions for all Intel processors. Intel periodically releases these microcode updates.

Version: 20150107 (Latest)

Date: 1/13/2015

Operating Systems: Caldera Linux*, Chromium OS*, Debian 3.1 Linux*, 89 more



Intel® IoT Gateways Development Kit DK200 Series: Getting Started Guide Commands

Getting Started guide commands for installation of the Intel® IoT Gateways Development Kit DK200 Series.

Version: 1 (Latest)

Date: 12/15/2014

Operating Systems: Linux*



Intel® IoT Gateways Development Kit DK100 Series: Getting Started Guide Commands

Getting Started guide commands for installation of the Intel® IoT Gateways Development Kit DK100 Series.

Version: 1 (Latest)

Date: 12/13/2014

Operating Systems: Linux*



Intel® IoT Gateways Development Kit DK50 Series: Getting Started Guide Commands

Getting Started guide commands for installation of the Intel® IoT Gateways Development Kit DK50 Series.

Version: 1 (Latest)

Date: 12/13/2014

Operating Systems: Linux*



Intel embedded drivers for Windows* 8.1 (64-bit)

Install Package: Intel embedded drivers for Windows* 8.1 (64-bit)

Version: 1 (Latest)

Date: 9/26/2014

Operating Systems: Windows 8.1, 64-bit*

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

"Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

"Conflict free" and "conflict-free" means "DRC conflict free", which is defined by the U.S. Securities and Exchange Commission rules to mean products that do not contain conflict minerals (tin, tantalum, tungsten and/or gold) that directly or indirectly finance or benefit armed groups in the Democratic Republic of the Congo (DRC) or adjoining countries. Intel also uses the term "conflict-free" in a broader sense to refer to suppliers, supply chains, smelters and refiners whose sources of conflict minerals do not finance conflict in the DRC or adjoining countries. Intel processors manufactured before January 1, 2013 are not confirmed conflict free. The conflict free designation refers only to product manufactured after that date. For Intel Boxed Processors, the conflict free designation refers to the processor only, not to any additional included accessories, such as heatsinks/coolers.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading> for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

For benchmarking data see <http://www.intel.com/performance>.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

[Send us your feedback!](#)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for CPU - Central Processing Units category:

Click to view products by Intel manufacturer:

Other Similar products are found below :

[D8751H](#) [AT80612003090AAS LBWJ](#) [N87C51](#) [IVPX7225-RTM-1](#) [CM8063401286600S R1AK](#) [CM8063501374802S R1A5](#)
[CM8063501375101S R1A8](#) [MATXM-CORE-411-HTSNK](#) [BGSF 1717MN26 E6327](#) [BX80621E52620 S R0KW](#) [IVPX7225-02250813L](#)
[D8086-2](#) [CM8063401293902S R1A4](#) [CM8063501374901S R1A6](#) [CM8066201928505 SR2HT](#) [CM8063501293200S R1A0](#)
[CM8062301046008S R060](#) [ATLASEDGE.1](#) [AV8063801129600S R10F](#) [R0K5ML001SS00BR](#) [CM8066201921712S R2LF](#)
[CM8064601467102S R152](#) [CM8063701094000S R0TA](#) [CM8063501375800S R1AX](#) [CM8063401376400S R1A9](#) [CM8063401293802S R1A3](#)
[CM8063401286102S R19S](#) [CM8062107185405S R0KM](#) [CM8066002032201S R2R6](#) [CM8063501288301S R1AN](#) [COMX-300-HSP](#) [RTM-](#)
[ATCA-7360](#) [96MPI7-3.4-8M11T](#) [96MPP-2.3-3M10T](#) [96MPI7-3.4-8M11T1](#) [96MPXE-2.0-15M20T](#) [96MPI5-3.0-6M10T](#) [96MPI5S-2.3-](#)
[6M11T1](#) [FJ8066401715827S R2KG](#) [AFPC205 S R1Z1](#) [DNCE2510 S LHCM](#) [FJ8066401715843S R2KH](#) [DNCE2530G S LHCY](#)
[DNCE2510GU S LHCW](#) [CM8066201935807S R2LM](#) [FH8065503554000S R3H4](#) [FH8065301615104S R1UU](#) [CM8066201934909S R2LK](#)
[FJ8067702739633S R340](#) [CM8068403360212 SR3XB](#)