Nano RFID card reader

Application

✓ **RFID tags reading**
✓ **identification of persons**
✓ **warehouse staff**
✓ **working time control**
✓ **data input**

Characteristic

- Reading RFID tags
- Module control through the HTTP (client/server), SNMP
- Built-in web server
- Modbus TCP communication
- LED control

Nano RFID PoE
more advanced model of Nano RFID

INVEO - Innovative, Necessary, Visionary, Economic, Optimum

Technical data

Supply voltage	PoE Passive 10-24VDC
Power consumption	max 1.5W
Housing	IP30
Operating environment	-10℃ to +55℃
Dimensions	20.6 (H) x 66.3 (W) x 50 (L) mm

Transponders

Tag readout standards	Unique EM4100 EM4102
Frequency	125kHz
Tag reading distance	up to 8cm

Communication

1 Ethernet port	up to 10 Mbps

We also recommend:

RFID USB Desk
desk RFID reader

RFID IND-LED
industrial RFID reader

RFID USB Pocket
pocket RFID reader

CE

RFID Reader
entirely designed and made by
a Polish company

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Modules *category:*

Click to view products by Inveo *manufacturer:*

Other Similar products are found below :

HMC-C009 HMC-C011 nRF24L01P-MODULE-PCB HMC-C021 HMC-C024 XB9XT-DPRS-721 XBP9B-DMUTB022 nRF24L01P-MODULE-SMA CMD-KEY2-418-CRE XM-C92-2P-UA XB9XT-DPUS-721 V640-A90 HMC-C583 MAAM-008818-TR3000 MTSMC-H5-U SIMSA868-PRO SIMSA915C-PRO SIMSA868C-PRO SIMSA433C-PRO SIMSA915-PRO XBP9B-DMUT-042 HMC-C582 HMC-C022 XBP9B-DPST-041 XBP9B-DMWT-042 SM-MN-00-HF-RC HMC-C031 MT-02 M1002GB 702-W SIMSA868C-N-PRO SIMSA433C-N-PRO SIMSA915C-N-PRO ADP-R202-00B PEPPER WIRELESS C1 USB S2-1050J-Z0K4J S2-10732-Z1T61 S2-107XB-Z2356-Z2352 S2-10672-Z1L85 S2-10686-Z1L1D S2-10688-Z1L1T S2-106BA-Z1P20 S2-1060C-Z1F0A S2-106R4-Z1Q6F-Z1Q6Q S2-106R4-Z1Q6J-Z1Q6Q S2-106R4-Z1Q67-Z1Q6Q S2-106RB-Z1Q6V-Z1Q6Q S2-107DR-Z1Y5B SU60-2230C-PU RC-TFSK3-868