

industrial RFID reader **RFID IND-LCD**



Application

- ✓ reading RFID tags
- ✓ identification of persons
- ✓ access control
- ✓ warehouse staff
- ✓ working time control
- ✓ data input
- ✓ starting machines

Characteristic

- RFID TAG reading
- Reading and recording card contents * for selected transponders
- Module control through the HTTP (client/server), SNMP
- Built-in web server
- Modbus TCP and RTU communication
- Built-in memory: 1000 users, 30 000 logs
- Control of built-in relay outputs
- Configuration of relay outputs (bistable, astable, time)
- Input status control
- Display control



Technical data

Supply voltage	10-24VDC and PoE 802.3af or PoE Passive 10-24VDC
Power consumption	max 2.5W (~ 200mA @ 12V)
Housing	IP65
Operating environment	-10°C to + 55°C
Dimensions	100 (W) x 100 (H) x 55,6 (D) mm

Transponders depending on the device version

Mifare Classic® (ISO/IEC 14443-A)*	13.56MHz	RFID IND-LCD Mif
Mifare Plus® (UID), Mifare DESFire® (UID)		
Unique EM4100 EM4102	125kHz	RFID IND-LCD Uni
HID iClass® (tylko CSN)	13.56MHz	RFID IND-LCD iCla
HID 125kHz	125kHz	RFID IND-LCD H125
ICODE® (ISO 15693)	13.56MHz	RFID IND-LCD Ico
HITAG (HITAG 2)	125kHz	RFID IND-LCD HT2

Communication

1 RS485 port	modbus RTU
1 Ethernet port	configuration and communication

Inputs / Outputs

2 inputs	dry contact, type NO
2 outputs	relay, max load 1A at 30V DC (NO / Uzas)

We also recommend:

RFID USB Desk desk RFID reader



RFID IND LED industrial RFID reader



RFID TAB panel RFID reader



RFID reader
entirely designed and made by
a Polish company

inveo 



INVEO - Innovative, Necessary, Visionary,
Economic, Optimum

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [RF Modules](#) category:

Click to view products by [Inveo](#) manufacturer:

Other Similar products are found below :

[HMC-C009](#) [HMC-C011](#) [nRF24L01P-MODULE-PCB](#) [HMC-C021](#) [HMC-C024](#) [XB9XT-DPRS-721](#) [XBP9B-DMUTB022](#) [nRF24L01P-MODULE-SMA](#) [CMD-KEY2-418-CRE](#) [XM-C92-2P-UA](#) [XB9XT-DPUS-721](#) [V640-A90](#) [HMC-C583](#) [MAAM-008818-TR3000](#) [MTSMC-H5-U](#) [SIMSA868-PRO](#) [SIMSA915C-PRO](#) [SIMSA868C-PRO](#) [SIMSA433C-PRO](#) [SIMSA915-PRO](#) [XBP9B-DMUT-042](#) [HMC-C582](#) [HMC-C022](#) [XBP9B-DPST-041](#) [XBP9B-DMWT-042](#) [SM-MN-00-HF-RC](#) [HMC-C031](#) [MT-02](#) [M1002GB](#) [702-W](#) [SIMSA868C-N-PRO](#) [SIMSA433C-N-PRO](#) [SIMSA915C-N-PRO](#) [ADP-R202-00B](#) [PEPPER WIRELESS C1 USB](#) [S2-1050J-Z0K4J](#) [S2-10732-Z1T61](#) [S2-107XB-Z2356-Z2352](#) [S2-10672-Z1L85](#) [S2-10686-Z1L1D](#) [S2-10688-Z1L1T](#) [S2-106BA-Z1P20](#) [S2-1060C-Z1F0A](#) [S2-106R4-Z1Q6F-Z1Q6Q](#) [S2-106R4-Z1Q6J-Z1Q6Q](#) [S2-106R4-Z1Q67-Z1Q6Q](#) [S2-106RB-Z1Q6V-Z1Q6Q](#) [S2-107DR-Z1Y5B](#) [SU60-2230C-PU](#) [RC-TFSK3-868](#)