

## desk RFID reader **RFID USB Desk**



### Application

- ✓ RFID tags reading
- ✓ identification of persons
- ✓ equipment rental
- ✓ access control
- ✓ loyalty programs
- ✓ working time control
- ✓ data input

### Characteristic

- Reading RFID TAG
- Reading and recording card contents \* for selected transponder:
- Support for various keyboard layouts (keyboard languages)
- Prefix and Postfix setup
- Extended functions of TAG code conversion
- Read delay between tags
- Keyboard emulator
- Virtual serial port
- Sending data to the serial port
- LEDs and sound generator control
- Integration with own software
- Can be modified to meet customer requirements



## Technical data

Supply voltage	USB 5VDC (powered from the computer's USB port)
Housing	IP30
Operating environment	-10°C to +55°C
Dimensions	57.5 (W) x 91.3 (H) x 21 (D) mm
Communication	USB port (keyboard emulation or virtual COM port)
Compatibility	Windows, Linux, Android

### Transponders depending on the device version:

Mifare Classic® (ISO/IEC 14443-A)*	13.56MHz	RFID USB Desk Mif
Mifare Plus® (UID), Mifare DESFire® (UID)		
Unique EM4100 EM4102	125kHz	RFID USB Desk Uni
HID iClass® (only CSN)	13.56MHz	RFID USB Desk iCla
HID 125kHz	125kHz	RFID USB Desk H125
ICODE® (ISO 15693)	13.56MHz	RFID USB Desk Ico
HITAG (HITAG 2)	125kHz	RFID USB Desk HT2

### We also recommend:

#### RFID USB Pocket pocket RFID reader



#### RFID IND-LED industrial RFID reader



#### RFID IND TAB panel RFID reader



**RFID reader**  
entirely designed and made by  
a Polish company

**inveo** 



INVEO - Innovative, Necessary, Visionary,  
Economic, Optimum

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [RF Modules](#) category:*

*Click to view products by [Inveo](#) manufacturer:*

Other Similar products are found below :

[HMC-C009](#) [HMC-C011](#) [nRF24L01P-MODULE-PCB](#) [HMC-C021](#) [HMC-C024](#) [XB9XT-DPRS-721](#) [XBP9B-DMUTB022](#) [nRF24L01P-MODULE-SMA](#) [CMD-KEY2-418-CRE](#) [XM-C92-2P-UA](#) [XB9XT-DPUS-721](#) [V640-A90](#) [HMC-C583](#) [MAAM-008818-TR3000](#) [MTSMC-H5-U](#) [SIMSA868-PRO](#) [SIMSA915C-PRO](#) [SIMSA868C-PRO](#) [SIMSA433C-PRO](#) [SIMSA915-PRO](#) [XBP9B-DMUT-042](#) [HMC-C582](#) [HMC-C022](#) [XBP9B-DPST-041](#) [XBP9B-DMWT-042](#) [SM-MN-00-HF-RC](#) [HMC-C031](#) [MT-02](#) [M1002GB](#) [702-W](#) [SIMSA868C-N-PRO](#) [SIMSA433C-N-PRO](#) [SIMSA915C-N-PRO](#) [ADP-R202-00B](#) [PEPPER WIRELESS C1 USB](#) [S2-10732-Z1T61](#) [S2-107XB-Z2356-Z2352](#) [S2-10672-Z1L85](#) [S2-10686-Z1L1D](#) [S2-10688-Z1L1T](#) [S2-106BA-Z1P20](#) [S2-1060C-Z1F0A](#) [S2-106R4-Z1Q6F-Z1Q6Q](#) [S2-106R4-Z1Q6J-Z1Q6Q](#) [S2-106RB-Z1Q6V-Z1Q6Q](#) [S2-107DR-Z1Y5B](#) [SU60-2230C-PU](#) [RC-TFSK3-868](#) [NANO RFID POE](#) [650201424G](#)