



AUDIO
TECHNOLOGIES®

1/4" PHONE PLUGS

IO-T3MBK

TBK SERIES - TS & TRS

Io Audio Technologies' TBK Series 1/4" connectors are designed to have a sleek and fresh appearance while providing some upgrades in mechanics. Available in this series are two and three pole straight gold-plated phone plugs for audio, control, or low voltage applications.



IO-T2MBK

SPECIFICATIONS

PRODUCT

Gender: **Male**

Contacts: **2 (IO-T2MBK), 3 (IO-T3MBK)**

ELECTRICAL

Capacitance Between Contacts: **< 7.6 pF**

Capacitance Between Contact and Ground: **< 9.1 pF**

Contact Resistance: **Depends on Mating Connector**

Insulation Resistance: **≥ 100 MΩ**

Dielectric Strength: **500 V AC @ 60s**

Rated Voltage: **< 100 V DC**

Rated Current per Contact: **Depends on Mating Connector**

ENVIRONMENTAL

Standard Compliance: **IEC 60603-11 / EIA RS-453**

Solderability: **Complies with IEC 60068-2-20**

Temperature Range: **-40°C ~ +70° C (-40°F ~ +158°F)**

MECHANICAL

Lifetime: **> 1000 Mating Cycles**

Cable O.D.: **4.0 - 7.0mm**

Wiresize: **2.25mm Max**

Wiring: **Solder Contacts**

MATERIAL

Plug: **Brass**

Plug Plating: **Gold**

Contacts: **Brass**

Contact Plating: **Tin**

Strain Relief: **Polyoxymethylene**

Strain Relief Finish: **Blue**

Shell: **Aluminum**

Shell Plating: **Black**

Chuck: **Polypropylene**

Bushing: **Polyamide + TPR**

Product specifications may change without prior notification



FEATURES & APPLICATIONS

The TBK Series 1/4" plugs feature a durable black shell housing designed to allow for smoother plugging and unplugging. Gold-plated plug contacts and tin-plated wire terminals are standard, as well as solder termination and a threaded housing assembly. They include a plastic pressure chuck which tightens onto the cable to provide extended strain relief.

TBK Series 1/4" connectors can be used with modern high density jackfields, so they can be used in a variety of applications including use with various instruments and patch bays for home or professional studios.

PART NUMBER BREAKDOWN

IO-**T**2MBK
Series Identifier

IO-T**2**MBK
Number of Poles

IO-T2**M**BK
Gender

IO-T2MB**K**
Body Color

STANDARDS & CLASSIFICATIONS



Product specifications may change without prior notification

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Phone Connectors](#) category:

Click to view products by [IO Audio Technologies](#) manufacturer:

Other Similar products are found below :

[R4F](#) [E12BPKG](#) [ECP4PKG](#) [163-157J-E](#) [MT333X](#) [171-0350-EX](#) [171-101A-EX](#) [171-3302-EX](#) [NC3MG-V](#) [NS112BX](#) [NYS228G](#) [JM2PB-AU](#)
[BULK](#) [S2674](#) [280L](#) [163-156N-2-E](#) [163-158N-2-E](#) [RJ5VI-S](#) [TM1R-AU](#) [TM2PBMJ-AU](#) [TM2PJ-AU](#) [TM2PJ-AU](#) [BULK](#) [4803.1351](#)
[TS3PBJ-AU](#) [TS3PBMJ-AU](#) [TT32BX](#) [MP-101](#) [54B](#) [C55BX](#) [NM3](#) [T10711](#) [TJS-102](#) [TS3PBJ-AU](#) [BULK](#) [MT334F](#) [NJ3FP6F-P](#) [NPX-](#)
[PROMO](#) [CMT336B](#) [P3218](#) [TP-125-7](#) [JS3PB-AU](#) [BULK](#) [TJ-108C](#) [TJ-101RPM](#) [T16591](#) [XMT332A](#) [TP-201033-A](#) [114BPCSX](#) [CMT334B](#)
[AA0-A4830-A00](#) [161-3142M-L](#) [156-3402SHA-E](#) [MC-121](#)