

AL000031

CONNECTION TECHNOLOGY • CABLE SOCKETS / CONNECTORS PRE-ASSEMBLED ON ONE SIDE

accessories, fiber optic, cable, 5m, Blade terminal Female (socket)
4pin Straight, Free conductor end, 4wire, PUR (Polyurethane),
Ø3mm, Plastic, Welding area



MECHANICAL FEATURES

| | |
|--|--------------------|
| Ambient temperature | -10 °C ... 55 °C |
| Cable infeed of A connection | Straight |
| Cable length | 5 m |
| Housing material | Plastic |
| Material of cable sheath | PUR (Polyurethane) |
| Number of cores | 4 |
| Perm. ambient temperature of cable, flexible cable | -10 °C ... 55 °C |
| Suitable for trailing chain | + |
| Version | Connection cable |

ELECTRICAL FEATURES

| | |
|---------------------------------------|--------------------|
| Line diameter | 3 mm |
| Number of pins of A connection | 4 |
| Type of A electrical connection | Blade terminal |
| Type of B electrical connection | Free conductor end |
| Type of plug-in contact, A connection | Female (socket) |

OTHER FEATURES

| | |
|-----------------|----|
| Flame retardant | No |
| Welding area | + |

Other

| | |
|----------------------|---------------------------|
| Packaging dimensions | 77.0mm x 25.0mm x 123.0mm |
| Shipping weight | 0.1kg |
| Tariff code | 85444290 |

Classification

| | |
|-------------------|----------|
| ipf product group | 900 |
| eClass 8.0 | 27279218 |
| eClass 9.0 | 27060311 |
| eClass 9.1 | 27060311 |
| ETIM-5.0 | EC001855 |
| ETIM-6.0 | EC001855 |
| ETIM-7.0 | EC001855 |

Connection**Dimensional drawing****Installation**

Mounting / installation may only be carried out by a qualified electrician!

Disposal**Safety warnings**

Before initial operation, please make sure to follow all safety instructions that may be provided in the product information. Never use these devices in applications where the safety of a person depends on their functionality. LED lighting systems can generate intensive UV radiation, which can damage your eyes in case of improper use. The manufacturer cannot be held responsible for damages that result from improper use or connection.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Cables / Actuator Cables](#) category:

Click to view products by [IPF ELECTRONIC](#) manufacturer:

Other Similar products are found below :

[60963](#) [60964](#) [M83513/19-F01CP](#) [703000D02F2002](#) [703000D02F300](#) [703001D02F0602](#) [703001D02F1201](#) [703001D02F300](#)
[704000D02F120](#) [773032K02F030](#) [802027107404-1](#) [802027213811-1](#) [804001A09M150](#) [805001A09M0502](#) [84914-0235](#) [84914-0237](#)
[885030A09M010](#) [885030A09M020](#) [8R4J30E03C3003](#) [1200651332](#) [1200651713](#) [1200660844](#) [1200660845](#) [1200661173](#) [1200680071](#)
[1200720053](#) [1200720081](#) [1200720099](#) [1200720217](#) [1200800231](#) [1200860125](#) [1200870123](#) [1200980102](#) [1200650218](#) [1200650298](#)
[1200660183](#) [1200660782](#) [1200660849](#) [1200661295](#) [1200661297](#) [1200661342](#) [1200661343](#) [1200670080](#) [1200670220](#) [1200680331](#)
[1200720252](#) [1200720255](#) [1200720597](#) [1200730184](#) [1200860344](#)