

VKA07B45

ETIM-7.0

CONNECTION TECHNOLOGY • CABLE SOCKETS / CONNECTORS PRE-ASSEMBLED ON ONE SIDE

, 10m, M9 Male (plug) 8pin Straight, Free conductor end, 8wire, PUR (Polyurethane), Shielded, Oil and cooling lubricants, Welding area




MECHANICAL FEATURES Cable infeed of A connection Straight Cable length 10 m Material of cable sheath PUR (Polyurethane) Number of cores 8 Version Connection cable **ELECTRICAL FEATURES** Number of pins of A connection 8 Shielded + Type of A electrical connection M9 Type of B electrical connection Free conductor end Type of plug-in contact, A connection Male (connector) With LED display **OTHER FEATURES** Flame retardant No **IR-networked** -Oil and cooling lubricants + Welding area + Other Packaging dimensions 250mm x 30mm x 350mm Shipping weight 0.42kg Tariff code 85444290 Classification ipf product group 856 eClass 8.0 27279218 eClass 9.0 27060311 eClass 9.1 27060311 ETIM-5.0 EC001855 ETIM-6.0

EC001855

EC001855



Connection



Installation



Mounting / installation may only be carried out by a qualified electrician!



Safety warnings

Before initial operation, please make sure to follow all safety instructions that may be provided in the product information.

Never use these devices in applications where the safety of a person depends on their functionality.

LED lighting systems can generate intensive UV radiation, which can damage your eyes in case of improper use. The manufacturer cannot be held responsible for damages that result from improper use or connection.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Cables / Actuator Cables category:

Click to view products by IPF ELECTRONIC manufacturer:

Other Similar products are found below :

6096360964M83513/19-F01CP703000D02F2002703000D02F300703001D02F0602703001D02F1201703001D02F300704000D02F120773032K02F030802027107404-1802027213811-1804001A09M150805001A09M050284914-023584914-0235885030A09M010885030A09M0208R4J30E03C300312006513321200651713120066084412006608451200661173120068007112007200531200720081120072009912007202171200800231120086012512008701231200980102120065021812006502981200660183120066078212006608491200661295120066129712006613421200661343120067008012006702201200680331120072025212007202551200720597120073018412008603441200661343120067028012006702201200680331