



Skinny SK6812 RGB 144 LED strip



Product Description

Mini Skinny high density addressable led strip with 144pixels/m

7mm PCB width with SMD3535 RGB LED chip

Cut-able every LED with 6.9mm,

and SPI SK6812 signal protocol



The PCB is 1 + 2 Ounce copper for heat dissipation

1 Meter per reel attached 3M tape,

customized sizes are available

3Pin JST SM connector, IP Rate: IP20,IP64,IP65



Product Datasheet

Product Number	S007144DA3SA1
Light Source	3535 RGB
Beam Angle	120°
LED Quantity	144 leds/m
Wavelength	R:622nm G:520nm B:490nm
Lumens/M	R:188LM G:564LM B:123LM
Cutting unit	6.9 MM
Operating Voltage	DC5V
Power (W)	26W/M
Size (mm)	L 1000* W 7
IP	IP20/IP64/IP65
Net Weight	0.14kg/roll
Operation Temperature	- 25 ~ 60 °C

Application



Hotels, restaurants, nights clubs.


Advertising signs, brightening.



Back lighting, edge lighting.

Dancefloor background.

Strip IP Rate





Curve Lune







Diagram2: Bend Curve



Installation



Install with clips



Fix with screws

Accessories (Excluded)



Screws



Silicone clip




Dc male and female connector




End cap



Outline Dimension (unit:mm)



Connection



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Bars and Strips](#) category:

Click to view products by [IPIXEL LED](#) manufacturer:

Other Similar products are found below :

[ZLF0310W62524](#) [LF1D-F2F-2W-300](#) [00215258](#) [HH-SWW320F010W12-COB IP20](#) [HH-SWW320F010W24-COB IP20](#) [HH-SWW528F210W12-COB IP65](#) [HH-SG528F010W24-COB IP20](#) [LF2D-EN2F-2W-A](#) [10001622](#) [LFBHL-SW827-24V-8S63-20](#) [LFBHL-SW860-24V-8S63-20](#) [LFBHL-SW940-24V-8S63-20](#) [HH-SRGB60F010W24-5050M](#) [N006120BB1LZ \(BLUE\)](#) [N006120BB1LZ \(GREEN\)](#) [N006120BB1LZ \(RED\)](#) [N006120BC1LZ \(BLUE\)](#) [N006120BC1LZ \(GREEN\)](#) [N006120BC1LZ \(GOLDEN YELLOW\)](#) [N006120BC1LZ \(RED\)](#) [S010030CB3SB7](#) [S010030CB3SB7 \(BLACK PCB\)](#) [S010060CB1LZ \(NEUTRAL WHITE IP65\)](#) [S010060CB1LZ \(WARM WHITE IP65\)](#) [S010060CB3SB7](#) [S010060CC1LZ \(WARM WHITE IP65\)](#) [S012060CB4ST \(BLACK PCB\)](#) [2633830000](#) [HH-SX72F008W24-2835 CW WHITE PCB IP20](#) [HH-SX180F010W24 -2835 WW WHITE PCB IP20](#) [HH-SX72F008W24-2835 NW WHITE PCB IP20](#) [HH-SX144F008W24 -2835 NW WHITE PCB IP20](#) [HH-SX180F010W24 -2835 NW WHITE PCB IP20](#) [HH-SX144F008W24 -2835 CW WHITE PCB IP20](#) [HH-SX144F008W24 -2835 WW WHITE PCB IP20](#) [HH-SX180F010W24 -2835 CW WHITE PCB IP20](#) [N008120BB1LZ \(BLUE\)](#) [S010060CA3SA1](#) [SCS-120-CW](#) [00219015](#) [10001611](#) [10001612](#) [10001613](#) [10001617](#) [10001618](#) [10001619](#) [10001623](#) [10001655](#) [10001657](#) [10001664](#)