



## Addressable SK6812 RGBW/WWLED Strip-70leds



### Product Description

SMD 5050 RGBW Addressable LED Strip

the IC built in the LED chip (individually controlled every LEDs).

The color(CCT) of White can be warm white,

pure white and cold white

70Pixels per meter, cut-able every 14.28mm



The PCB is 1+2 Ounce copper, 12mm width

White and Black PCB are available, DC5V voltage, SPI signal

5 Meters per reel, Customized sizes are also available

3Pin JST SM connector, IP Rate: IP20,IP64,IP65



## Product Datasheet

Product Number	S012070CA4SA1
Light Source	SMD 5050 4 in1 RGBW
Beam Angle	120°
LED Quantity	70 leds/m
CCT	RGB+W: 3000K/4000K/6000K
Wavelength (nm/m)	R:620-630 G:515-525 B:460-470
Protocol	SPI-SK6812
Operating Voltage	DC5V
Power (W)	13W/M (Max)
Size (mm)	L 5000* W 12
IP	IP20/IP64/IP65
Net Weight	0.13kg/roll
Operation Temperature	- 25 ~ 60 °C

## Application



Hotels ,restaurants, nights clubs, edge light




Living rooms, coffee / wine bars, back lighting

Recreational machines, playstation



TV, dancefloor background, shopping malls,

## Strip IP Rate









## Curve Lune



## Installation



## Accessories (Excluded)



Screws



Silicone clip




End cap




## Outline Dimension (unit:mm)

DC5V



## Connection



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [LED Lighting Bars and Strips](#) category:*

*Click to view products by [IPIXEL LED](#) manufacturer:*

Other Similar products are found below :

[ZLF0310W62524](#) [LF1D-F2F-2W-300](#) [00215258](#) [HH-SWW320F010W12-COB IP20](#) [HH-SWW320F010W24-COB IP20](#) [HH-SWW528F210W12-COB IP65](#) [HH-SG528F010W24-COB IP20](#) [LF2D-EN2F-2W-A](#) [LFBHL-SW827-24V-8S63-20](#) [N006120BC1LZ \(GOLDEN YELLOW\)](#) [S010060CB1LZ \(NEUTRAL WHITE IP65\)](#) [S010060CC1LZ \(WARM WHITE IP65\)](#) [2633830000](#) [HH-SX72F008W24-2835 CW WHITE PCB IP20](#) [HH-SX180F010W24 -2835 WW WHITE PCB IP20](#) [HH-SX72F008W24-2835 NW WHITE PCB IP20](#) [HH-SX144F008W24 -2835 NW WHITE PCB IP20](#) [HH-SX180F010W24 -2835 NW WHITE PCB IP20](#) [HH-SX144F008W24 -2835 CW WHITE PCB IP20](#) [HH-SX144F008W24 -2835 WW WHITE PCB IP20](#) [HH-SX180F010W24 -2835 CW WHITE PCB IP20](#) [N008120BB1LZ \(BLUE\)](#) [00219015](#) [10001611](#) [10001612](#) [10001613](#) [10001617](#) [10001618](#) [10001619](#) [10001622](#) [10001623](#) [10001655](#) [10001657](#) [10001664](#) [10001670](#) [10001675](#) [10001681](#) [10001683](#) [10001690](#) [PUUA-100LLL-NK2P](#) [QAUR1161L030](#) [HC-F12V-3535 PCBA](#) [HC-F12V-F50-3L-WS2811](#) [HC-F12V-WS2811-3535](#) [HC-F5V-144L-144LED-B-WS2813 IP20](#) [HC-F5V-144L-144LED-B-WS2813 IP65](#) [HC-F5V-144L-144LED-W-WS2813 IP20](#) [HC-F5V-30L-30LED-B-WS2813 IP20](#) [HC-F5V-30L-30LED-W-WS2813 IP20](#) [HC-F5V-60L-60LED-B-WS2813 IP20](#)