

Customer Part:

Description

- Standard 2 x 1.6mm crystal oscillator in a hermetically sealed ceramic package with a seam sealed metal lid
- Model IQXO-542
- Model Issue number 4

Frequency Parameters

- Frequency 24.0MHz
- Frequency Stability $\pm 50.00\text{ppm}$
- Operating Temperature Range -40.00 to 85.00°C
- Ageing $\pm 5\text{ppm}$ max per year @ 25°C

Electrical Parameters

- Supply Voltage $1.8\text{V} \pm 10\%$
- Current Draw 5.000mA

Output Details

- Output Compatibility CMOS
- Drive Capability 15pF max
- Rise and Fall Time 5.0ns max
- Duty Cycle $45/55\%$
- Start up Time: 10ms max.
 1.1ms typ to 90% of final amplitude (Under ideal conditions @ 25°C)

Output Control

- Standby Operation: Logic '1' ($\geq 70\%V_s$) to pad 1 enables oscillator output
 Logic '0' ($\leq 30\%V_s$) to pad 1 disables oscillator output; when disabled the oscillator output goes to the high impedance state
 No connection to pad 1 enables oscillator output
- Standby Current: $10\mu\text{A}$ max, $0.6\mu\text{A}$ typ @ 25°C

Environmental Parameters




- Impact: Weight of 10g dropped to centre of part from a height of 6mm
- Vibration: IEC 60068-2-6: 1.5mm amplitude, 10Hz-55Hz, 1min in 3 mutually perpendicular planes, duration 2hrs each plane (total 6hrs)
- Storage Temperature Range: -40 to 85°C
- RoHS Terminations
- RoHS Reflow Temp 250°C max for 10s max

Compliance

- RoHS Status (2015/863/EU) Compliant
- REACH Status Compliant
- MSL Rating (JDEC-STD-033): Not Applicable

Packaging Details

- Pack Style: **Cutt** In tape, cut from a reel
 Pack Size: 100
- *Alternative packing option available*


Outline (mm)

Test Circuit


* Inclusive of jigging and equipment capacitance

Sales Office Contact Details:


UK: +44 (0)1460 270200
 Germany: 0800 1808 443

France: 0800 901 383
 USA: +1.760.318.2824

Email: info@iqdfrequencyproducts.com
 Web: www.iqdfrequencyproducts.com

Customer Part:

Test Circuit



* Inclusive of jigging and equipment capacitance

Wave Form



Sales Office Contact Details:

UK: +44 (0)1460 270200
 Germany: 0800 1808 443

France: 0800 901 383
 USA: +1.760.318.2824

Email: info@iqdfrequencyproducts.com
 Web: www.iqdfrequencyproducts.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for IQD manufacturer:

Other Similar products are found below :

[LFMCXO063767BULK](#) [LFMCXO063773BULK](#) [LFOCXO063809BULK](#) [LFTCXO063710BULK](#) [LFTCXO063779BULK](#)
[LFTVXO063702BULK](#) [LFTVXO063703BULK](#) [LFTVXO063791BULK](#) [LFXTAL059643REEL](#) [LFMCXO063766BULK](#)
[LFMCXO063771BULK](#) [LFOCXO063804BULK](#) [LFOCXO063816BULK](#) [LFTCXO063713BULK](#) [LFTCXO063714BULK](#)
[LFTCXO063716BULK](#) [LFTVXO063704BULK](#) [LFTVXO063706BULK](#) [LFTVXO063790BULK](#) [LFTVXO063705](#) [LFOCXO063815](#)
[LFTCXO063784](#) [LFSPXO076023Cutt](#) [LFXTAL035503Reel](#) [LFSPXO056299Cutt](#) [LFXTAL069404Cutt](#) [LFTCXO075793Cutt](#)
[LFXTAL071266Cutt](#) [LFSPXO076024Cutt](#) [LFXTAL030140Bulk](#) [LFMCXO064084BULK](#) [LFTCXO063780BULK](#) [LFSPXO056269CUTT](#)
[LFRBXO059244Bulk](#) [LFOCXO065520Bulk](#) [LFSPXO076032Cutt](#) [LFXTAL028928Reel](#) [LFXTAL011009Bulk](#) [LFXTAL026897Reel](#)
[LFSPXO018043BULK](#) [LFXTAL003329BULK](#) [LFSPXO018038BULK](#) [LFXTAL056855Bulk](#) [LFSPXO076035Cutt](#) [LFSPXO073701Cutt](#)
[LFXTAL063334](#) [LFSPXO020465BULK](#) [LFTVXO009917BULK](#) [LFSPXO071230CUTT](#) [LFSPXO071239CUTT](#)