

Customer Part:

Description

- Ceramic package with a hermetically seam sealed metal lid suitable for automotive applications. Qualified to AEC-Q200 and with IATF-16949:2016 release. Not suitable for safety critical applications.
- Model CFPS-39 AUTO
- Model Issue number 2

Frequency Parameters

- Frequency 26.0MHz
- Frequency Stability ±100.00ppm
- Operating Temperature Range -40.00 to 125.00°C
- Ageing ±5ppm max per year @ 25°C

Electrical Parameters

- Supply Voltage 3.3V ±10%
- Current Draw 12.000mA

Output Details

- Output Compatibility CMOS
- Drive Capability 15pF
- Rise and Fall Time 5.0ns max
- Duty Cycle 40/60%

Output Control

- Enable/Disable Operation:
Logic '1' (>70% Vs) to pad 1 enables oscillator output.
Logic '0' (<30% Vs) to pad 1 disables oscillator output; the oscillator output goes to the high impedance state.
No connection to pad 1 enables oscillator output.
- Standby Current:
-40 to 85°C: 10µA max
-40 to 125°C: 20µA max

Environmental Parameters

- Storage Temperature Range: -55 to 150°C
- Qualified to AEC-Q200

Manufacturing Details



- Maximum Process Temperature: 260°C (10secs max)
- RoHS Terminations NiAu
- RoHS Reflow Temp 260degC 10s

Compliance

- RoHS Status (2015/863/EU) Compliant
- REACH Status Compliant
- MSL Rating (JDEC-STD-033): Not Applicable

Packaging Details

- Pack Style: *Cutt* In tape, cut from a reel
Pack Size: 100
- *Alternative packing option available*


Outline (mm)

Sales Office Contact Details:

 UK: +44 (0)1460 270200
 Germany: 0800 1808 443

 France: 0800 901 383
 USA: +1.760.318.2824

 Email: info@iqdfrequencyproducts.com
 Web: www.iqdfrequencyproducts.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for IQD manufacturer:

Other Similar products are found below :

[158984R](#) [CFPS-73-48M](#) [LFMCXO063766BULK](#) [LFMCXO063767BULK](#) [LFMCXO063771BULK](#) [LFMCXO063773BULK](#)
[LFMCXO064081BULK](#) [LFMCXO064084BULK](#) [LFMISC079433Bulk](#) [LFOCXO063800BULK](#) [LFOCXO063804BULK](#)
[LFOCXO063809BULK](#) [LFOCXO063815](#) [LFOCXO063816BULK](#) [LFOCXO065520Bulk](#) [LFPTXO000001Bulk](#) [LFPTXO000002Bulk](#)
[LFPTXO000009Bulk](#) [LFPTXO000244](#) [LFPTXO000268Bulk](#) [LFPTXO000291Bulk](#) [LFPTXO000295Bulk](#) [LFPTXO000316Bulk](#)
[LFPTXO006980Bulk](#) [LFRBXO059244Bulk](#) [LF SPXO009437](#) [LFSPXO009437Bulk](#) [LFSPXO009438](#) [LF SPXO009441](#) [LFSPXO009441Bulk](#)
[LFSPXO009443Bulk](#) [LFSPXO009582](#) [LFSPXO009583Bulk](#) [LFSPXO009584](#) [LFSPXO009586Bulk](#) [LFSPXO009589](#)
[LFSPXO009589BULK](#) [LFSPXO009590](#) [LFSPXO009590Bulk](#) [LFSPXO009592](#) [LFSPXO009592Bulk](#) [LFSPXO009603CUTT](#)
[LFSPXO009615](#) [LFSPXO009615CUTT](#) [LFSPXO009618](#) [LFSPXO009618REEL](#) [LFSPXO009682](#) [LFSPXO009682CUTT](#)
[LFSPXO009682REEL](#) [LFSPXO009686](#)