




055011-055251

Double Head Socket Wrenches 6x6



PRODUCT DETAILS

- Double head socket wrenches in metric sizes
- From 16 mm onwards, with stud location hole
- 6 points Dynamic-Drive profile provides longer life for screws and nuts
- Finish: Chrome-plated matt finish
- Material: High performance alloy steel
- Hardness: 42-48 HRC
- Standards: UNE 16586



PRODUCT ATTRIBUTES

Product	S1	S2	D4	D5	D2	L	 g
055011	6 mm	7 mm	10 mm	11 mm	7 mm	103 mm	31 g
055031	8 mm	9 mm	12.5 mm	13.5 mm	9 mm	108 mm	53 g
055051	10 mm	11 mm	15 mm	16 mm	11 mm	120 mm	78 g
055071	12 mm	13 mm	17 mm	19 mm	13 mm	138 mm	127 g
055091	14 mm	15 mm	20 mm	21 mm	14 mm	143 mm	152 g
055121	16 mm	17 mm	22 mm	24 mm	16 mm	153 mm	185 g
055141	18 mm	19 mm	25 mm	26 mm	18 mm	163 mm	235 g
055171	20 mm	22 mm	28 mm	30 mm	20 mm	173 mm	312 g
055181	21 mm	23 mm	29 mm	31 mm	21 mm	183 mm	359 g
055201	24 mm	26 mm	33 mm	35 mm	24 mm	193 mm	438 g
055211	24 mm	27 mm	33 mm	37 mm	24 mm	193 mm	466 g
055221	25 mm	28 mm	34 mm	37 mm	25 mm	203 mm	535 g
055241	27 mm	29 mm	37 mm	39 mm	27 mm	208 mm	592 g
055251	30 mm	32 mm	40 mm	43 mm	30 mm	208 mm	737 g

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Spanners](#) category:

Click to view products by [IRIMO](#) manufacturer:

Other Similar products are found below :

[74008](#) [1406504-3](#) [1406504-4](#) [1406504-5](#) [1725859-2](#) [9965](#) [1055267-1](#) [1-1406504-0](#) [TG70-24](#) [1055512-1](#) [1055276-1](#) [R282303020](#) [TOL-222901](#) [523200-4](#) [TOL-171801](#) [1490262-2](#) [9968](#) [1302340394](#) [AC24VS](#) [BT-BS-609WT](#) [BT-BS-610R](#) [BT-BS-610RT](#) [BT-ST-302D](#) [1031-27R](#) [1031-34R](#) [1060-29](#) [1061-24](#) [1067-10](#) [1067-27](#) [1067-32](#) [1071-48](#) [10F0-26P](#) [10F0-32P](#) [10F0-55P](#) [0-90-947](#) [0-90-949](#) [43032](#) [40080606](#)
[40082626](#) [40093232](#) [50184065](#) [58211008](#) [58211011](#) [58211013](#) [58211014](#) [58211015](#) [58211016](#) [58211019](#) [58214022](#) [58214024](#)