

PRODUCTS

APPLICATION

TECHNICAL RESOURCES

GLOBAL NETWORK

ABOUT JAE

CONTACT US

Part Number
Key Word

SEARCH PART NUMBER



[HOME](#) > [DELC-J9SAF-10L6E](#)

Product List

DELC-J9SAF-10L6E

Product Name	DELC-J9SAF-10L6E
Status	Active
RoHS compliant	Yes
Series Name	D sub Series
Connector types	PCB side
EMI shielded	TRUE
Wire termination styles	-
PCB mounting styles	Soldering
SMD flag	FALSE
Number of contacts	9
Shell size	E
Contact types	Socket
Connector styles	Right angle
Applicable wire size (mm ²)	-
Applicable wire size	-
Current rating (Amps)	5
Dielectric withstanding voltage (VACr.m.s. 1 minute)	1250
Insulation resistance (megohms min.)	5000
Contact resistance (milliohms max.)	13
Operating temperature range (Deg. C)	-55 to +105
Shell types	-
Material of insulator	Synthetic resin (UL94-V0, Black)
Contact	With contacts
Mating side contact finish	Gold plating
Mounting area contact finish	Tin or Tin-alloy plating
Mounting method	M3(Earth lug)
Screw lock assembly	Hexagon(Short type):M2.6
Existence of ferrite	None
Applicable contacts	-
Applicable product part numbers	-
Use with accessories	-
Accessory type	-
Remarks	
Related Documents	148Kbytes
Pair	DE-9PF-N DEU-9PF-F0

Notice:

- The values specified in this web site are only for reference. The products and their specifications are subject to change without notice. Contact our sales staff for further information before considering or ordering any of our products. For purchase, a product specification must be agreed upon.
- Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.

3. The products presented in this web site are designed for the uses recommended below.

We strongly suggest you contact our sales staff when considering use of any of the products in any other way than the recommended applications or for a specific use that requires an extremely high reliability.

(1) Applications that require consultation:

(i) Please contact us if you are considering use involving a quality assurance program that you specify or that is peculiar to the industry, such as:

Automotive electrical components, train control, telecommunications devices (mainline), traffic light control, electric power, combustion control, fire prevention or security systems, disaster evention equipment, etc.

(ii) We may separately give you our support with a quality assurance program that

you specify, when you think of a use such as :

Aviation or space equipment, submarine repeaters, nuclear power control systems, medical equipment for life support, etc.

(2) Recommended applications include:

Computers, office appliances, telecommunications devices (terminals, mobile units), measuring equipment, audiovisual equipment, home electric appliances, factory automation equipment, etc

Products

- [Connectors](#)
- [User Interface Solutions](#)
- [Motion Sensing](#)

Application

- [Handheld Devices](#)
- [Home & Office](#)
- [Infrastructure](#)
- [Transportation](#)
- [Industrial](#)

Technical Resources

- [3D Data](#)
- [Literature](#)
- [Order Samples](#)
- [RoHS/REACH Certifications](#)
- [Electrical Models](#)

Global Network

- [Asia](#)
- [North America](#)
- [Europe](#)

About JAE

- [Corporate profile](#)
- [Corporate Mission](#)
- [Board of Directors and Auditors](#)
- [Investor Relations](#)
- [Environmental Activities of JAE](#)

[Our Company](#) [Site Map](#) [Privacy Policy](#) [Terms of Use](#) [JAE WEB for under IE7](#) [Connector search for under IE7](#)
Copyright © 2014 Japan Aviation Electronics Industry, Ltd. All rights reserved.

This site has obtained a VeriSign Secure Server ID.

The information to be registered is protected by encryption before being transmitted to the Web Server.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [D-Sub Standard Connectors](#) category:

Click to view products by [JAE](#) manufacturer:

Other Similar products are found below :

[56F706-005-LI](#) [56F711-015](#) [012-9507-004](#) [LV242999-142T12](#) [015-0341-000](#) [015-0372-005](#) [015-0372-008](#) [015-8755-001](#) [020419-0104](#)
[012-0467-000](#) [012-9507-034](#) [012-9507-114](#) [020745-0008](#) [609-25P](#) [CT2-14S-2PCA34](#) [CT2-18-11PCAU](#) [CT6-10SL-3SC](#) [CT6-10SL-4SC](#)
[CT6-14S-2SC](#) [CT6E14SA7SC](#) [CT6N10SL-4SSA34](#) [M83513/01-FC](#) [M83723/76W24619 L/C](#) [M85049/48-3-2F](#) [6STD09PCM99B70X](#)
[6STD09SCM99B30X](#) [6STD09SCT99S40X](#) [6STD15PCT99S40X](#) [6STD15SCT99S40X](#) [6STF09PCM05B70X](#) [7-135760-9](#) [MC11E-10-6SN](#)
[747552-3](#) [MD1-21PS](#) [MDM-15SCBRM7-F222](#) [MDM96517-699](#) [MDM96521-744](#) [MDVB1-21SL1](#) [MIK0-1-7SH003](#) [MIKQ6-7SH076](#)
[MIKQ7-7PH077](#) [MIKQ7-7PH11](#) [MIKQ7-7PH32](#) [MJSV-28SL61](#) [MKJ4A1F14-55S](#) [8-135760-3](#) [8STD09PCM99B30X](#) [PG-KV/PV-16-](#)
[GROM-SEALING](#) [GDA15P](#) [GDAY15PB](#)