

Part Number SEARCH PART NUMBER ?

HOME>[PS-30SLA-D4C2](#)

Product List

Product Name	PS-30SLA-D4C2
Status	Active
RoHS compliant	Yes
Series Name	PS-LA series
Connector types	Socket housing
Contact pitch (mm)	2.54
Number of rows	2
Number of positions	30
PCB mounting method	-
Wire termination method	
PCB orientation	-
Recommended PCB thickness (mm)	-
Applicable wire insulation diameter (mm)	
Remarks on applicable wire	
Material of contact	-
Finish of contact in contact area	-
Finish of contact in terminal area	
Material of housing	PBT(UL94V-0)
Color of housing	Black
Polarization function	TRUE
Locking feature	Friction
Mounting-side contact length (mm)	-
Remarks	
Related Documents	
Pair	

Notice:

1. The values specified in this web site are only for reference. The products and their specifications are subject to change without notice. Contact our sales staff for further information before considering or ordering any of our products.
For purchase, a product specification must be agreed upon.
2. Users are requested to provide protection circuits and redundancy circuits to ensure safety of the equipment, and sufficiently review the suitability of JAE's products to the equipment.
3. The products presented in this web site are designed for the uses recommended below.
We strongly suggest you contact our sales staff when considering use of any of the products in any other way than the recommended applications or for a specific use that requires an extremely high reliability.
 - (1) Applications that require consultation:
 - (i) Please contact us if you are considering use involving a quality assurance program that you specify or that is peculiar to the industry, such as:
Automotive electrical components, train control, telecommunications devices (mainline), traffic light control, electric power, combustion control, fire prevention or security systems, disaster evention equipment, etc.
 - (ii) We may separately give you our support with a quality

assurance program that

you specify, when you think of a use such as :

Aviation or space equipment, submarine repeaters,
nuclear power control systems, medical equipment for
life support, etc.

(2) Recommended applications include:

Computers, office appliances, telecommunications
devices (terminals, mobile units), measuring
equipment, audiovisual equipment, home electric
appliances, factory automation equipment, etc

Products

- [Connectors](#)
- [User Interface Solutions](#)
- [Motion Sensing](#)

Application

- [Handheld Devices](#)
- [Home & Office](#)
- [Infrastructure](#)
- [Transportation](#)
- [Industrial](#)

Technical Resources

- [Upcoming Products](#)
- [3D Data](#)
- [Literature](#)
- [Order Samples](#)
- [RoHS/REACH Certifications](#)
- [Electrical Models](#)

Global Network

- [Asia](#)
- [North America](#)
- [Europe](#)

About JAE

- [Corporate profile](#)
- [Corporate Mission](#)
- [Board of Directors and Auditors](#)
- [Investor Relations](#)
- [Environmental Activities of JAE](#)

[Our Company](#)

[Site Map](#)

[Privacy Policy](#)

[Terms of Use](#)

[JAE WEB for under IE7](#)

[Connector search for under IE7](#)

[沪ICP备14005883号](#)

Copyright © 2015 Japan Aviation Electronics Industry, Ltd. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [JAE](#) manufacturer:

Other Similar products are found below :

[892-18-020-10-001101](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [009176003701906](#) [0050291907](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#)
[609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [641991-4](#) [644827-2](#) [65817-010LF](#)
[65817-015LF](#) [65863-015LF](#) [66207-023LF](#) [67095-007LF](#) [67601157](#) [68648-049](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71918-208LF](#) [71961-016LF](#) [733-134](#) [733-162](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [79531-3000](#) [FCN-360C032-B](#) [FCN-367T-T012/H](#) [FCN-723D010/2](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#)