

REVISION RECORD				
REV	ECN	DESCRIPTION	DRFT	DATE
A		NEW	C.W	23.04.12





NOTES1:
 UL Standard
 1.Rated voltage/current : 300V / 8A
 2.Withstanding voltage : AC1500V/1Min.
 3.Wire range : 28~16AWG

IEC Standard

1. Pollution degree	2
Overvoltage category	II
Rate impulse voltage(KV)	2.5KV
Rate voltage(V)	250V
Rate current(A)	8A

2.Wire diameter range : 0.2~1.0mm²
 NOTES2:
 1.Dimension shall be interpreted per ASME Y14.5-2009
 2.Pitch : 3.81mm, Poles : N=02~24P
 3.Stripping length : 10mm
 4.Operating temperature:-40°C~+105°C
 5.Undimensioned tolerances:

Pitch range in mm			Nominal dimension range in mm				Tolerances	
TO	Over	Over	TO	Over	Over	Over	0.1/10	
6	10	24	30	60	100	150		±2°
±0.15	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30	



5.RoHS Compliance

Ordering Information

JL15EDGKN - 1000A - 381 XX X X 1

Pitch: 381=3.81PH
 No.of pins: 2P~24P
 Housing Color:
 B=Black
 G=Green(Convention)
 U=Blue
 R=Red
 W=White
 Y=Yellow
 O=Orange
 E=Grey
 Packing:
 0=Pe bag
 A=Tray
 T=Tube

DRAW	SCALE	FIT	JiLN ® 东莞市锦凌电子有限公司 DONGGUAN JINLING ELECTRONIC CO.,LTD	
CHECK	SIZE	A4	PART NO.	JL15EDGKN-1000A-381XXXX1
			TITLE:	JL15EDGKN-3.81-1000A-XXP插拔式母座/方形按钮
APPROVE	SHEET	1/1		
	PROJ.	☯		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pluggable Terminal Blocks](#) category:

Click to view products by [JILN](#) manufacturer:

Other Similar products are found below :

[57.510.0053](#) [721-104/026-047](#) [721-204/026-045](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [860505](#) [860516](#) [860810](#) [GBPACX-12](#)
[93.731.4953.0](#) [PVP03-3,50](#) [PVS02-5,00](#) [1-1986160-3](#) [1377680000](#) [1531000000](#) [1546228-5](#) [ELFP03110](#) [ELFP10210](#) [ELFT07250](#)
[ELVD12100](#) [ELVF09400](#) [ELXH071G0E](#) [1725220000](#) [1760336](#) [1855000000](#) [19346](#) [1946309](#) [1973592](#) [19892](#) [25.320.4053.1](#) [25.320.4553.9](#)
[25.320.4753.1](#) [25.320.5453.1](#) [25.340.0353.1](#) [25.340.1053.1](#) [25.345.3553.0M001](#) [25.640.3553.1](#) [SH02-5,08](#) [SH06-3,81](#) [SH08-5,08](#) [SH08-](#)
[5,08-K](#) [SH12-5,08](#) [SHS04-5,00](#) [30.303](#) [30.305](#) [30.306](#) [PHP09-5,08](#) [25.193.0453.0](#) [25.320.4653.1](#) [25.332.2453.1](#)