

| REVISION RECORD | | | | |
|-----------------|-----|-------------|------|---------|
| REV | ECN | DESCRIPTION | DRFT | DATE |
| AO | | NEW | | 20.12.9 |

- NOTES1:
- UL Standard
1. Rated voltage/current : 600V / 41A
 2. Withstanding voltage : AC2200V/1Min.
 3. Torque value : M3 , 7.0Lb.in
 4. Wire range : 24~8AWG(str)
24~10AWG(sol)

- IEC Standard
1.

| | | | |
|--------------------------|-------|-------|-------|
| Pollution degree | 2 | 2 | 3 |
| Overtoltage category | II | III | III |
| Rate impulse voltage(KV) | 6KV | 6KV | 6KV |
| Rate voltage(V) | 1000V | 1000V | 1000V |
| Rate current(A) | 41A | | |
 2. Torque value : M3 , 0.8N·m
 3. Wire range : 0.5~6mm²

- NOTES2:
1. Dimension shall be interpreted per ASME Y14.5-2009
 2. Pitch : 7.62mm, Poles : N=02~12P
 3. Stripping length : 11mm
 4. Operating temperature: -40°C~+105°C
 5. Undimensioned tolerances:


| Pitch range in mm | | Nominal dimension range in mm | | | | | | 0.1/10 |
|-------------------|-------|-------------------------------|-------|-------|-------|-------|-------|--------|
| TO | Over | TO | Over | TO | Over | TO | Over | |
| 6 | 10 | 6 | 10 | 30 | 60 | 100 | 150 | < |
| ±0.15 | ±0.20 | ±0.30 | ±0.30 | ±0.50 | ±0.70 | ±1.00 | ±1.30 | ±2* |

6. RoHS Compliance

Ordering Information

JL5EDGKH-762 XX G 0 1

- Pitch 762=7.62PH
- No. of pins 2P, 3P, 4P~12P
- Housing Color: B=Black, G=Green, U=Blue, R=Red, W=White, Y=Yellow, D=Orange, E=Grey
- Packing: 0=Pe. bag, T=Tube, A=Tray



| | | | | |
|---------|------------------|-------|-----|--|
| DRAW | SHUANGPING ZHENG | SCALE | FIT | JILN ® 东莞市锦凌电子有限公司 DONGGUAN JINLING ELECTRONIC CO.,LTD |
| CHECK | LICHAD LIU | UNIT | mm | |
| APPROVE | YONGLIANG GAO | SIZE | A4 | PART NO. JL5EDGKH-762XXG01 |
| | | SHEET | 1/1 | TITLE: JL5EDGKH-7.62-XXP 插拔式母座/绿色 |
| | | PROJ. | | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pluggable Terminal Blocks](#) category:

Click to view products by [JILN](#) manufacturer:

Other Similar products are found below :

[57.510.0053](#) [721-104/026-047](#) [721-204/026-045](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [860505](#) [860516](#) [860810](#) [GBPACX-12](#)
[93.731.4953.0](#) [PVP03-3,50](#) [PVS02-5,00](#) [1-1986160-3](#) [1377680000](#) [1531000000](#) [1546228-5](#) [ELFP03110](#) [ELFP10210](#) [ELFT07250](#)
[ELVD12100](#) [ELVF09400](#) [ELXH071G0E](#) [1725220000](#) [1760336](#) [1855000000](#) [19346](#) [1946309](#) [1973592](#) [19892](#) [25.320.4053.1](#) [25.320.4553.9](#)
[25.320.4753.1](#) [25.320.5453.1](#) [25.340.0353.1](#) [25.340.1053.1](#) [25.345.3553.0M001](#) [25.640.3553.1](#) [SH02-5,08](#) [SH06-3,81](#) [SH08-5,08](#) [SH08-](#)
[5,08-K](#) [SH12-5,08](#) [SHS04-5,00](#) [30.303](#) [30.305](#) [30.306](#) [PHP09-5,08](#) [25.193.0453.0](#) [25.320.4653.1](#) [25.332.2453.1](#)