

**HSF** RoHS **US**

**NOTES1:**

- UL Standard
- 1.Rated voltage/current : 300V / 14.5A
- 2.Withstanding voltage : AC1600V/1Min.
- 3.Ratings :Use group B 300V AC/DC  
Use group D 300V AC/DC

**NOTES2:**

- 1.Dimension shall be interpreted per ASME Y14.5-2009
- 2.Pitch : 5.0mm, Poles : N=02~14P
- 3.Operating temperature: -40°C~+105°C
- 4.Undimensioned tolerances:

Pitch range in mm		Nominal dimension range in mm						0.1/10
TO	Over	TO	Over	TO	Over	TO	Over	
6	10	10	24	30	60	100	150	±2'
±0.15	±0.20	±0.30	±0.30	±0.50	±0.70	±1.00	±1.30	


5.RoHS Compliance

**Ordering Information**







**JL9EDGRC - 500 XX B 0 1**

- Pitch 500=5.00PH
- No.of pins 2P-15P
- Housing Color  
B=Black  
G=Green  
U=Blue  
R=Red  
W=White  
Y=Yellow  
D=Orange  
E=Grey
- Packing  
0=Pe bag  
A=Tray  
T=Tube

**PCB LAYOUT(5-14P)**



REVISION RECORD				
REV	ECN	DESCRIPTION	DRFT	DATE



4	Pin	Copper alloy	Sn Plated
3	Pin	Copper alloy	Sn Plated
2	Pin	Copper	Sn/Au plated
1	Housing	PA66+GF	UL94V-0
ITEM	NAME OF PART	MATERIAL	NOTES

DRAW	LICHAO LIU	SCALE	FIT
CHECK	LICHAO LIU	UNIT	mm
APPROVE	G. Y. L	SIZE	A4
		SHEET	1/1
		PRDJ	



**JILN** 东莞市锦凌电子有限公司  
DONGGUAN JINLING ELECTRONIC CO., LTD

PART NO. JL9EDGRC-500XXB01



TITLE: JL9EDGRC-5.0公端/接线端子台

REVISION RECORD				
REV	ECN	DESCRIPTION	DRFT	DATE




2P





3P





4P





5P





6P





DRAW	LICHAO LIU	SCALE	FIT	 <b>东莞市锦凌电子有限公司</b> DONGGUAN JINLING ELECTRONIC CO.,LTD	
CHECK	LICHAO LIU	UNIT	mm		
APPROVE	G. Y. L	SIZE	A4		
		SHEET	2/4	PART NO.	JL9EDGRC-500XXB01
		PROJ.		TITLE:	JL9EDGRC-5.0公端/接线端子台

REVISION RECORD				
REV	ECN	DESCRIPTION	DRFT	DATE



7P





8P





9P




10P



11P




DRAW	LICHAO LIU	SCALE	FIT
		UNIT	mm
CHECK	LICHAO LIU	SIZE	A4
		SHEET	3/4
APPROVE	G. Y. L	PROJ.	

**JILN** 东莞市锦凌电子有限公司  
DONGGUAN JINLING ELECTRONIC CO., LTD


PART NO.	JL9EDGRC-500XXB01
TITLE:	JL9EDGRC-5.0公端/接线端子台

REVISION RECORD				
REV	ECN	DESCRIPTION	DRFT	DATE


12P




13P




31.00




26.00



14P



31.00



DRAW	LICHAO LIU	SCALE	FIT
CHECK	LICHAO LIU	UNIT	mm
APPROVE	G. Y. L	SIZE	A4
		SHEET	4/4
		PROJ.	

**JILN** 东莞市锦凌电子有限公司  
DONGGUAN JINLING ELECTRONIC CO., LTD

PART NO.	JL9EDGRC-500XXB01
TITLE:	JL9EDGRC-5.0公端/接线端子台

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pluggable Terminal Blocks](#) category:*

*Click to view products by [JILN](#) manufacturer:*

Other Similar products are found below :

[57.510.0053](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [734-104](#) [734-302](#) [860505](#) [860516](#) [860810](#) [GBPACX-12](#) [93.731.4953.0](#) [PV05-5,08-K](#) [PVP03-3,50](#) [PVP04-3,50](#) [PVS02-5,00](#) [1-1986160-3](#) [1377680000](#) [1531000000](#) [1546228-5](#) [ELFP03110](#) [ELFT07250](#) [ELVD12100](#) [ELVF09400](#) [ELVP03100](#) [ELXH071G0E](#) [1700410](#) [1702246](#) [1705229](#) [1714537](#) [1717806](#) [1719600](#) [1728941](#) [1734692](#) [1734795](#) [1740291](#) [1740628](#) [1746952](#) [1750207](#) [1752865](#) [1754115](#) [1754144](#) [1756913](#) [1760051](#) [1760336](#) [1765111](#) [1776388](#) [1777701](#) [1783410](#) [1800227](#) [1801080](#) [1809474](#)