



## Photoconductive Cell

## GT36516



PACKAGE DIMENSIONS unit(mm)



### ABSOLUTE MAXIMUM RATINGS


Parameter	Rating	Units
Power Dissipation at 25°C	50	mW
Voltage (AC or DC)	60	V
Temperature Range Operating and Storage	-30 to +70	°C

### ELECTRO-OPTICAL CHARACTERISTICS @25°C

Resistance(Ohms)			Spectral Response Peak(nm)	Sensitivity( $\gamma$ ) lg(R10/R100)
10Lux		Dark(10sec)		
Min	Max	Min		
5K	10K	0.3M	560	0.5

- Light Resistance: Measured at 10 Lux with standard light A (2856K color temperature) and 60-90minutes illumination at 400-600 Lux prior testing.
- Dark Resistance: Measured 10 seconds after closed 10 Lux.
- The error of  $\gamma$  is  $\pm 0.15$ .

### Reflow soldering: use lead-free medium temperature solder paste



This product is suitable for medium temperature solder paste (melting point 151-172°C). The specification shows the reflow soldering curve of medium temperature solder paste, which is for reference only and can be adjusted appropriately according to specific conditions.

地址：深圳市龙华区民治街道牛栏前港深国际中心9楼C913

电话：0755-23210829 传真：0755-23210825

网址：www.szjchl.com 邮箱：mk0622@163.com




# 深圳市晶创和立科技有限公司


Photoconductive Cell

GT36516

Recommended pad dimensions: unit(mm)



Carrier Tape:



unit(mm)

Material: PS,black antistatic

Number of tapes:2000 pcs Per Reel+the begin and end are empty 24 pcs

Reel specification: 7-inch black split rubber reel

Reel size: 177x60x12.4mm



地址：深圳市龙华区民治街道牛栏前港深国际中心9楼C913

电话：0755-23210829 传真：0755-23210825

网址：www.szjchl.com 邮箱：mk0622@163.com

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Ambient Light Sensors](#) category:*

*Click to view products by [Jing Chuang](#) manufacturer:*

Other Similar products are found below :

[IS31SE5000-UTLS2-TR](#) [SEN0390](#) [ISL29015IROZ-T7](#) [ALS-PT204-6C/L177](#) [LTR-390UV-01](#) [XYC-PT76B30-L1](#) [LTR-381RGB-MT](#) [XYC-PT0603AC-LB1-S](#) [XYC-PT205D-I0](#) [XYC-PT0805BC-L4-D](#) [XYC-PT0805BC-B1-S](#) [XYC-PT21C-L1](#) [XYC-PT1206AC-A8](#) [SLPT1206AC-LB1](#) [ALS-PD70-01C/TR7](#) [GT36528](#) [GT36516](#) [02-LDR1](#) [02-LDR12](#) [02-LDR13](#) [02-LDR14](#) [02-LDR20](#) [02-LDR21](#) [02-LDR22](#) [02-LDR23](#) [0805-PTSM D021](#) [VEML7700-TT](#) [ALS-PT19-315C/L177/TR8](#) [BH1680FVC-TR](#) [EAALSTIC1708A0](#) [AS7261-BLGT](#) [180997-0006](#) [OPT3001IDNPRQ1](#) [OPT3007YMFT](#) [AS7263-BLGT](#) [BH1682FVC-TR](#) [APS3227SP1C-P22](#) [ALS-PDIC144-6C/L378](#) [GL7501F](#) [GL12530F](#) [GL7528](#) [GL4501F](#) [GL4510F](#) [GL5510F](#) [GL5520F](#) [GL12516](#) [GL7520F](#) [GL7530F](#) [GL7549](#) [GL12537](#)