




02~07 Contacts



Unreeling direction






SCALE 4:1
DETAIL A


Number of Contacts

02P	24	11.50	1,000
03P	24	11.50	1,000
04P	24	11.50	1,000
05P	24	11.50	1,000
06P	24	11.50	1,000
07P	24	11.50	1,000
08P	32	14.20	1,000
09P	32	14.20	1,000
10P	32	14.20	1,000
11P	32	14.20	1,000
12P	44	20.20	1,000
13P	44	20.20	1,000
14P	44	20.20	1,000
15P	44	20.20	1,000
20P	44	20.20	1,000
25P	56	26.20	1,000
30P	56	26.20	1,000

NOTE:
Material:Transparent
Anti-static Polystyrene.



08~30 Contacts



Unreeling direction



燦達電子工業股份有限公司
JOINT TECH ELECTRONIC IND. CO., LTD.

TITLE:

1.25mm PITCH
180° WAFER-SMT TYPE,
WITHOUT BOSS
TAPING SPEC.

UNIT SCALE SHEET
mm 1 : 1 2 of 2

APPROVED BY

周傑亮 謝瑞清

2016.08.03

GENERAL TOLERANCE

ANGLE

X.XX±0.05

X.XX±0.15

REV.	DESCRIPTION	DATE	NAME
A0	NEW RELEASE	2016.08.03	周傑亮

REV. A0

DRAW NO.: A123WVA-S-XPXXXXXX02X

4

3

2

1

4

3

2

1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Joint Tech](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)