

SA-9-E-115 - Fume Absorber, ESD Safe 115V - Data Sheet

Smoke Absorber / Fume Absorber - ESD safe. The SA-9-E-115 model Fume Absorber features a static-dissipative housing. This SA Series Smoke Absorber features an Aerodynamic hood design which effectively draws irritating soldering fumes away from the work area. Carbon-impregnated filters trap a limited portion of the flux fumes. Compact size, low profile and adjustable stand allows convenient placement 6" to 8" (152 to 203mm) from work area.

Specifications

- Input Voltage: 115v / 60Hz
- Max Air Volume: 105 to 126 CFM
- Noise Level: 45-50 dB (A)
- Motor HP: 15-17 Watt
- Motor RPM: 3000
- Activated Carbon Wt.: 12g



Specifications	
Includes	3 Filters
Activated Carbon Weight	12 grams
Maximum Air Volume	105 to 126 CFM
Noise Level	45-50 dB (A)
Voltage	115V (60Hz)
Features	Static-dissipative housing. Aerodynamic Hood. Compact Size.
Material	ESD Safe Housing
Dimensions	8-1/2" (H) x 8-1/4" (W) x 4" (D)
Weight	3.603 lbs
UPC No.	811490010215

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Soldering & Desoldering Stations](#) category:

Click to view products by [Jonard Industries](#) manufacturer:

Other Similar products are found below :

[GS1116](#) [BH-010](#) [T0058768747](#) [CA0202](#) [CA0201](#) [MFR-CA3](#) [WXD2N](#) [Q-7100-9000](#) [T0058757898](#) [WXD2010N](#) [T0058768762](#) [145-2000-](#)
[ESDN](#) [T0058758721N](#) [WTL1000-1](#) [700-3051-ESD](#) [0051514699N](#) [0051512199N](#) [T0058768725N](#) [MT-688](#) [202485](#) [ZD-415R](#) [ZD-415R-H](#)
[WELPB102](#) [HR-2550A](#) [T130-1.0I](#) [T0051011299N](#) [ECC92420EU](#) [850A+](#) [ECC168808EU](#) [BST-S-120](#) [9SS-968B-HG](#) [5SS-554-POT](#) [5SS-](#)
[553-POT](#) [5SS-554-H](#) [5SS-553-H](#) [5PK-366NA-T](#) [5SS-552-POT](#) [5SS-551-POT](#) [5SS-552-H](#) [5SS-551-H](#) [508-366A-T](#) [508-366D-T](#) [5SS-](#)
[331N1-H](#) [5SI-131-H](#) [5SI-131-3.2D](#) [5SI-131-I](#) [CVC-7CN0004P](#) [CVC-8CH0010S](#) [CV-H5-DSHP](#) [CDE-2SQA](#)