








REV	ECN	CONTENT	CHECK	DATE
V0.0		初版发行	LJ	2018.08.27



- 技术要求:
- 额定电流: 25mA, 24VDC (开与关切换时) 100mA, 50VDC (开与关不切换时)
 - 接触阻抗: $\leq 50m\Omega$ (初始), $\leq 100m\Omega$ (寿命测试后)
 - 绝缘电阻: $\geq 100M\Omega / 500VDC$
 - 耐电压: 300VAC/1minute
 - 拨动力: 500g max
 - 拨动行程: 0.6mm
 - 机械寿命: ≥ 2000 cycles
 - 电气寿命: ≥ 1000 cycles/25mA, 24VDC
 - 使用温度: $-40^{\circ}C \sim +85^{\circ}C$
 - 存储温度: $-40^{\circ}C \sim +85^{\circ}C$
 - 符合RoHS要求

焊接说明:
 回流焊接: 240°C (20S max), 峰值温度260°C,
 手工焊接: 30W电烙铁, 320±5°C, 3S max
 焊接前保持开关在“OFF”状态

订购方式
KF1028 - XXP - XX - XXX-XXX
 产品型号
 P数
 客户要求
 00: 无需贴膜, 管装
 TR: 贴膜, 载带包装



General tolerance in mm			radii and chamfers			shorter angle side		
over	to	±	over	to	±	over	to	±
0	3	±0.15	0.5	3	±0.2	10	50	±30°
3	6	±0.2	to	to	±0.5	to	to	±20°
6	30	±0.25	to	to	±0.5	to	to	0.5
30	120	±0.3	to	to	±0.5	to	to	0.2
120	400	±0.5	to	to	±0.5	to	to	0.3
400	1000	±0.8	to	to	±1.0	to	to	0.5
1000			to	to		to	to	

POLE	Dim P	Dim L
2P	1.27	4.11
3P	2.54	5.38
4P	3.81	6.65
5P	5.08	7.92
6P	6.35	9.19
7P	7.62	10.46
8P	8.89	11.73
9P	10.16	13.00
10P	11.43	14.27
11P	12.70	15.54
12P	13.97	16.81

6	高温薄膜	\	1	POLYIMIDE	黄色, 选配			
5	弹片	\	P	铜合金	触点镀金			
4	PIN针	\	2P	铜合金	镀金			
3	底座	\	1	工程塑料	UL94V-0			
2	盖板	\	1	工程塑料	UL94V-0			
1	拨柄	\	P	工程塑料	UL94V-0			
APP.	LJ	DATE	2018.8.27	零件名称	零件编码	数量	材质	备注
CHK.	LJ	DATE	2018.8.27	NAME	KF1028-XXP-XX-DFT-XXX			
DWG.	LJ	DATE	2018.8.27	DWGNO.	W20000071			
UNITS	MM	SCALE	1:1	SHEET	1/1	PROJECTION-METHOD		

DFE 慈溪市凯峰电子有限公司
 CIXI KAIFENG ELECTRONICS CO., LTD

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DIP Switches/SIP Switches](#) category:

Click to view products by [KAIFENG](#) manufacturer:

Other Similar products are found below :

[79B10T](#) [8136-475G4T](#) [G7G-1A2-CB-DC12](#) [H7CZL8AC100240](#) [DRR60016](#) [DRS4016](#) [1825444-1](#) [200183](#) [206002](#) [219-6LPSTRF](#)
[25.350.0653.0](#) [SBS 5004 TG](#) [SDA10H1BDA](#) [97R06ST](#) [A2C-2A5](#) [1825444-7](#) [ADE08SA04](#) [ADE12S04](#) [192960010](#) [206005RAS](#) [206007](#) [2-](#)
[1825058-8](#) [25.330.0653.1](#) [25.352.0353.0](#) [CXDRIVEV2X](#) [IKN0600000](#) [IKN0800000](#) [LA2-002-DC24](#) [DSR02T](#) [DSS 208 N](#)
[E2FMX2D1M1TGJ03M](#) [NDI10H](#) [219-9MSTP](#) [EPM02FV](#) [206010RAST](#) [NDS08V](#) [76SB05](#) [TD06H0SK1](#) [Z7.255.9027.0](#) [1-1825058-3](#)
[1825428-4](#) [219-10LPSTF](#) [E3ZG6111D03M](#) [G4D212PUSTV2DC5](#) [EPG301BT06](#) [219-7LPSTRF](#) [1-1825058-6](#) [E3TSL23M5J03M](#) [Y5795](#)
[7R0060](#)