

## 4 TERMINAL 2A OUTPUT LOW DROPOUT VOLTAGE REGULATOR


The KIA278R $\times$  Series are Low Dropout Voltage Regulator suitable for various electronic equipments. It provides constant voltage power source with TO-220-4 terminal lead full molded PKG. The Regulator has multi function such as over current protection, overheat protection and ON/OFF control.

### FEATURES

- 2.0A Output Low Dropout Voltage Regulator.
- Built in ON/OFF Control Terminal.
- Built in Over Current Protection, Over Heat Protection Function.

### LINE UP

ITEM	OUTPUT VOLTAGE (Typ.)	UNIT
KIA278R25PI	2.5	V
KIA278R33PI	3.3	
KIA278R35PI	3.5	



### MAXIMUM RATINGS (Ta=25 °C)

CHARACTERISTIC	SYMBOL	RATING	UNIT	Remark
Input Voltage	$V_{IN}$	35	V	-
ON/OFF Control Voltage	$V_C$	35	V	-
Output Current	$I_O$	2	A	-
Power Dissipation 1	$P_{D1}$	1.5	W	No Heatsink
Power Dissipation 2	$P_{D2}$	15	W	Infinite Heatsink
Operating Junction Temperature	$T_{J(opr)}$	-40 ~ 150	°C	-
Storage Temperature	$T_{stg}$	-45 ~ 150	°C	-
Soldering Temperature (10sec)	$T_{sol}$	260	°C	-

# KIA278R25PI~KIA278R35PI

## ELECTRICAL CHARACTERISTICS


(Unless otherwise specified,  $I_O=1.0A$ ,  $T_a=25^\circ C$ , Note1.)

CHARACTERISTIC		SYMBOL	CONDITIONS	MIN.	TYP.	MAX.	UNIT
Output Voltage	KIA278R25	$V_O$	-	2.438	2.50	2.562	V
	KIA278R33		-	3.220	3.30	3.380	
	KIA278R35		-	3.413	3.50	3.587	
Load Regulation		Reg Load	$I_O=5mA \sim 2A$	-	0.1	2.0	%
Line Regulation		Reg Line	(Note 2)	-	0.5	2.5	%
Temperature Coefficient of Output Voltage		$T_C V_O$	$T_j=0 \sim 125^\circ C$	-	$\pm 0.02$	$\pm 0.05$	%/ $^\circ C$
Ripple Rejection		$R \cdot R$	-	45	55	-	dB
Dropout Voltage		$V_D$	$I_O=2A$	-	-	0.5	V
Output ON state for control Voltage		$V_{C(ON)}$	-	2.0	-	-	V
Output ON state for control Current		$I_{C(ON)}$	$V_C=2.7V$	-	-	20	$\mu A$
Output OFF state for control Voltage		$V_{C(OFF)}$	-	-	-	0.8	V
Output OFF state for control Current		$I_{C(OFF)}$	$V_C=0.4V$	-	-	-0.4	mA
Quiescent Current		$I_Q$	$I_O=0$	-	-	10	mA

Note1)  $V_{IN}$  of KIA278R25=4.2V      Note2)  $V_{IN}$  of KIA278R25=3.2 ~ 10V      Note3) At  $V_{IN}=0.95V_O$


" KIA278R33=5.0V      " KIA278R33=4.0 ~ 10V  
 " KIA278R35=5.2V      " KIA278R35=4.2 ~ 10V

## BLOCK DIAGRAM




# KIA278R25PI~KIA278R35PI


**Fig. 1 Standard Test Circuit**



**Fig. 2 Ripple Rejection Test Circuit**




**Fig. 3 Application Circuit for Standard**




# KIA278R25PI~KIA278R35PI

Fig.4  $T_a$  -  $P_D$



AMBIENT TEMPERATURE  $T_a$  (°C)  
Note) Oblique line portion : Overheat protection may operate in this area.

Fig.5  $I_O$  -  $V_O$



OUTPUT CURRENT  $I_O$  (A)

Fig.6  $T_j$  -  $\Delta V_O$  (KIA278R25)





Fig.7  $T_j$  -  $\Delta V_O$  (KIA278R33)



JUNCTION TEMPERATURE  $T_j$  (°C)

Fig.8  $T_j$  -  $\Delta V_O$  (KIA278R35)





Fig.9  $T_j$  -  $V_D$



# KIA278R25PI~KIA278R35PI

Fig.10  $T_j$  -  $I_q$




Fig.11  $f$  - RR





Fig.12  $I_O$  - RR



# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

***Click to view similar products for LDO Voltage Regulators category:***

***Click to view products by KEC manufacturer:***

Other Similar products are found below :

[AP7363-SP-13](#) [L79M05TL-E](#) [AP7362-HA-7](#) [PT7M8202B12TA5EX](#) [TCR3DF185,LM\(CT\)](#) [TCR3DF45,LM\(CT\)](#) [TLE4473G V52](#) [059985X](#)  
[NCP4687DH15T1G](#) [701326R](#) [NCV8170AXV250T2G](#) [AP7315-25W5-7](#) [AP2111H-1.2TRG1](#) [ZLDO1117QK50TC](#) [AZ1117ID-ADJTRG1](#)  
[TCR3DG12,LF](#) [MIC5514-3.3YMT-T5](#) [SCD7912BTG](#) [NCP154MX180270TAG](#) [SCD33269T-5.0G](#) [NCV8170BXV330T2G](#)  
[NCV8170BMX330TCG](#) [NCV8170AMX120TCG](#) [NCP706ABMX300TAG](#) [NCP153MX330180TCG](#) [NCP114BMX075TCG](#) [MC33269T-3.5G](#)  
[CAT6243-ADJCMT5T](#) [TCR3DG33,LF](#) [TCR4DG35,LF](#) [TAR5S15U\(TE85L,F\)](#) [TAR5S18U\(TE85L,F\)](#) [TCR3UG19A,LF](#) [TCR4DG105,LF](#)  
[MPQ2013AGG-5-P](#) [NCV8170AMX360TCG](#) [TLE4268GSXUMA2](#) [NCP715SQ15T2G](#) [MIC5317-3.0YD5-T5](#) [NCV563SQ18T1G](#)  
[NCP715MX30TBG](#) [NCV8702MX25TCG](#) [NCV8170BXV120T2G](#) [MIC5317-1.2YD5-T5](#) [NCV8170AMX150TCG](#) [NCV8170BMX150TCG](#)  
[AP2213D-3.3TRG1](#) [NCV8170BMX120TCG](#) [NCV8170BMX310TCG](#) [NCV8170BMX360TCG](#)