

TAPE AND REEL SPECIFICATIONS:

1. TAPE:

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER ANSI/EIA-481 STANDARD


2.205 [56.0] WIDE; 1.26 [32.0] PITCH

2. REEL:

13.0 [330.2] DIA. 200 PIECES OF PART NO 3008 PER REEL

			L
			ľ
3.23.12	CHANGE AS PER ECN 12-037	С	ŀ
4.17.06	CHANGE AS PER ECN 06-023	В	
12.17.02	CHANGE AS PER ECN 02-86	Α	
DATE	DESCRIPTION		

KEYSTONE ELECTRONICS CORP. www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900						
PART NAME						
2450 SM COIN CELL CLIP ON TAPE						
MATERIAL						
AS NOTED						
FINISH	TED	BOONE	9.27.00			
AS NOTED		APP'D	SCALE X			
TOLERANCES INCH		DWG NO.				
DECIMAL ± .015 ANGULAR ± 1° UNLESS OTHERWISE SPEC	C/M	3008TR				



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Coin Cell Battery Holders category:

Click to view products by Keystone manufacturer:

Other Similar products are found below:

SMTU2450N-LF PDSN-11-D 1058 1052 799-2007 BH44AAB BH48DL BH8000 BS-6-1 79573231 101 3035 1025 1026 1027 103 1059 1060 1063 1065 D3 46400000 BC-0403 BH-121-1B BH-1/2AA-2A BH-131A BH-3101A BH-3103B BH-311-1A BH-311-1D BH-321-1A BH-321-1B BH-321-1D BH-331-3D BH-331P BH-333A BH-341-1P BH-351A BH-362B BH-421A BH-422A BH-425A BH-431-1B BH-463A BH-511A BHC-18650-1P 46300000 46600000 799-2001 SBH-331A