



TAPE AND REEL SPECIFICATIONS:

FEED DIRECTION

## 1 TAPE:

REEL DIA. REF.

> .500 [12.7] DIA. HOLE THRU

±.005 [±0.13]

**WIDTH** 

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER ANSI/EIA-481 STANDARD

FEED DIRECTION

±.005 [±0.13]

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

REV.

- PITCH

 $\pm .005 [\pm 0.13]$ 

±.005 [±0.13]

.457 [11.60] —

.059 [1.5] DIA.

HOLE (TYP.)

.157 [4.0]

.945 [24.0] WIDE; .473 [12.00] PITCH


**DESCRIPTION** 

## 2 REEL:

DATE

13.0 [330.2] DIA. 1500 PIECES OF PART NO. 3030 PER REEL.

KEYSTONE ELECTRONICS CORP.		
www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900		
PART NAME		
SM RETAINER ON TAPE		
MATERIAL		
AS NOTED		
FINISH AS NOTED	DRN BY NT	12.30.10
ASNOTED	APP'D	SCALE X
TOLERANCES INCH [MM] CODE	DWG NO.	
DECIMAL ± .015 [± 0.38] ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED	3030TR	



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Coin Cell Battery Holders category:

Click to view products by Keystone manufacturer:

Other Similar products are found below:

SMTU2450N-LF PDSN-11-D 1058 1052 799-2007 BH44AAB BH48DL BH8000 BS-6-1 79573231 101 3035 1025 1026 1027 103 1059 1060 1063 1065 D3 46400000 BC-0403 BH-121-1B BH-1/2AA-2A BH-131A BH-3101A BH-3103B BH-311-1A BH-311-1D BH-321-1A BH-321-1B BH-321-1D BH-331-3D BH-331P BH-333A BH-341-1P BH-351A BH-362B BH-421A BH-422A BH-425A BH-431-1B BH-463A BH-511A BHC-18650-1P 46300000 46600000 799-2001 SBH-331A