THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.

ACTUAL SIZE



NOTE:

1. MOUNTING: ±.002 [±0.05]
   MOUNTS IN A .250 [6.35] DIA. PANEL HOLE
   ON .375 [9.50] CENTER.
   PANEL THICKNESS .031 [0.80] TO .250 [6.35]
   PANEL HOLE SHOULD BE DEBURRED, BUT NOT CHAMFERED.
2. ASSEMBLY:
   INSERT LENS THROUGH PANEL HOLE ,
   (FOR THIN PANEL LESS THAN .188 [4.75] TH'K,
   SLIDE CAT#8692 SPACER ON BACK OF LENS),
   AND INSERT LED INTO LENS

PART NO.	COLOR
8668	RED
8669	GREEN
8670	YELLOW
8671	CLEAR

DATE	DESCRIPTION	REV.
10.04.13	CHANGE AS PER ECN 13–079	B
2.18.04	CHANGE AS PER ECN 04–013	A

KEYSTONE ELECTRONICS CORP.

www.keyelco.com ● ASTORIA, N.Y. 11105-2017 ● Tel (718) 956-8900

PART NAME: LED ROUND LENS CAP

MATERIAL: POLYCARBONATE

FINISH: -

DRN BY: BOONE

DATE: 2.9.96

APP'D:

SCALE: 3X

TOLERANCES INCH [MM]
DECIMAL ± .005 [± 0.15]
ANGULAR ± 1°
UNLESS OTHERWISE SPECIFIED

CODE: C

DWG NO.: 8668-8671

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Lenses ***category:***

Click to view products by Keystone ***manufacturer:***

Other Similar products are found below :

139A-403R SSN-LX13049L-CD SSN-LX18754A SSN-LX18754C 2817 3122 39-30-W03 4623 4752 3121 3124 3125 4327 4371 4743 4747 4757 3113 4317 4342 4347 4343 4345 4346 CMC321YTP 4742 CMS444CTP 13788360933552 4745 SML190RTP 177-0931-003 177-0933-003 8652 8658 8662 8665 TL50LA1T 4344 080-0535-303 080-0512-203 080-0531-303 081-0113-203 081-0431-300 103-0532-403 103-0534-403 125-1137-403 4755 IML-0688G 8650 8651