


### SPECIFICATIONS

Current Rating: 1.0 Amps  
 Withstanding Voltage: AC 500V  
 Insulation Resistance: 1000MΩ Min  
 Contact Resistance: 20 mΩ Max  
 Operation Temperature: -40 ° to +105 °  
 Insulator Material: Polyester (UL94V-0)  
 Contact Material: Phosphor bronze  
 Standard: PA6T  
 Contact Plating: Gold Flash  
 Max. Processing Temp: 240 ° C for 30-60 seconds  
 (260 ° C for 5 seconds)



- (1) Pin Spacing: 127=1.27mm
- (2) Product Name: FH=Female Header
- (3) No. of Rows: 1=Single Row ; 2=Dual Row
- (4) No. of Pins Per Row: 1~50
- (5) Insulator Material Height: 20=2.0mm; 43=4.3mm
- (6) Connector Type: S=Straight; R=Right; Angle M=SMT
- (7) Connector Material Length: 24=2.4mm; 30=3.0mm
- (8) Insulator Material Width: 18=1.8mm 21=2.1mm
- (9) Contact Plating: G0=Gold Flash; AU10=Au 1.0u"
- (10) Insulator Material Option:  
 A=BK-PA6T; B=BK-PA46; C=KB-LCP; S=Special

<b>深圳市金航标电子有限公司</b>		<b>WWW.BDS666.COM</b>																																																																																																																																																																						
<b>KH-1.27FH-2X23P-H4.3-SMT</b>		<b>0755-83044319</b>																																																																																																																																																																						
UNLESS OTHERWISE SPECIFIED TOLERANCE X : ±0.3 X° : ±5° X.X : ±0.2 X.X° : ±1° X.XX : ±0.1 X.XX° : ±0.5°		DRAWING NAME 1.27FH 2xnPin H4.3 SMT																																																																																																																																																																						
SIZE A4 REV A	SCALE UNIT mm	N: 1 PROJECT	PRODUCT NO. PROJECT																																																																																																																																																																					
DRAW: LI BEI LIN 12/03/07	CHECKED: / /	APPROVED: / /	PAGE 1/1																																																																																																																																																																					
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>—</td> <td>—</td> <td>11</td> <td>12.70</td> <td>13.97</td> <td>21</td> <td>25.40</td> <td>26.67</td> <td>31</td> <td>38.10</td> <td>39.37</td> <td>41</td> <td>50.80</td> <td>52.07</td> </tr> <tr> <td>2</td> <td>1.27</td> <td>2.54</td> <td>12</td> <td>13.97</td> <td>15.24</td> <td>22</td> <td>26.67</td> <td>27.94</td> <td>32</td> <td>39.37</td> <td>40.64</td> <td>42</td> <td>52.07</td> <td>53.34</td> </tr> <tr> <td>3</td> <td>2.54</td> <td>3.81</td> <td>13</td> <td>15.24</td> <td>16.51</td> <td>23</td> <td>27.94</td> <td>29.21</td> <td>33</td> <td>40.64</td> <td>41.91</td> <td>43</td> <td>53.34</td> <td>54.61</td> </tr> <tr> <td>4</td> <td>3.81</td> <td>5.08</td> <td>14</td> <td>16.51</td> <td>17.78</td> <td>24</td> <td>29.21</td> <td>30.48</td> <td>34</td> <td>41.91</td> <td>43.18</td> <td>44</td> <td>54.61</td> <td>55.88</td> </tr> <tr> <td>5</td> <td>5.08</td> <td>6.35</td> <td>15</td> <td>17.78</td> <td>19.05</td> <td>25</td> <td>30.48</td> <td>31.75</td> <td>35</td> <td>43.18</td> <td>44.45</td> <td>45</td> <td>55.88</td> <td>57.15</td> </tr> <tr> <td>6</td> <td>6.35</td> <td>7.62</td> <td>16</td> <td>19.05</td> <td>20.32</td> <td>26</td> <td>31.75</td> <td>33.02</td> <td>36</td> <td>44.45</td> <td>45.72</td> <td>46</td> <td>57.15</td> <td>58.42</td> </tr> <tr> <td>7</td> <td>7.62</td> <td>8.89</td> <td>17</td> <td>20.32</td> <td>21.59</td> <td>27</td> <td>33.02</td> <td>34.29</td> <td>37</td> <td>45.72</td> <td>46.99</td> <td>47</td> <td>58.42</td> <td>59.69</td> </tr> <tr> <td>8</td> <td>8.89</td> <td>10.16</td> <td>18</td> <td>21.59</td> <td>22.86</td> <td>28</td> <td>34.29</td> <td>35.56</td> <td>38</td> <td>46.99</td> <td>48.26</td> <td>48</td> <td>59.69</td> <td>60.96</td> </tr> <tr> <td>9</td> <td>10.16</td> <td>11.43</td> <td>19</td> <td>22.86</td> <td>24.13</td> <td>29</td> <td>35.56</td> <td>36.83</td> <td>39</td> <td>48.26</td> <td>49.53</td> <td>49</td> <td>60.96</td> <td>62.23</td> </tr> <tr> <td>10</td> <td>11.43</td> <td>12.70</td> <td>20</td> <td>24.13</td> <td>25.40</td> <td>30</td> <td>36.83</td> <td>38.10</td> <td>40</td> <td>49.53</td> <td>50.80</td> <td>50</td> <td>62.23</td> <td>63.50</td> </tr> </tbody> </table>		No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	1	—	—	11	12.70	13.97	21	25.40	26.67	31	38.10	39.37	41	50.80	52.07	2	1.27	2.54	12	13.97	15.24	22	26.67	27.94	32	39.37	40.64	42	52.07	53.34	3	2.54	3.81	13	15.24	16.51	23	27.94	29.21	33	40.64	41.91	43	53.34	54.61	4	3.81	5.08	14	16.51	17.78	24	29.21	30.48	34	41.91	43.18	44	54.61	55.88	5	5.08	6.35	15	17.78	19.05	25	30.48	31.75	35	43.18	44.45	45	55.88	57.15	6	6.35	7.62	16	19.05	20.32	26	31.75	33.02	36	44.45	45.72	46	57.15	58.42	7	7.62	8.89	17	20.32	21.59	27	33.02	34.29	37	45.72	46.99	47	58.42	59.69	8	8.89	10.16	18	21.59	22.86	28	34.29	35.56	38	46.99	48.26	48	59.69	60.96	9	10.16	11.43	19	22.86	24.13	29	35.56	36.83	39	48.26	49.53	49	60.96	62.23	10	11.43	12.70	20	24.13	25.40	30	36.83	38.10	40	49.53	50.80	50	62.23	63.50
No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B																																																																																																																																																										
1	—	—	11	12.70	13.97	21	25.40	26.67	31	38.10	39.37	41	50.80	52.07																																																																																																																																																										
2	1.27	2.54	12	13.97	15.24	22	26.67	27.94	32	39.37	40.64	42	52.07	53.34																																																																																																																																																										
3	2.54	3.81	13	15.24	16.51	23	27.94	29.21	33	40.64	41.91	43	53.34	54.61																																																																																																																																																										
4	3.81	5.08	14	16.51	17.78	24	29.21	30.48	34	41.91	43.18	44	54.61	55.88																																																																																																																																																										
5	5.08	6.35	15	17.78	19.05	25	30.48	31.75	35	43.18	44.45	45	55.88	57.15																																																																																																																																																										
6	6.35	7.62	16	19.05	20.32	26	31.75	33.02	36	44.45	45.72	46	57.15	58.42																																																																																																																																																										
7	7.62	8.89	17	20.32	21.59	27	33.02	34.29	37	45.72	46.99	47	58.42	59.69																																																																																																																																																										
8	8.89	10.16	18	21.59	22.86	28	34.29	35.56	38	46.99	48.26	48	59.69	60.96																																																																																																																																																										
9	10.16	11.43	19	22.86	24.13	29	35.56	36.83	39	48.26	49.53	49	60.96	62.23																																																																																																																																																										
10	11.43	12.70	20	24.13	25.40	30	36.83	38.10	40	49.53	50.80	50	62.23	63.50																																																																																																																																																										

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Kinghelm](#) manufacturer:*

Other Similar products are found below :

[0015917161](#) [0022155065](#) [57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)  
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#)  
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-](#)  
[5028](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)  
[801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#) [8-1437020-4](#) [819-22-004-30-001101](#) [820-22-006-30-001101](#)  
[820-22-008-30-001101](#) [821-22-002-10-001101](#)