



RECOMMEND P. C. B LAYOUT
PCB TOLERANCE: ±0.05 (TOP VIEW)

SPECIFICATIONS

- Current Rating: 1.0 Amps
- Withstanding Voltage: AC 500V
- Insulation Resistance: 1000MΩ Min
- Contact Resistance: 20 mΩ Max
- Operation Temperature: -40 ° to +105 °
- Insulator Material: Polyester (UL94V-0)
- Contact Material: Brass
- Standard: PA6T
- Contact Plating: Gold Flash
- Max. Processing Temp: 240 ° C for 30-60 seconds
(260 ° C for 5 seconds)

- (1) Pin Spacing: 127=1.27mm
- (2) Product Name: PH=Pin Header
- (3) No. of Rows: 1=Single Row; 2=Dual Row
- (4) No. of Pins Per Row: 1~50
- (5) Insulator Material Height: 10=1.0mm; 15=1.5mm
- (6) Connector Type: S=Straitght; R=Right Angle; M=SMT
- (7) Contact Material Length: 72=7.2mm; 105=10.5mm
- (8) No. of Insulator Material: 1=1PCS; 2=2PCS
- (9) Contact Plating: G0=Gold Flash; AU15=Au 1.5u"
- (10) Insulator Material Option:
A=BK-PA6T; B=BK-PA46; C=KB-LCP; S=Special

深圳市金航标电子有限公司		WWW.BDS666.COM																																																																																																																																																																						
KH-1.27PH90-1X2P-L10.5		0755-83044319																																																																																																																																																																						
UNLESS OTHIEWIXE SPECIFIED TOLERANCE X : ±0.3 X° : ±5° X.X : ±0.2 X.X° : ±1° X.XX: ±0.1 X.XX° : ±0.5°		1.27PH 1xnPin H1.0 90° L10.5																																																																																																																																																																						
SIZE A4 REV A	SCALE UNIT mm	N: 1 PROJECT	PROUCT NO. PROJECT																																																																																																																																																																					
CHECKED: LI BEI LIN 12/03/07	CHECKED: / /	APPROVED: / /	PAGE 1/1																																																																																																																																																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> <th>No. of</th> <th>DIM. A</th> <th>DIM. B</th> </tr> </thead> <tbody> <tr><td>1</td><td>—</td><td>—</td><td>11</td><td>12.70</td><td>13.97</td><td>21</td><td>25.40</td><td>26.67</td><td>31</td><td>38.10</td><td>39.37</td><td>41</td><td>50.80</td><td>52.07</td></tr> <tr><td>2</td><td>1.27</td><td>2.54</td><td>12</td><td>13.97</td><td>15.24</td><td>22</td><td>26.67</td><td>27.94</td><td>32</td><td>39.37</td><td>40.64</td><td>42</td><td>52.07</td><td>53.34</td></tr> <tr><td>3</td><td>2.54</td><td>3.81</td><td>13</td><td>15.24</td><td>16.51</td><td>23</td><td>27.94</td><td>29.21</td><td>33</td><td>40.64</td><td>41.91</td><td>43</td><td>53.34</td><td>54.61</td></tr> <tr><td>4</td><td>3.81</td><td>5.08</td><td>14</td><td>16.51</td><td>17.78</td><td>24</td><td>29.21</td><td>30.48</td><td>34</td><td>41.91</td><td>43.18</td><td>44</td><td>54.61</td><td>55.88</td></tr> <tr><td>5</td><td>5.08</td><td>6.35</td><td>15</td><td>17.78</td><td>19.05</td><td>25</td><td>30.48</td><td>31.75</td><td>35</td><td>43.18</td><td>44.45</td><td>45</td><td>55.88</td><td>57.15</td></tr> <tr><td>6</td><td>6.35</td><td>7.62</td><td>16</td><td>19.05</td><td>20.32</td><td>26</td><td>31.75</td><td>33.02</td><td>36</td><td>44.45</td><td>45.72</td><td>46</td><td>57.15</td><td>58.42</td></tr> <tr><td>7</td><td>7.62</td><td>8.89</td><td>17</td><td>20.32</td><td>21.59</td><td>27</td><td>33.02</td><td>34.29</td><td>37</td><td>45.72</td><td>46.99</td><td>47</td><td>58.42</td><td>59.69</td></tr> <tr><td>8</td><td>8.89</td><td>10.16</td><td>18</td><td>21.59</td><td>22.86</td><td>28</td><td>34.29</td><td>35.56</td><td>38</td><td>46.99</td><td>48.26</td><td>48</td><td>59.69</td><td>60.96</td></tr> <tr><td>9</td><td>10.16</td><td>11.43</td><td>19</td><td>22.86</td><td>24.13</td><td>29</td><td>35.56</td><td>36.83</td><td>39</td><td>48.26</td><td>49.53</td><td>49</td><td>60.96</td><td>62.23</td></tr> <tr><td>10</td><td>11.43</td><td>12.70</td><td>20</td><td>24.13</td><td>25.40</td><td>30</td><td>36.83</td><td>38.10</td><td>40</td><td>49.53</td><td>50.80</td><td>50</td><td>62.23</td><td>63.50</td></tr> </tbody> </table>		No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	1	—	—	11	12.70	13.97	21	25.40	26.67	31	38.10	39.37	41	50.80	52.07	2	1.27	2.54	12	13.97	15.24	22	26.67	27.94	32	39.37	40.64	42	52.07	53.34	3	2.54	3.81	13	15.24	16.51	23	27.94	29.21	33	40.64	41.91	43	53.34	54.61	4	3.81	5.08	14	16.51	17.78	24	29.21	30.48	34	41.91	43.18	44	54.61	55.88	5	5.08	6.35	15	17.78	19.05	25	30.48	31.75	35	43.18	44.45	45	55.88	57.15	6	6.35	7.62	16	19.05	20.32	26	31.75	33.02	36	44.45	45.72	46	57.15	58.42	7	7.62	8.89	17	20.32	21.59	27	33.02	34.29	37	45.72	46.99	47	58.42	59.69	8	8.89	10.16	18	21.59	22.86	28	34.29	35.56	38	46.99	48.26	48	59.69	60.96	9	10.16	11.43	19	22.86	24.13	29	35.56	36.83	39	48.26	49.53	49	60.96	62.23	10	11.43	12.70	20	24.13	25.40	30	36.83	38.10	40	49.53	50.80	50	62.23	63.50		
No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B	No. of	DIM. A	DIM. B																																																																																																																																																										
1	—	—	11	12.70	13.97	21	25.40	26.67	31	38.10	39.37	41	50.80	52.07																																																																																																																																																										
2	1.27	2.54	12	13.97	15.24	22	26.67	27.94	32	39.37	40.64	42	52.07	53.34																																																																																																																																																										
3	2.54	3.81	13	15.24	16.51	23	27.94	29.21	33	40.64	41.91	43	53.34	54.61																																																																																																																																																										
4	3.81	5.08	14	16.51	17.78	24	29.21	30.48	34	41.91	43.18	44	54.61	55.88																																																																																																																																																										
5	5.08	6.35	15	17.78	19.05	25	30.48	31.75	35	43.18	44.45	45	55.88	57.15																																																																																																																																																										
6	6.35	7.62	16	19.05	20.32	26	31.75	33.02	36	44.45	45.72	46	57.15	58.42																																																																																																																																																										
7	7.62	8.89	17	20.32	21.59	27	33.02	34.29	37	45.72	46.99	47	58.42	59.69																																																																																																																																																										
8	8.89	10.16	18	21.59	22.86	28	34.29	35.56	38	46.99	48.26	48	59.69	60.96																																																																																																																																																										
9	10.16	11.43	19	22.86	24.13	29	35.56	36.83	39	48.26	49.53	49	60.96	62.23																																																																																																																																																										
10	11.43	12.70	20	24.13	25.40	30	36.83	38.10	40	49.53	50.80	50	62.23	63.50																																																																																																																																																										

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Kinghelm](#) manufacturer:

Other Similar products are found below :

[0015917161](#) [0022155065](#) [57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#)
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [68645-018](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)
[4853B](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)
[801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#) [8-1437020-4](#) [819-22-004-30-001101](#) [820-22-006-30-001101](#)
[820-22-008-30-001101](#) [821-22-002-10-001101](#)