

KINGSTON IRONKEY KEYPAD 200 SERIES

FIPS 140-3 Level 3 (Pending) Certified Keypad Drive

The Kingston IronKey™ Keypad 200 series are OS-independent hardware-encrypted USB Type-A and USB Type-C^{®1} drives with an alphanumeric keypad for easy-to-use PIN access.

The KP200 incorporates XTS-AES 256-bit hardware-based encryption. It also is FIPS 140-3 Level 3 (Pending) certified for military-grade security with enhancements that further elevate the bar for data protection. Its circuitry is covered by a layer of special epoxy that makes it virtually impossible to remove components without damaging them; this tough epoxy stops attacks against the semiconductor components. The drive is designed to be tamper-evident to alert owners. It also incorporates Brute Force password attack protection, and BadUSB protection with digitally signed firmware. The alphanumeric keypad is coated with a layer of polymer that protects the keys and hides key usage through analysis of fingerprints on the keys.

KP200 series utilizes a built-in rechargeable battery that can be used to unlock the drive first without using any software, and then plug it into any device that supports USB Type-A or USB Type-C mass storage device. This gives users the most flexibility across different platform types and operating systems.

With the Multi-PIN option (Admin/User), the keypad can be used to set up an easy-to-remember but hard-to guess alphanumeric PIN for the Admin or User accounts. Admin can restore a User PIN and provide access to the drive should the User PIN be forgotten, or if the drive is locked after reaching the maximum of 10 User login attempts. With both Admin and User PINs enabled, KP200 will lock the User PIN after 10 failed login attempts; if the Admin PIN is entered wrong 10 times in a row, Brute Force attack protection will crypto-erase the drive, destroy the data forever, and reset it.

The drive also provides two levels of Read-Only (or Write-Protect) modes – a Global mode that can be set by Admin, and a session-only mode that can be set by User. Read-Only modes can protect the drive from malware on untrusted systems. In addition, Admin can load content and set the Global Read-Only mode, so that User can access the data but not make any changes. KP200C offers fast dual channel performance on drives with 64GB-512GB capacities.

- > FIPS 140-3 Level 3 (Pending) Certified
- › OS/Device Independent
- > Multi-PIN (Admin and User) Option
- Global or Session Read-Only Option

FEATURES / BENEFITS

FIPS 140-3 Level 3 (Pending) Certified — KP200 now meets the new FIPS 140-3 Level 3 military-grade security specifications published by NIST. This is an enhanced version of the FIPS 140-2 specifications that further enhances the drive's security capabilities and tamperresistance. It includes XTS-AES 256-bit encryption along with Brute Force and BadUSB attack protection with digitally signed firmware. Its circuitry is covered by a layer of special epoxy that makes it virtually impossible to remove components without damaging them; this tough epoxy stops attacks against the semiconductor components.

OS and Device Independent — With KP200 utilizing a rechargeable battery, the keypad can be used to unlock the drive without using any software, then plug it into

any system that supports USB Type-A or USB Type-C mass storage device. This gives users the most flexibility across different platform types and operating systems.

Multi-PIN Option — Users have the option to set up a User or an Admin/User mode. Admin can be used to restore a User PIN and provide access to the drive should User PIN be forgotten or if the drive is locked after reaching the maximum of 10 User login attempts.

Global and Session Read-Only (Write Protect) Modes —

Both Admin and User can set a session-based Read-Only mode to protect the drive from malware on untrusted systems. Admin can also set a Global Read-Only mode that sets the drive in Read-Only mode until reset.

SPECIFICATIONS

Interface

USB 3.2 Gen 1

Connector

Type-A, Type-C

Capacities²

Type-A: 8GB, 16GB, 32GB, 64GB, 128GB, 256GB

Type-C: 8GB, 16GB, 32GB, 64GB, 128GB, 256GB, 512GB

Speed³

USB 3.2 Gen 1

Type-A: 145MB/s read, 115MB/s write

Type-C:

8GB - 32GB: 145MB/s read,

115MB/s write

64GB - 512GB: 280MB/s read,

200MB/s write

USB 2.0

8GB: 30MB/s read, 12MB/s write

16GB – 512GB: 30MB/s read,

20MB/s write

Dimensions (drive with sleeve)

80mm x 20mm x 11mm

Dimensions (drive without sleeve)

Type-A: 78mm x 18mm x 8mm Type-C: 74mm x 18mm x 8mm

Security Certifications

FIPS 140-3 Level 3 (Pending)

Waterproof/Dustproof⁴

Certified to IP57 rating

Operating Temperature

0°C to 50°C

Storage Temperature

-20°C to 60°C

Compatibility

USB 3.0/USB 3.1/USB 3.2 Gen 1

Minimum System Requirements

USB 3.0 compliant and 2.0 compatible

Warranty/support

Limited 3-year warranty, free technical support

Compatible with

OS-independent: Microsoft Windows®, macOS®, Linux®, ChromeOS™, Android™ or any system that supports a USB mass storage device.



KINGSTON PART NUMBERS

Type-A	Type-C
IKKP200/8GB	IKKP200C/8GB
IKKP200/16GB	IKKP200C/16GB
IKKP200/32GB	IKKP200C/32GB
IKKP200/64GB	IKKP200C/64GB
IKKP200/128GB	IKKP200C/128GB
IKKP200/256GB	IKKP200C/256GB
	IKKP200C/512GB

Kingston® IronKey™ Keypad 200 incorporates DataLock® Secured Technology licensed from ClevX, LLC. www.clevx.com/patents

- $1. \ \ USB\ Type-C^{\bullet}\ and\ USB-C^{\bullet}\ are\ registered\ trademarks\ of\ USB\ Implementers\ Forum.$
- Some of the listed capacity on a Flash storage device is used for formatting and other functions and thus is not
 available for data storage. As such, the actual available capacity for data storage is less than what is listed on the
 products. For more information, go to Kingston's Flash Memory Guide.
- 3. Speed may vary due to host hardware, software, and usage
- 4. Product must be clean and dry before use
- 5. Compatible systems.





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for USB Flash Drives category:

Click to view products by Kingston manufacturer:

Other Similar products are found below:

UTS3-0320K0R11 UTS3-0640K0R11 SDDD3-064G-G46 UUN2-0320S0R11 UUN2-0160S0R11 UTS3-1280K0R11 UTS2-1280K0R11 UTS2-0640K0R11 UTS3-0640K0R11 UTS3-0