Save space, time and money.

Kingston's SSDNow mS100 is a small form factor, caseless solid-state drive ideal for enthusiasts, system builders and OEM customers who can now build smaller systems with bigger results.

The mS100 SSD is 8 times smaller than a traditional 2.5-inch hard drive, making it perfect for hard drive replacements in small form factor or embedded system builds.

By integrating Kingston's mS100 mSATA SSD with a hard drive and Intel's Smart Response Technology on a Z68 motherboard, desktop users can experience the performance of an SSD with the large capacity and low cost of a hard drive. Intel's technology recognizes frequently accessed data and copies them to the SSD (SSD caching). This decreases system, application and frequently accessed software load times.

mS100 is covered by a three-year warranty, 24/7 technical support and legendary Kingston® reliability.

- > 8X smaller than a standard 2.5-inch hard drive
- > Works with Intel's Smart Response Technology
- > Hard drive replacement



Features/specs on reverse >>



SSDNow mS100

FEATURES/BENEFITS

- > Multiple Capacities to fit your design needs
- > **Supports Intel's SRT** optimizes SSDs to act as boot drives for quick access to frequently used applications or files (caching)
- > **Supports S.M.A.R.T.** monitors the status of your drive
- > **Supports TRIM** ensures maximum performance on compatible operating systems
- > Guaranteed three-year warranty, 24/7 tech support

SPECIFICATIONS

- > Form factor mSATA
- > Interface SATA Rev. 2.0 (3Gb/s), SATA Rev. 1.0 (1.5Gb/s)
- > Capacities¹ 32GB & 64GB
- > Sequential Read²

64GB - 255MB/s

32GB - 135MB/s

> Sequential Write

64GB - 170MB/s

32GB - 90MB/s

> Random Read IOPS/s3

64GB - 11,000

32GB - 5,000

> Random Write IOPS/s

64GB - 3,000

32GB - 3,000

- > Warranty/support three-year warranty with free 24/7 support
- > Power Consumption


0.11W (TYP) Idle / 1.55 (TYP) Read / 3.18 W (TYP) Write

- > **Dimensions** 50.88mm x 30mm
- > **Weight** 7.3g
- > Operating temperatures 0°C ~ 70°C
- > Storage temperatures -40°C ~ 85 °C
- > Vibration operating 2.17G
- > Vibration non-operating 20G
- > MTBF 1,000,000 Hrs





THIS DOCUMENT SUBJECT TO CHANGE WITHOUT NOTICE.







X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for kingston manufacturer:

Other Similar products are found below:

SDCA3/32GB SM2280S3G2/120G 04EPOP08-NL3DM627-B02U SD4/32GB SEDC400S37/960G EMMC16G-W525-X01U 08EPOP04-NL3DT227-A01U SEDC1000H/1600G 04EMCP04-NL2DM627-Z02U 08EMCP04-NL3DT227-A01U B1621PM1WDGTKR-U B5116ECMDXGGB-U SDA10/128GB D5128EETBPGGBU-U SDA3/32GB FCR-HS4 D5128EC4BPGGBUI-U SKC400S37/1T KVR21R15D4/16 SUV400S37/240G SKC400S37/512G BOXSIZE 4 BOXSIZE 3