

| | |
|-----------------------------|----------------|
| PRODUCT NO. DSWB05LHGETB | RoHS compliant |
|-----------------------------|----------------|




| | | | |
|------|---------|----|------|
| REV. | ECN NO. | DR | DATE |
| | | | |

Note:

- All dimensions are in millimeters.
- General tolerance: $\pm 0.2\text{mm}$.
- Material:
 - Base: UL94V-0 PBT Thermoplastic (Black).
 - Cover: UL94V-0 PBT Thermoplastic (Black/Red/Blue).
 - Actuators: UL94V-0 PBT Thermoplastic (White).
 - Contact plating: Gold plating over nickel.
 - Pitting material: Epoxy.
- Electrical
 - Electrical: 2000 Operations per switch 24/VDC, 25mA.
 - Non-Switching Rating: 100mA, 50/VDC.
 - Switching Rating: 25mA, 24/VDC
 - Contact Resistance: 100 m Ω Max. at initial.
- Mechanical
 - Mechanical life: 2000 Operations per switch.
 - Stroke: 2.0mm.
 - Operation Temp: -20°C to 70°C.
 - Storage Temp: -40°C to 85°C.

6. PART NUMBER DESCRIPTION:

DS WB 05 L H G E T B



注意:

- 波峰焊: 推荐焊锡温度在270°C $\pm 5^\circ\text{C}$, 浸锡时间为5~6秒钟。
- 手工焊: 使用30瓦烙铁控制温度在320°C, 焊接时间大约2~3秒钟。
- 拨柄位置: 产品焊接时, 请将产品的拨柄置于OFF端, 能给予产品更好的接触性能。
- 清洗过程: 清洗使用超声波方式, 能给予更好的效果。

| | | | |
|--------------------------------------|---------------|----------------------------|--|
| TOLERANCE UNLESS OTHERWISE SPECIFIED | | INSPECTION COPY | <p>东莞市广誉实业有限公司 DongGuan Kingtek Industrial Co., Ltd.</p> |
| LINER | ANGLES | PROJECTION | |
| .0 \pm 0.30 | 0. \pm 1' | | TITLE |
| .00 \pm 0.20 | .0 \pm 0.5' | | BY DSWB SERIES PITCH 2.54mm |
| .000 \pm 0.10 | .00 \pm | PRODUCT FAMILY DSWB SERIES | PRAT NO. |
| DESIGN LU ER XIN | 2013/07/02 | DSWB05LHGETB | |
| DRAWING | | FILE NO. DSWB05LHGETB-A | |
| CHECK | | SIZE A4 | UNIT mm |
| APPRO. | | SCALE FIT | SHEET 1 OF 1 |
| | | REV. A | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DIP Switches/SIP Switches](#) category:

Click to view products by [Kingtek Industrial](#) manufacturer:

Other Similar products are found below :

[79B10T](#) [8136-475G4T](#) [G7G-1A2-CB-DC12](#) [DRS4016](#) [1825444-1](#) [193005MS](#) [195010MS](#) [200183](#) [206002](#) [208004](#) [208007ST](#) [208008](#)
[25.350.0653.0](#) [SDA10H1BDA](#) [97R06ST](#) [A2C-2A5](#) [1825444-7](#) [ADE12S04](#) [206005RAS](#) [206007](#) [209005LPST](#) [2-1825058-8](#) [219002LPST](#)
[219002MSTJRF](#) [219012MST](#) [25.352.0353.0](#) [CXDRIVEV2X](#) [LA2-002-DC24](#) [DSR02T](#) [193004MS](#) [E2FMX2D1M1TGJ03M](#) [NDI10H](#) [219-](#)
[9MSTP](#) [219008LPSTR](#) [EPM02FV](#) [206010RAST](#) [76SB05](#) [TD06H0SK1](#) [Z7.255.9027.0](#) [1-1825058-3](#) [1825428-4](#) [219-10LPSTF](#)
[E3ZG6111D03M](#) [G4D212PUSTV2DC5](#) [HARW0002](#) [EPG301BT06](#) [1-1825058-6](#) [E3TSL23M5J03M](#) [Y5795](#) [7R0060](#)