T-type Deep Socket Wrench

115HM








- Shank material chrome vanadium alloy steel

•	Shank finishing - chrome plated	
	Cuin mantavial DD	




KT NO.	Omm	ℓ mm	L mm	Ţ <u>a</u> Ţ	多/
115H05M-10	5	260	300	127	12 / 96
115H06M-10	6	260	300	147	12 / 96
115H07M-10	7	260	300	162	12 / 96
115H08M-10	8	260	300	158	12 / 96
115H09M-10	9	260	300	161	12 / 96
115H10M-10	10	260	300	170	12 / 96
115H11M-10	11	260	300	203	12 / 96
115H12M-10	12	260	300	205	12 / 96
115H13M-10	13	260	300	205	12 / 96
115H08M-14	8	394	394	212	10 / 60
115H10M-14	10	394	394	221	10 / 60
115H13M-14	13	394	394	233	8 / 32

■ T-shaped deep socket wrench

- Chrome vanadium alloy steel



1184M



KT NO.	Size mm	ℓ mm	L mm	₽ <u>a</u> ₽	8/8
118406M	6	120	190	59	10 / 40
118407M	7	120	190	77	10 / 40
118408M	8	200	300	306	10 / 60
118409M	9	200	300	306	10 / 60
118410M	10	200	300	317	10 / 60
118411M	11	200	300	323	10 / 60
118412M	12	200	300	326	10 / 60
118413M	13	200	300	333	10 / 60
118414M	14	200	300	344	10 / 60
118417M	17	250	300	599	6 / 36


T-type Standard Socket Wrench

1185M



- T-shaped standard socket wrench
- Chrome vanadium alloy steel
- DIN 475

KT NO.	Size mm	ℓ mm	L mm	₹ <u>a</u> ₹	8/8
118508M	8	200	250	186	10 / 100
118509M	9	200	250	230	10 / 100
118510M	10	200	250	230	10 / 100
118511M	11	200	250	234	10 / 100
118512M	12	250	250	390	10 / 60



KT NO.	Size mm	ℓ mm	L mm	$\overrightarrow{\mathbb{A}_{a}}$	多 / 學
118513M	13	250	300	425	10 / 60
118514M	14	250	300	429	10 / 60
118517M	17	300	360	710	6 / 36
118519M	19	300	360	727	6 / 36


T-type Spark Plug Socket

1563



- T-type 25° universal spark plug socket (rubber)
- Chrome vanadium alloy steel





1566



- T-type 25° universal spark plug socket with
- Chrome vanadium alloy steel



KT NO.	Size mm	ℓ mm	L mm	₹ <u>a</u> ₹	8/8
15661612	16	200	300	400	10 / 40
15661615	16	200	385	420	10 / 40
15661618	16	200	460	460	10 / 40
15661818	18	200	460	450	10 / 40
15662112	21	200	300	420	10 / 40
15662115	21	200	385	460	10 / 40

5722M

socket wrench

■ T-type 25° universal standard

10 / 40

10 / 40

10 / 40

10 / 40

5762M

 ℓ

mm

200

200

200

200

200

200

L mm

600

600

600

600

600

600

<u>Tal</u>

519 520

522

523

525

540

Size

mm

8

10

13

14

17

■ T-type 25° universal standard socket wrench


T-type Universal Standard Socket Wrench



KT NO.	Size mm	ℓ mm	L mm	₽ª₽	母/@
572210M	10	150	170	400	10 / 60
572212M	12	150	170	400	10 / 60

5742M





	KT NO.	Size mm	ℓ mm	L mm	${ \bigwedge_{a}} { \bigvee_{a}}$	8/8
5	74208M	8	200	320	328	10 / 40
5	74212M	12	200	320	332	10 / 40
5	74213M	13	200	320	333	10 / 40
5	74214M	14	200	320	335	10 / 40
5	74217M	17	200	320	340	10 / 40

5752M

■ T-type 25° universal standard socket wrench





KT NO.	Size mm	ℓ mm	L mm	∯ <mark>a</mark> ∰	9/8
575208M	8	200	450	427	10 / 40
575210M	10	200	450	430	10 / 40
575212M	12	200	450	432	10 / 40
575213M	13	200	450	433	10 / 40
575214M	14	200	450	435	10 / 40
575217M	17	200	450	440	10 / 40

576217M 5772M

KT NO.

576208M

576210M

576212M

576213M

576214M



KT NO.	Size mm	ℓ mm	L mm	₽ <u>a</u> ₽	母/❸
577208M	8	200	400	425	10 / 40
577210M	10	200	400	425	10 / 40
577212M	12	200	400	425	10 / 40
577213M	13	200	450	425	10 / 40
577214M	14	200	450	425	10 / 40
577217M	17	200	450	425	10 / 40

5774M

- T-type 90° universal standard socket wrench

• 2 PC. sliding handle for easy storage	
	<u></u>

KT NO.	Size mm	ℓ mm	L mm	₽ġŢ	8/8
577406M	6	200	390	420	10 / 30
577407M	7	200	390	420	10 / 30
577408M	8	200	390	420	10 / 30
577409M	9	200	390	420	10 / 30
577410M	10	200	500	480	10 / 30
577411M	11	200	500	480	10 / 30
577412M	12	200	500	480	10 / 30
577413M	13	200	500	480	10 / 30
577414M	14	200	500	500	10 / 30
577415M	15	200	500	500	10 / 30
577416M	16	200	500	500	10 / 30
577417M	17	200	500	500	10 / 30
577418M	18	200	500	500	10 / 30
577419M	19	200	500	500	10 / 30

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screwdrivers, Nut Drivers & Socket Drivers category:

Click to view products by KING TONY manufacturer:

Other Similar products are found below:

272012M 27850 CE-16-03400-00-HNDLE-TORQ 323451-000 HMM-HH WUVT-1-120AC-P 00-8987-YWPP 32024 XW4Z-00B
49-22-4073 96025 96030 96560 96430 31830 92270 96012 96436 96536 92064 72820 96520 92040 96416 96570 72823 96525 96720
31832 92020 96523 96510 96427 92073 92052 72905 72741 72663 32061 30751 130203/TA KLEIN TOOLS SCREWDRIVER 4-IN-1
612020B 35-045 6951 83 9058 9977 EMF PTE6