

BEARING-ASSISTED OPEN

P O C K E T K N I F E

Smooth, easy
one-handed opening



KLEIN TOOLS 



BEARING-ASSISTED OPEN POCKET KNIFE

Klein Tools' Bearing-Assisted Open pocket knife deploys smoothly with only one hand. In fact, you can engage the flip lever with just one finger. This durable yet lightweight skeleton-framed knife sports a fine edge Tanto blade, which is held securely open with a frame lock. The low-setting pocket clip keeps it deep in your pocket and out of the way.

Tanto blade is perfect for piercing and slicing



420HC Stainless Steel Tanto Blade

Bearing Assisted opening mechanism enables a smooth, easy deployment of the blade

Ambidextrous Flip Lever for easy one finger opening

Lanyard Hole for secure tethering

Frame Lock secures the blade open

Low-Carry Pocket Clip allows the knife to sit low and out of the way



Cat. No.	UPC 0-92644	Blade Length	Closed Length	Overall Dimensions
44213	44213-1	3.4" (8.5 cm)	4.6" (11.6 cm)	7.9" x 0.6" x 1.6" (20.1 x 1.5 x 4.1 cm)

Check local law on legality of selling, possessing, or carrying this knife.



See our complete line of Knives
www.kleintools.com



© 2018 Klein Tools, Inc.
 Lincolnshire, IL 60069
 82817 Rev. 02/18 A

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Wire Stripping & Cutting Tools](#) category:

Click to view products by [Klein Tools](#) manufacturer:

Other Similar products are found below :

[6-690504-4](#) [693855-1](#) [813066-2](#) [844764-5](#) [844765-5](#) [1-240642-7](#) [133900-001](#) [1-356885-4](#) [1424635-1](#) [1424649-1](#) [1424650-1](#) [1440-0013-84](#)
[1-458031-5](#) [1-458030-5](#) [MT10-250Q](#) [1755](#) [2-539783-7](#) [L-5211](#) [1633578-3](#) [F10-10Q](#) [1-844765-9](#) [251465-1](#) [R282066100](#) [313808-1](#)
[CST596711](#) [356553-1](#) [458031-9](#) [462839-1](#) [467281-1](#) [4-690504-2](#) [356553-2](#) [406339-3](#) [45-265](#) [453653-1](#) [45-418](#) [455177-1](#) [455671-4](#)
[458144-8](#) [462548-1](#) [464661-1](#) [224186-1](#) [679746-1](#) [809687-1](#) [852080-2](#) [856695-8](#) [11-40-4082](#) [458030-1](#) [679326-7](#) [690784-2](#) [844764-1](#)