

# PRO FOLDING 11-PIECE HEX KEY SET

FEATURING

1/2"



**KLEIN  
TOOLS®**






**4" EXTENDED  
REACH BLADE**

FEATURING  
**1/2"**

**DURABLE  
REINFORCED  
NYLON HANDLE**

## PRO FOLDING HEX KEY SET

Klein Tools' new Pro Folding Hex Key set features a high leverage, 4-inch long 1/2" key. The heavy-duty 11-piece set conveniently consolidates two sets into one. Industrial strength, extended-reach blades open independently up to 270-Degrees, and the precision-fit design reduces slippage and stripping. The durable handle is made of reinforced nylon with a comfortable grip. The heavy-duty Pro Folding Hex Key set is built specifically for a rigorous job site.



Cat. No.	UPC 0-92644+	Description	Dimensions
70550	33284-5	Pro Folding 11-Piece Hex Key Set	Closed: 6.3" x 2.1" x 1.4" (16.8 x 5.3 x 3.5 cm)

\*Blade lengths range from 3.5" to 4.5"

**KLEIN  
TOOLS**

See our complete line of **Drivers**  
[www.kleintools.com](http://www.kleintools.com)



© 2019 Klein Tools, Inc.  
Lincolnshire, IL 60069  
82856 Rev. 05/19 A

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Spanners](#) category:*

*Click to view products by [Klein Tools](#) manufacturer:*

Other Similar products are found below :

[74005](#) [74008](#) [DCH.91.101.PN](#) [1406504-3](#) [1406504-4](#) [1406504-5](#) [1406504-7](#) [1725859-2](#) [9965](#) [999-16625-001](#) [G70515-18](#) [1055265-1](#)  
[1055267-1](#) [1-1406504-0](#) [1055787-1](#) [DCH.91.251.PA](#) [TG70-18](#) [TG70](#) [DPH.99.005.2K](#) [DCP.91.045.TN](#) [1055512-1](#) [1055276-1](#) [R282303020](#)  
[TA-0456](#) [DCA.91.149.0TN](#) [TA-0436](#) [TA-0398](#) [TOL-222901](#) [74\\_Z-0-0-193](#) [64W022-001](#) [294GB-5069-17-N](#) [74\\_Z-0-0-2](#) [523200-4](#) [294GB-](#)  
[5070-25-A](#) [74\\_Z-0-0-79](#) [294GB-5070-17-A](#) [74\\_Z-0-0-321](#) [TOL-171801](#) [PR23350](#) [1490262-2](#) [9968](#) [AC24VS](#) [80117](#) [DCN.91.149.0TK](#) [BT-](#)  
[A-6010CAGE](#) [R282340000](#) [BT-BS-609WT](#) [BT-A-6000B](#) [R282303000](#) [BT-BS-610R](#)