

DIGITAL POCKET THERMOMETER

ET05



°F °C

-40° - 482° F
-40° - 250° C



CE

KLEIN TOOLS 
For Professionals... Since 1857™

DIGITAL POCKET THERMOMETER

ET05

HVAC/R



Rugged, portable design makes the **ET05** the perfect choice for HVAC professionals.

- User selectable Fahrenheit and Celsius temperature measurements
- Range -40 to 482° F (-40 to 250° C) with 0.1 degree resolution
- Lightweight, compact tool with pocket clip provides easy storage and quick access
- Auto-power off after 15 minutes conserves battery life



Power On/Off Button

°F/°C Select Button
toggles between Fahrenheit (°F) and Celsius (°C)

Backlit LCD Display
for easy viewing in low light

Protective Sheath/Handle
open sheath provides stable ambient air measurement; can be used as a handle for extended reach



HOLD/MAX/MIN/AVG Button
to capture maximum, minimum and average values

Pocket Clip
also doubles as battery compartment for the device



3" Stainless Steel Probe
FDA GRAS-compliant

Thermometer is NOT intended for use on people or animals.



| Cat. No. | UPC# 0-92644+ | Batteries | Height | Width | Depth | Weight (oz.) |
|----------|---------------|-----------|---------------|---------------|---------------|--------------|
| ET05 | 69060-0 | 2x LR44 | 6.5" (165 mm) | 1.08" (27 mm) | 0.96" (24 mm) | 1.3 (37 g) |

KLEIN TOOLS
EST. 1857
For Professionals... Since 1857™

See our complete line of Test & Measure and HVAC products

www.kleintools.com

Patent Pending



© 2017 Klein Tools, Inc.
Lincolnshire, IL 60069-1418
96505 Rev. 06/17 B

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Environmental Test Equipment](#) category:

Click to view products by [Klein Tools](#) manufacturer:

Other Similar products are found below :

[CW40](#) [F150C10E3DRT](#) [F150LTC20](#) [F150CD10E2](#) [F150L75](#) [F150LRS](#) [2837806](#) [4328074](#) [4366444](#) [S-11](#) [382153](#) [700PTP-1](#) [GEO-](#)
[CABLE-REEL-50M](#) [H115](#) [H300](#) [F150-SLC50](#) [AW-CO-1000](#) [AW-H2S-100](#) [AW-NmHc-100](#) [ES1-CO-1000-01](#) [P 2801](#) [P 2802](#) [TM-197](#)
[ULD-420-EUR](#) [TM-192](#) [TM-192D](#) [TM-305U](#) [UT309C](#) [EL-P-TC-T-SURFACE](#) [1500000059](#) [HS115](#) [MR59](#) [12227021](#) [13123602](#) [13123661](#)
[12255930](#) [12983030](#) [30171091](#) [30198712](#) [30198755](#) [30209323](#) [12228657](#) [12229067](#) [12230090](#) [7358958](#) [12231398](#) [12231487](#) [7390674](#)
[7390682](#) [12231550](#)