

HIGH VOLTAGE TESTERS



**KLEIN
TOOLS** 
For Professionals... Since 1857™



HIGH VOLTAGE TESTERS

Features:

- Detect a wide range of AC voltage in overhead conductors and cables.
- Audible and visual signals to indicate the presence of voltage.
- Water resistant.
- All with convenient carrying cases for easy portability and security.



HVNCVT-1



Visual signal indicates presence of voltage.

DUAL-RANGE NON-CONTACT TESTER

Low: 50V AC – 1.5kV AC
High: 1.5kV AC – 132kV AC



Universal / Shotgun Adapter Included

HVNCVT-2

BROAD-RANGE NON-CONTACT TESTER

up to 230kV AC



HVCT-1

HIGH VOLTAGE CONTACT TESTER

5kV AC – 36kV AC

Cat. No.	UPC 0-92644+	Voltage Range	Length	Weight w/ batteries
HVNCVT-1	69658-9	low: 50V AC – 1.5kV AC high: 1.5kV AC – 132kV AC	13.0" (330 mm)	0.66 lbs. (0.3 kg)
HVNCVT-2	69659-6	up to 230kV AC	10.4" (264 mm)	1.37 lbs. (0.62 kg)
HVCT-1	69660-2	5kV AC – 36kV AC	9.7" (246 mm) 12.5" – 44.5"	0.68 lbs. (0.31 kg)
HV-43	69661-9	N/A	(318 – 1130 mm)	0.73 lbs. (.33 kg)

FIBERGLASS

TELESCOPING HANDLE FOR HVCT-1

- Dielectric pole type-tested & rated for 10kV AC
- Length: 12.5" collapsed – 44.5" extended

HV43

Questions? Contact Klein Tools at:
HiSupport@kleintools.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Component Testers](#) category:

Click to view products by [Klein Tools](#) manufacturer:

Other Similar products are found below :

[410-413](#) [FLUKE 9062](#) [2840](#) [2841](#) [570A](#) [35135](#) [815](#) [FLUKE-9040EUR](#) [881](#) [891](#) [895](#) [AK57X](#) [770734](#) [LCR200](#) [PRT200](#) [UM200](#) [T5-H5-1AC-KIT/US](#) [69127](#) [ET40](#) [ET45](#) [ET45VP](#) [ET60](#) [HVNCVT-1](#) [NCVT2P](#) [NCVT2PKIT](#) [NCVT3P](#) [NCVT-6](#) [RT110](#) [RT210](#) [RT250](#) [RT310](#) [35100](#) [35130](#) [VS-AVT-C02-L03](#) [1212598](#) [T3LCR1002](#) [T3LCR1300](#) [T3LCR1100](#) [VS-AVT-RKBB2](#) [VS-AVT-RKBB3](#) [VS-AVT-RKBB4](#) [NCVT-4IR](#) [LCR55A](#) [ET30B](#) [ET40B](#) [VS-AVT-C08-L10](#) [ET26B](#) [ET23B](#) [ET60](#) [ET28B](#)