

INFRARED THERMOMETER WITH LASER

IR1



-4°F –
752°F
-20°C –
400°C



°F °C



APO

HOLD



2m

CE



**KLEIN
TOOLS** 

INFRARED THERMOMETER WITH LASER

Klein Tools IR1 is an easy-to-use, durable infrared (IR) thermometer. Simply point targeting laser on area to measure, pull the trigger, and read measurement on the display. The IR1 features 10:1 optical resolution, a backlit LCD, and a wide temperature measurement range of -4 to 752°F (-20 to 400°C). Built to withstand a 6.6 ft (2 m) drop test.



Targeting Laser

IR Temperature Sensor

Trigger

LCD Display with Data Hold


Battery Compartment (in handle)



10:1

Distance-to-Spot Ratio

Measurement	IR1
Targeting Laser	●
Temperature	°F °C -4° - 752° F (-20° - 400° C)
Backlight	●
Auto Power-Off	APO ●
Data Hold	HOLD ●
Durability	
Drop Protection	6.6 ft. (2 m)



This meter is configured with a 10:1 optical resolution (distance-to-spot ratio). The distance-to-spot ratio defines the size of the measurement area relative to the distance between the measurement location and the IR sensor



CAUTION: Reflective materials may be hotter than indicated.

CAUTION
LASER RADIATION
DO NOT STARE INTO BEAM
Max. Output <1mW
Wavelength: 630-670nm
CLASS 2 LASER PRODUCT

Cat. No.	UPC 0-92644+	Description	Batteries	Height	Width	Length	Weight
IR1	69292-5	Infrared Thermometer with Laser, 10:1	1 x 9V	4.14" (10.5 cm)	1.24" (3.1 cm)	6.0" (15.3 cm)	10.3 oz (.292 g)

US Patent D791624

See our complete line of Test & Measurement Products
www.kleintools.com



© 2020 Klein Tools, Inc.
Lincolnshire, IL 60069
82910 Rev. 02/20 A



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Environmental Test Equipment](#) category:

Click to view products by [Klein Tools](#) manufacturer:

Other Similar products are found below :

[CW40](#) [F150C10E3DRT](#) [F150LTC20](#) [F150CD10E2](#) [F150L75](#) [F150LRS](#) [2837806](#) [4328074](#) [4366444](#) [S-11](#) [382153](#) [700PTP-1](#) [GEO-](#)
[CABLE-REEL-50M](#) [H115](#) [H300](#) [F150-SLC50](#) [AW-CO-1000](#) [AW-H2S-100](#) [AW-NmHc-100](#) [ES1-CO-1000-01](#) [TM-197](#) [TM-192](#) [TM-192D](#)
[TM-305U](#) [UT309C](#) [1500000059](#) [HS115](#) [MR59](#) [SHG-02](#) [SHS-05](#) [SHG-01](#) [SHC-07](#) [SHA-01](#) [TESTO 175-H1 0572 1754](#) [TESTO 830-T1](#)
[0560 8311](#) [AX-5002](#) [AX-5003](#) [AX-B150](#) [AX-B180](#) [AX-B350](#) [AX-L230](#) [AX-PH02](#) [F61SB-9100](#) [F61SD-9150](#) [F61TB-9100](#) [F61TB-9200](#)
[IR-710-EUR](#) [IR-720-EUR](#) [IR-730-EUR](#) [LHI807TC](#)