


Profile GIZA-LL

Ref. A00758

Ref. arch C0758



- Small bending radius
- Wide range of accessories
- Continuous lighting angle adjustment

APPLICATION

- main, decorative and functional lighting


MOUNTING

- suspended, to the surface or recessed, using dedicated accessories, properly selected screws or a dedicated mounting track
- can be easily connected into runs and systems
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, polygonal, round
Profile cross-section	rectangular
Width	26.2 mm
Height	14.5 mm
LED gluing width A	24 mm
Number of LED strips A (8 mm wide)	2
Lighting angle adjustment up to	150
Possibility of obtaining a line of light	yes
Possibility of bending	yes
Minimum external radius	240 mm
Minimum internal radius	240 mm
Building type	Entertainment/ Arts, HoReCa object, Commercial, Retail
Facility zone	office, lobby / foyer, conference room, communication routes and corridors

Color	Length	Ref
■ silver anodized	1000 mm	A00758A_1 C0758ANODA_1
	2005 mm	A00758A_2 C0758ANODA_2
	3010 mm	A00758A_3 C0758ANODA_3
■ black anodized	1000 mm	A00758A07_1 C0758K7_1
	2005 mm	A00758A07_2 C0758K7_2
	3010 mm	A00758A07_3 C0758K7_3
□ white lacquered	1000 mm	A00758L10OD_1 C0758L9010OD_1
	2005 mm	A00758L10OD_2 C0758L9010OD_2
	3010 mm	A00758L10OD_3 C0758L9010OD_3


Profile GIZA-LL

Ref. A00758


Ref. arch C0758

Easy assembly and disassembly by snapping in and out	yes
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS



PDF_KSZTALTY_REFERENCYJNE



RELATED PROFILES > ARCHITECTURAL



GIZA-LL-T
A02479
Ref. arch C2479



GIZA-LL-UST
A02724N
Ref. arch C2724

Profile GIZA-LL

Ref. A00758

Ref. arch C0758


RELATED PROFILES > MOUNTING TRACKS



TEKNIK-ZM

A00399

Ref. arch C0399



TEKNIK-ZM-TK

A01554


Ref. arch C1554



TEKUS

A06638V

Ref. arch B6638V1



TEKUS-ZM

A01293






















Ref. arch C1293

Profile GIZA-LL





Ref. A00758

Ref. arch C0758

RELATED ACCESSORIES > RELATED COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
DILENSO NEW		56 %	 clear	B17173 17173
		73 %	 frosted	B17011M 17011
HS-22		94 %	 clear	B17011T 17022
		62 %	 frosted	B17032M 17032V1
LIGER-22		B17032M 17032V1OP		
		39 %	 black	B17032C 17087
MUN-22		86 %	 semi-transparent	B17042F 17042
		47 %	 frosted	B17203M 00413
G-L		69 %		B17006M 17010
		85 %	 semi-transparent	17008 17008
		95 %	 clear	B17006T 17006
		85 %	 semi-transparent	B17006F 17017
		95 %	 clear	B17006T 17006
		30 %	 black	B17006C 17012
G-K		88 %	 semi-transparent	B17013F 17016
		72 %	 frosted	B17204F 00415
		24 %	 black	B17013C 17014

RELATED ACCESSORIES > RELATED END CAPS

NAME	MATERIAL	COLOR	REF.
GIZA-LL		 gray	C24281C02 24281
		 white	C24281C10 24398
		 black	C24281C07 24383

RELATED ACCESSORIES > RELATED LED




K-1275-12V
K-1275-12
Ref. arch K-1275-12V



WP-K-1220-12V
KWP-1220-12
Ref. arch WP-K-1220-12V



WP-K-1220-IP65-12V
_bład
Ref. arch WP-K-1220-IP65-12V




K-1275-RGB-12V
K-RGB-1275-12
Ref. arch K-1275-RGB-12V

RELATED ACCESSORIES > RELATED LED > CRI 95+




WP-K-CR-1210-24V
KWP-CR-1210-24
Ref. arch WP-K-CR-1210-24V


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24V
K-HEHD-0480-24
Ref. arch K-HE-0480-HD-24V



K-HE-0960-HD-24V
K-HEHD-0960-24
Ref. arch K-HE-0960-HD-24V



K-HE-1440-HD-24V
K-HEHD-1440-24
Ref. arch K-HE-1440-HD-24V



K-HE-1920-HD-24V
K-HEHD-1920-24
Ref. arch K-HE-1920-HD-24V

Profile GIZA-LL

Ref. A00758

Ref. arch C0758


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1530-RGB+W-24V

K-RGBW-1530-24


Ref. arch K-1530-RGB+W-24V



WP-K-1530-RGB+W-24V

KWP-RGBW-1530-24


Ref. arch WP-K-1530-RGB+W-24V



K-1920-120-RGB-24V

K-RGB-1920-120-24

Ref. arch K-1920-120-RGB-24V



WP-K-1920-120-RGB-24V

KWP-1920-120-RGB-24

Ref. arch WP-K-1920-120-RGB-24V

RELATED ACCESSORIES > RELATED LED > WHITE MONO



WP-K-1640-HD-IP65-24V

KWP-GHD-1640-24

Ref. arch WP-K-1640-HD-IP65-24V



WP-K-1910-HD-IP65-24V

KWP-GHD-1910-24

Ref. arch WP-K-1910HDIP6524V



WP-K-1220-IP65-24V

KWP-1220-IP65-24

Ref. arch WP-K-1220-IP65-24V

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > ADDITIONAL ITEMS



CANOPY

Fi-60mm

C24540

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



FASTENER

OS22-LIN-Z

C28184L07, C28184L10

Ref. arch 42341L9005, 42341L9010



FASTENER

OS22-DUO-LIN-Z

C28183L07, C28183L10

Ref. arch 42340L9005, 42340L9010



FASTENER

OS22-PRET-Z

C28186L07, C28186L10

Ref. arch 42344L9005, 42344L9010



FASTENER

OS22-DUO-PRET-Z

C28185L07, 42343L9010

Ref. arch 42343L9005, 42343L9010



FASTENER

FI-8-LIN-ZMZ

C28171N00, C28171L10,

C28171L07

Ref. arch 42286, 42286L9010, 42286L9005

Profile GIZA-LL

Ref. A00758

Ref. arch C0758



FASTENER

PUSZ-LIN-MR

C28163N00, C28163L10,
C28163L07

Ref. arch 42278, 42278L9010,
42278L9005



FASTENER

PUSZ-LIN-ZD

C28164N00, C28164L10,
C28164L07

Ref. arch 42279, 42279L9010,
42279L9005



FASTENER

PUSZ-LIN-ZM

C28160N00, C28160L10,
C28160L07

Ref. arch 42275, 42275L9010,
42275L9005



FASTENER

PUSZ-PRET-ZM

C28161N00, C28161L10,
C28161L07

Ref. arch 42276, 42276L9010,
42276L9005



FASTENER

PUSZ-PRET-MR

C28166N00, C28166L10,
C28166L07

Ref. arch 42281, 42281L9010,
42281L9005

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR

ZM-60

C28243N00

Ref. arch 42736

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



HEAD

BZP

C28113N00

Ref. arch 42213



FASTENER

FI-8-LIN-ZM

C28170N00, C28170L10,
C28170L07

Ref. arch 42285, 42285L9010,
42285L9005



FASTENER

FI-10-ZM-W

C28116N00

Ref. arch 42242




FASTENER

FI-10-ZM-P

C28117N00

Ref. arch 42244



FASTENER

UCHO-ZM

C28192N00, C28192L07

Ref. arch 42512, 42525



FASTENER

FI-8-PRET-ZM

C28189

Ref. arch 42347

Profile GIZA-LL

Ref. A00758

Ref. arch C0758

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > LATCHES



LATCH

TEKNIK

C24003C10

Ref. arch 24003

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS



MOUNTING BRACKET

GIP-STN

C24447N00

Ref. arch 24447



MOUNTING BRACKET

GIP-UV

C24310C02, C24328C07

Ref. arch 24310, 24328



MOUNTING BRACKET

GIP

C24332C02

Ref. arch 24332



MOUNTING BRACKET

REGIP-UV

C28057C02

Ref. arch 24271



MOUNTING BRACKET

AM-24

C24235N00

Ref. arch 24235



FASTENER SET

NEO-ZM-3

C28105N00

Ref. arch 42127



FASTENER SET

NEO-ZM-PLUS-3

C28107N00

Ref. arch 42129



FASTENER SET

NEO-ZM-4

C28106N00

Ref. arch 42128



FASTENER SET

NEO-ZM-PLUS-4

C28108N00

Ref. arch 42130

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND

6,4x3

C42264C07

Ref. arch 42264

Profile GIZA-LL

Ref. A00758

Ref. arch C0758

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS




MASKING COVER

MP-22

C28261L01_0.25,
C28261L10_0.25,
C28261L07_0.25

Ref. arch 17167, 17167L9010,
17167L9005

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SECURITY AND BLOCKS




BLOCK

ZM

C28194N00

Ref. arch 42520

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SURFACE SPRINGS



SPRING

GP

C24500N00

Ref. arch 00293

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER SET

RD-1

C28231

Ref. arch 42658NI, 42658GSS,
42658L9005, 42658L9010



FASTENER SET

RG-1

C28230P00, C28230P01,
C28230L10, C28230L07

Ref. arch 42647NI, 42647GSS,
42647L9010, 42647L9005



FASTENER SET

RD-2

C28232P00, C28232P01,
C28232L10, C28232L07

Ref. arch 42653NI, 42653GSS,
42653L9010, 42653L9005



FASTENER SET

RD-3

C28233P00, C28233P01,
C28233L10, C28233L07

Ref. arch 42659NI, 42659GSS,
42659L9010, 42659L9005



FASTENER SET

RD-4

C28234P00, C28234P01,
C28234L10, C28234L07

Ref. arch 42657NI, 42657GSS,
42657L9010, 42657L9005

Profile GIZA-LL

Ref. A00758

Ref. arch C0758




FASTENER SET

W1

C28203N00

Ref. arch 42602



FASTENER SET

W2

C28204N00

Ref. arch 42603



FASTENER SET

W6

C28205N00

Ref. arch 42604

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Mounting Accessories](#) category:

Click to view products by [KLUS](#) manufacturer:

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [C1900000](#) [C2910001](#) [E4900001S](#)
[E4990001](#) [C1010000S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#) [84000139](#) [H5010001](#) [A2000139](#)
[70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#) [89000639](#) [F1999901](#) [63580000](#) [C1999922](#)
[76320041S](#) [76000116](#) [J6999902](#) [A00758A07_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#) [A05554A_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#)
[B17013S_1](#) [A05556A07_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#) [C24338C02](#) [C24427C02TW](#) [C24427C10TW](#) [C24006C02](#)
[C24346C07](#)