

Profile MICRO-NK

Ref. A01587

Ref. arch C1587



- Invisible groove edge
- Minimum height
- Small bending radius

APPLICATION

- furniture and decorative lighting


MOUNTING

- recessed, with mounting adhesive or double-sided adhesive tape

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS




Material	aluminum	Color	Length	Ref
Possible fixture IP	20, 67	■ silver anodized	1000 mm	A01587A_1 C1587ANODA_1
Possible fixture shapes	linear, round		2005 mm	A01587A_2 C1587ANODA_2
Profile cross-section	rectangular		3010 mm	A01587A_3 C1587ANODA_3
Width	22.2 mm	■ black anodized	1000 mm	A01587A07_1 C1587K7_1
Height	6 mm		2005 mm	A01587A07_2 C1587K7_2
LED gluing width A	11.2 mm		3010 mm	A01587A07_3 C1587K7_3
Number of LED strips A (8 mm wide)	1	□ white lacquered	1000 mm	A01587L100D_1 C1587L90100D_1
Building type	Commercial, Residential, HoReCa object, Entertainment/ Arts		2005 mm	A01587L100D_2 C1587L90100D_2
Facility zone	kitchen, bathroom, furniture, advertising / POS, shop windows and exhibition, niche/cove		3010 mm	A01587L100D_3 C1587L90100D_3
The cover is cut to the length of the profile	yes			
Wire out end cap	yes			
Wire out back of extrusion	yes			

Profile MICRO-NK






Ref. A01587

Ref. arch C1587

SAMPLE PROJECTS



RELATED ACCESSORIES > RELATED COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER		PC	70 % <input type="checkbox"/> frosted	B17037M 17037
			32 % <input checked="" type="checkbox"/> black	B17037C 17040
KA-COM		PVC	70 % <input type="checkbox"/> frosted	B17179M 17179
			93 % <input checked="" type="checkbox"/> clear	B17179T 17180
HS		PC	73 % <input type="checkbox"/> frosted	B17208M 1369
			94 % <input checked="" type="checkbox"/> clear	B17208T 1370
KA-PRO		PC	67 % <input type="checkbox"/> frosted	B17064M 17064
			94 % <input checked="" type="checkbox"/> clear	B17064T 17065
KA		PC	63 % <input type="checkbox"/> frosted	B17035M 17035
			91 % <input checked="" type="checkbox"/> clear	B17035T 17036

Profile MICRO-NK


Ref. A01587

Ref. arch C1587

RELATED ACCESSORIES > RELATED END CAPS

NAME	MATERIAL	COLOR	REF.
MICRO-NK	ABS	gray	C24346C02 24346
		black	C24346C07 24362
		white	C24346C10 24408
		silver	C24346L01 24450
MICRO-NK-OTW	ABS	gray	C24346C02TW 24347
		white	C24346C10TW 24409
		black	C24346C07TW 24363
		metalized	C24346L01TW 24451
MICRO-LNK	ABS	gray	C24427C02 24427
		white	C24427C10 24442
		silver	C24427L10 24445
		black	C24427C07 24431
MICRO-LNK-OTW	ABS	gray	C24427C02TW 24429
		white	C24427C10TW 24443
		silver	C24427L10TW 24446
		black	C24427C07TW 24433

RELATED ACCESSORIES > RELATED LED




K-1210-12V
K-1210-12
Ref. arch K-1210-12V



K-1275-12V
K-1275-12
Ref. arch K-1275-12V



WP-K-1220-12V
KWP-1220-12
Ref. arch WP-K-1220-12V



WP-K-1275-12V
KWP-1275-12
Ref. arch WP-K-1275-12V




WP-K-1220-IP65-12V
_błąd
Ref. arch WP-K-1220-IP65-12V

Profile MICRO-NK

Ref. A01587

Ref. arch C1587




K-1275-RGB-12V

K-RGB-1275-12

Ref. arch K-1275-RGB-12V

RELATED ACCESSORIES > RELATED LED > CRI 95+



WP-K-CR-1210-24V

KWP-CR-1210-24

Ref. arch WP-K-CR-1210-24V



WP-K-CR-1220-24V

KWP-CR-1220-24


Ref. arch WP-K-CR-1220-24V



WP-K-CR-1275-24V

KWP-CR-1275-24


Ref. arch WP-K-CR-1275-24V



K-CR-1210-24V

K-CR-1210-24


Ref. arch K-CR-1210-24V



K-CR-1220-24V

K-CR-1220-24


Ref. arch K-CR-1220-24V



K-CR-1275-24V

K-CR-1275-24


Ref. arch K-CR-1275-24V



K-CR-1820-HD-24V

K-CRHD-1820-24

Ref. arch K-CR-1820-HD-24V




K-CR-1910-HD-24V

K-CRHD-1910-24

Ref. arch K-CR-1910-HD-24V


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY



K-HE-0480-HD-24V

K-HEHD-0480-24


Ref. arch K-HE-0480-HD-24V



K-HE-0960-HD-24V

K-HEHD-0960-24


Ref. arch K-HE-0960-HD-24V



K-HE-1440-HD-24V

K-HEHD-1440-24

Ref. arch K-HE-1440-HD-24V



K-HE-1920-HD-24V

K-HEHD-1920-24

Ref. arch K-HE-1920-HD-24V

Profile MICRO-NK


Ref. A01587

Ref. arch C1587


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1530-RGB+W-24V
K-RGBW-1530-24
Ref. arch K-1530-RGB+W-24V



K-1920-120-RGB-24V
K-RGB-1920-120-24
Ref. arch K-1920-120-RGB-24V




WP-K-1920-120-RGB-24V
KWP-1920-120-RGB-24
Ref. arch WP-K-1920-120-RGB-24V

RELATED ACCESSORIES > RELATED LED > WHITE MONO



WP-K-1640-HD-IP65-24V
KWP-GHD-1640-24
Ref. arch WP-K-1640-HD-IP65-24V



WP-K-1910-HD-IP65-24V
KWP-GHD-1910-24
Ref. arch WP-K-1910HDIP6524V



WP-K-1220-IP65-24V
KWP-1220-IP65-24
Ref. arch WP-K-1220-IP65-24V

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND
6x1,2
C24517C07
Ref. arch 00802

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Mounting Accessories](#) category:

Click to view products by [KLUS](#) manufacturer:

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [C1900000](#) [C2910001](#) [E4900001S](#)
[E4990001](#) [C1010000S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#) [84000139](#) [H5010001](#) [A2000139](#)
[70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#) [89000639](#) [F1999901](#) [63580000](#) [C1999922](#)
[76320041S](#) [76000116](#) [J6999902](#) [A00758A07_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#) [A05554A_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#)
[B17013S_1](#) [A05556A07_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#) [C24338C02](#) [C24427C02TW](#) [C24427C10TW](#) [C24006C02](#)
[C24346C07](#)