



- Invisible groove edge
- Small bending radius
- Wide range of accessories

APPLICATION

- furniture, main and decorative lighting


MOUNTING

- recessed, with mounting adhesive or double-sided adhesive tape

ADDITIONAL INFORMATION

- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, polygonal, round
Profile cross-section	rectangular
Width	22.2 mm
Height	12 mm
LED gluing width A	14 mm
Number of LED strips A (8 mm wide)	1
Width of the glow	11.2 mm
Max power of a single KLUŚ LED strip	24 W/m
Possibility of obtaining a line of light	yes
Possibility of bending	yes
Radius of the light arc	yes
Inward	150 mm
Outdoor	250 mm
Building type	Commercial, HoReCa object, Retail, Residential, Entertainment/ Arts, Outdoor







Color	Length	Ref
■ silver anodized	1000 mm	A01588A_1
	2005 mm	A01588A_2
	3010 mm	A01588A_3
■ black anodized	1000 mm	A01588A07_1
	2005 mm	A01588A07_2
	3010 mm	A01588A07_3
□ white lacquered	1000 mm	A01588L10OD_1
	2005 mm	A01588L10OD_2
	3010 mm	A01588L10OD_3

Facility zone	office, kitchen, bathroom, niche/cove, fascade lighting, wall lighting, stairs and handrails, advertising / POS, furniture, urban architecture
The cover is cut to the length of the profile	yes
Wire out end cap	yes
Wire out back of extrusion	yes





















SAMPLE PROJECTS



RELATED ACCESSORIES > COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LENSO	NEW	 PC	80 %	semi-transparent	B17112T
KA			67 %	frosted	B17064F
			89 %	clear	B17064C
HS			59 %	frosted	B17208F
			88 %	clear	B17208C
KA-COM			70 %	frosted	B17121M
			93 %	clear	B17122T
LIGER			59 %	satin	B17037S
			21 %	black	B17037B
KA-T			54 %	frosted	B17179F
			86 %	clear	B17179C

RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
PDS-NK		ABS	 gray C24338C02
			 white C24338C10
			 black C24338C07
			 silver C24338L01
PDS-NK-OTW		ABS	 gray C24338C02TW
			 white C24338C10TW
			 black C24338C07TW
			 silver C24338L01TW
PDS-LNK		ABS	 gray C24428C02
			 white C24428C10
			 silver C24428L01
			 black C24428C07
PDS-LNK-OTW		ABS	 gray C24428C02TW
			 white C24428C10TW
			 silver C24428L01TW
			 black C24428C07TW

RELATED ACCESSORIES > RELATED LED




8K-WP-K-1210-12V
8K-WP-K-1210-12V

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM



K-27T50-1440-24
K-27T50-1440-24



K-18D30-0960-24
K-18D30-0960-24

RELATED ACCESSORIES > RELATED LED > BENDABLE



K-VBT-0720-24
K-VBT-0720-24




K-BT-0910-24
K-BT-0910-24



K-BTRGB40-1510-24
K-BTRGB40-1510-24

RELATED ACCESSORIES > RELATED LED > CRI 95+



K-CR-0480-24
K-CR-0480-24



K-CR-0960-24
K-CR-0960-24



K-CR-1440-24
K-CR-1440-24




KWP-8KCR-0960-24
KWP-8KCR-0960-24




KWP-8KCR-0480-24
KWP-8KCR-0480-24


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24
K-HEHD-0480-24



K-HE-0960-HD-24
K-HEHD-0960-24




K-HE-1440-HD-24
K-HEHD-1440-24



K-HE-1920-HD-24
K-HEHD-1920-24



K-VHE-0480-24
K-VHE-0480-24




K-VHE-0960-24
K-VHE-0960-24



K-VHE-1440-24
K-VHE-1440-24

RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



KWP-8KHDRGB-1920-24
KWP-8KHDRGB-1920-24



K-RGB-0700-24
K-RGB-0700-24




K-RGBW-1530-24
K-RGBW-1530-24




K-1920-120-RGB-24
K-RGB-1920-120-24



K-RGB-1200-24
K-RGB-1200-24



KWP-8KRGB-1200-24
KWP-8KRGB-1200-24



KWP-8KRGB-0700-24
KWP-8KRGB-0700-24

RELATED ACCESSORIES > RELATED LED > WHITE MONO



KWP-8K-1210-24
KWP-8K-1210-24




KWP-8K-1275-24
KWP-8K-1275-24



K-0530-HD-24
K-HD-0530-24




K-1220-24
K-1220-24




K-1275-24
K-1275-24



K-1910-HD-24
K-HD-1910-24



K-2300-24
K-2300-24



K-0480-24
K-0480-24




K-0960-24
K-0960-24




K-1440-24
K-1440-24




K-2400-24
K-2400-24




K-HD-0480-24
K-HD-0480-24




K-HD-0960-24
K-HD-0960-24




K-HD-1440-24
K-HD-1440-24



KWP-8K-0480-24
KWP-8K-0480-24



KWP-8K-0960-24
KWP-8K-0960-24



KWP-8K-1440-24
KWP-8K-1440-24

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND
6x1,2
C24517C07

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Mounting Accessories](#) category:

Click to view products by [KLUS](#) manufacturer:

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [C1900000](#) [C2910001](#) [E4900001S](#)
[E4990001](#) [C1010000S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#) [84000139](#) [H5010001](#) [A2000139](#)
[70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#) [89000639](#) [F1999901](#) [63580000](#) [C1999922](#)
[76320041S](#) [76000116](#) [J6999902](#) [A00758A07_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#) [A05554A_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#)
[B17013S_1](#) [A05556A07_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#) [C24338C02](#) [C24427C02TW](#) [C24427C10TW](#) [C24006C02](#)
[C24346C07](#)