


Profile LARKO

Ref. A05552

Ref. arch B5552



- Mounting to drywall
- Invisible groove edge
- Possibility to mount the power supply in the luminous part of the luminaire

APPLICATION

- main and decorative lighting


MOUNTING

- recessed, using dedicated accessories
- can be easily connected into runs and systems

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 65
Possible fixture shapes	linear, polygonal
Profile cross-section	rectangular
Width	46.2 mm
Height	24.5 mm
LED gluing width A	24 mm
Number of LED strips A (8 mm wide)	2
Max power of a single KLUŚ LED strip	24 W/m
Possibility of obtaining a line of light	yes
Building type	Commercial, Entertainment/ Arts, HoReCa object
Facility zone	office, communication routes and corridors, conference room, lobby / foyer
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Mounting to drywall	yes
Wire out back of extrusion	yes


Color	Length	Ref
■ silver anodized	1000 mm	A05552A_1 B5552ANODA_1
	2005 mm	A05552A_2 B5552ANODA_2
	3010 mm	A05552A_3 B5552ANODA_3
□ white lacquered	2005 mm	A05552L10OD_2 B5552L9010OD_2
	1000 mm	A05552L10OD_1 B5552L9010OD_1
	3010 mm	A05552L10OD_3 B5552L9010OD_3

Profile LARKO





Ref. A05552

Ref. arch B5552





SAMPLE PROJECTS



RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.	
LIGER		PC	62 %	satin	B17032S 17032V1
			39 %	black	B17032B 17087
HS		PC	73 %	frosted	B17011F 17011
			94 %	clear	B17011C 17022
G		PMMA	69 %	satin	B17006S 17010
			85 %	semi-transparent	B17006T 17017
			95 %	clear	B17006C 17006
MUN-22		PC	30 %	black	B17006B 17012
			86 %	semi-transparent	B17042F 17042

RELATED ACCESSORIES > END CAPS


NAME	MATERIAL	COLOR	REF.
LARKO		 gray	C24006C02 24006
		 silver	C24006L01 24102
		 white	C24006C10 24410

Profile LARKO


Ref. A05552

Ref. arch B5552

RELATED ACCESSORIES > RELATED LED



WP-K-30/18-1770-010V-24V
WP-K-30/18-1770-010V-24V
Ref. arch WP-K-30/18-1770-010V-24V



K-30/18-1770-010V-24V
K-30/18-1770-010V-24V
Ref. arch K-30/18-1770-010V-24V

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM



K-27/50-1440-24V
K-27/50-1440-24



KWP-27/50-1440-24
KWP-27/50-1440-24

RELATED ACCESSORIES > RELATED LED > CRI 95+




WP-K-CR-1820-HD-24V
WPKCR1820HD24
Ref. arch WPKCR1820HD24V




WP-K-CR-1910-HD-24V
KWP-CRHD-1910-24
Ref. arch WPK-CR-1910-HD-24V


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24V
K-HEHD-0480-24
Ref. arch K-HE-0480-HD-24V



K-HE-0960-HD-24V
K-HEHD-0960-24
Ref. arch K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HEHD-1440-24
Ref. arch K-HE-1440-HD-24V



K-HE-1920-HD-24V
K-HEHD-1920-24
Ref. arch K-HE-1920-HD-24V


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1275-RGB-24V
K-RGB-1275-24
Ref. arch K-1275-RGB-24V




WP-K-1275-RGB-24V
KWP-RGB-1275-24
Ref. arch WP-K-1275-RGB-24V



K-1530-RGB+W-24V
K-RGBW-1530-24
Ref. arch K-1530-RGB+W-24V



WP-K-1530-RGB+W-24V
KWP-RGBW-1530-24
Ref. arch WP-K-1530-RGB+W-24V



K-1920-120-RGB-24V
K-RGB-1920-120-24
Ref. arch K-1920-120-RGB-24V



WP-K-1920-120-RGB-24V
KWP-1920-120-RGB-24
Ref. arch WP-K-1920-120-RGB-24V




K-1200-RGB+27/65-24V
K-RGB27/65-1200-24
Ref. arch K-1200-RGB+27/65-24V




K-RGB-1200-24V
K-RGB-1200-24
Ref. arch K-RGB-1200-24V



K-RGB-0700-24V
K-RGB-0700-24
Ref. arch K-RGB-0700-24V




WP-K-1200-RGB+27/65-24V
WPK-RGB27/65-1200-24
Ref. arch WP-K-1200-RGB+27/65-24V




WP-K-1530-RGB+W-IP65-24V
KWP-GRGBW-1530-24
Ref. arch WP-K-1530RGBWIP6524V



WP-K-RGB-0700-24V
KWP-RGB-0700-24
Ref. arch WP-K-RGB-0700-24V



WP-K-RGB-1200-24V
KWP-RGB-1200-24
Ref. arch WP-K-RGB-1200-24V



14K-WP-K-1920-120-RGB-24V
KWP-14KHDRGB-1920-24
Ref. arch 14KWPK1920120RGB24V

RELATED ACCESSORIES > RELATED LED > SIDE EMITTING




WP-K-SE-1210-8-24V
KWP-SE-1210-24-8
Ref. arch WP-K-SE-1210-8-24V


RELATED ACCESSORIES > RELATED LED > WHITE MONO




K-1220-24V
K-1220-24
Ref. arch K-1220-24V



K-1275-24V
K-1275-24
Ref. arch K-1275-24V



K-1910-HD-24V
K-HD-1910-24
Ref. arch K-1910-HD-24V



WP-K-1220-24V
KWP-1220-24
Ref. arch WP-K-1220-24V



WP-K-1275-24V
KWP-1275-24
Ref. arch WP-K-1275-24V



WP-K-1910-HD-IP65-24V
KWP-GHD-1910-24
Ref. arch WP-K-1910HDIP6524V



WP-K-1220-IP65-24V
KWP-1220-IP65-24
Ref. arch WP-K-1220-IP65-24V



K-0530-HD-24V
K-HD-0530-24
Ref. arch K-0530-HD-24V




K-2300-24V
K-2300-24
Ref. arch K-2300-24V



K-0480-24V
K-0480-24
Ref. arch K-0480-24V



K-0960-24V
K-0960-24
Ref. arch K-0960-24V



K-1440-24V
K-1440-24
Ref. arch K-1440-24V




K-2400-24V
K-2400-24



K2-1920-24V
K2-1920-24



K3-2880-24V
K3-2880-24



K-CR-0480-24V
K-CR-0480-24




K-CR-0960-24V
K-CR-0960-24



K-CR-1440-24V
K-CR-1440-24




K-VHE-0480-24V
K-VHE-0480-24




K-VHE-0960-24V
K-VHE-0960-24



K-VHE-1440-24V
K-VHE-1440-24



K-HD-0480-24V
K-HD-0480-24



K-HD-0960-24V
K-HD-0960-24



K-HD-1440-24V
K-HD-1440-24



WP-K-1910-HD-24V
KWP-HD-1910-24
Ref. arch WP-K-1910-HD-24V

Profile LARKO

Ref. A05552


Ref. arch B5552




WP-K-1440-24V
KWP-1440-24
Ref. arch WP-K-1440-24V




WP-K-0480-24V
KWP-0480-24
Ref. arch WP-K-0480-24V



WP-K-0960-24V
KWP-0960-24
Ref. arch WP-K-0960-24V



KWP-GHD-0480-24V
KWP-GHD-0480-24



KWP-CR-0480-24
KWP-CR-0480-24



KWP-CR-0960-24
KWP-CR-0960-24

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



FASTENER
OS22-LIN-Z
C28184L07, C28184L10
Ref. arch 42341L9005, 42341L9010



FASTENER
OS22-PRET-Z
C28186L07, C28186L10
Ref. arch 42344L9005, 42344L9010



FASTENER
OS22-DUO-LIN-Z
C28183L07, C28183L10
Ref. arch 42340L9005, 42340L9010



FASTENER
OS22-DUO-PRET-Z
C28185L07, 42343L9010
Ref. arch 42343L9005, 42343L9010


RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS




CONNECTOR
ZM-180
C28075N00
Ref. arch 40693



CONNECTOR
ZM-NA-60
42305



CONNECTOR
ZM-NA-PION-120
42321




CONNECTOR
ZM-NA-90
42723




CONNECTOR
ZM-NA-PION-135
42727


RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > COUPLERS




COUPLER
L135
L135




COUPLER
L135PW
L135PW




COUPLER
L135PZ
L135PZ




COUPLER
L90
L90




COUPLER
L90PW
L90PW




COUPLER
L90PZ
L90PZ




COUPLER
X135
X135




COUPLER
X90
X90



COUPLER
T135L
T135L



COUPLER
T135R
T135R



COUPLER
T90
T90

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > LATCHES



LATCH
TEKNIK
C24003C10
Ref. arch 24003

Profile LARKO

Ref. A05552

Ref. arch B5552

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER




GLAND

6,4x3

C42264C07

Ref. arch 42264

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS



MASKING COVER

MP-22


C28261L01_0.25,

C28261L10_0.25,

C28261L07_0.25

Ref. arch 17167, 17167L9010,
17167L9005

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SPRINGS FOR RECESSED MOUNT AND MOUNTING TRACKS



SPRING

KMA

C24503N00

Ref. arch 00838

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Mounting Accessories](#) category:

Click to view products by [KLUS](#) manufacturer:

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [C1900000](#) [C2910001](#) [E4900001S](#)
[E4990001](#) [C1010000S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#) [84000139](#) [H5010001](#) [A2000139](#)
[70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#) [89000639](#) [F1999901](#) [63580000](#) [C1999922](#)
[76320041S](#) [76000116](#) [J6999902](#) [A00758A07_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#) [A05554A_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#)
[B17013S_1](#) [A05556A07_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#) [C24338C02](#) [C24427C02TW](#) [C24427C10TW](#) [C24006C02](#)
[C24346C07](#)