

- Small bending radius
- Low height
- Wide range of accessories
- Luminaire direction adjustment

APPLICATION

- main, decorative and functional lighting


MOUNTING

- suspended, to the surface or recessed, using dedicated accessories, properly selected screws or a dedicated mounting track
- can be easily connected into runs and systems
- semi-round and square covers are cut to the length of the profile
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- if an adapter is used, the cover must be shortened by 16 mm in relation to the profile length
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING





TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, polygonal, round
Profile cross-section	rectangular
Width	26.2 mm
Height	9.5 mm
LED gluing width A	22 mm
Number of LED strips A (8 mm wide)	2
Width of the glow	22 mm
Max power of a single KLUŚ LED strip	24 W/m
Lighting angle adjustment up to	150
Possibility of obtaining a line of light	yes
Possibility of bending	yes
Radius of the light arc	yes
Inward	200 mm
Outdoor	200 mm
Building type	Entertainment/ Arts, HoReCa object, Commercial, Retail

Color	Length	Ref
■ silver anodized	1000 mm	A05556A_1
	2005 mm	A05556A_2
	3010 mm	A05556A_3
■ black anodized	1000 mm	A05556A07_1
	2005 mm	A05556A07_2
	3010 mm	A05556A07_3

Facility zone	office, lobby / foyer, conference room, communication routes and corridors
Easy assembly and disassembly by snapping in and out	yes
Can be easily connected into runs	yes
Wire out back of extrusion	yes


SAMPLE PROJECTS




RELATED PROFILES > MOUNTING TRACKS



TEKNIK-ZM-TK
A01554







TEKUS
A06638V


















TEKUS-ZM
A01293

RELATED ACCESSORIES > COVERS


NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.	
LIGER		PC	70 %	satin	B17032S
			22 %	black	B17032B
HS		PC	65 %	frosted	B17011F
			88 %	clear	B17011C
MUN-22		PC	86 %	semi-transparent	B17042F
			89 %	semi-transparent	B17013T
G		PMMA	86 %	satin	B17013S
			15 %		B17013B
			20 %	black	B17006B

RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
GIL		 gray	C24029C02
		 silver	C24029L01
		 black	C24029C07
		 white	C24029C10
GIZAT		 gray	C24030C02
		 silver	C24030L01
		 black	C24030C07
		 white	C24030C10
GIZA		 gray	C24539C02
		 black	C24539C07
		 white	C24539C10
		 silver	C24539L01

NEW


RELATED ACCESSORIES > RELATED LED




K-1200-120-RGB-24V
K-1200-120-RGB-24V



WP-K-1200-120-RGB-24V
WP-K-1200-120-RGB-24V



WP-K-30/18-1770-010V-24V
WP-K-30/18-1770-010V-24V



K-30/18-1770-010V-24V
K-30/18-1770-010V-24V

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM



KWP-27T50-1440-24
KWP-27T50-1440-24



K-27T50-1440-24
K-27T50-1440-24

RELATED ACCESSORIES > RELATED LED > BENDABLE



K-BTRGB40-1510-24
K-BTRGB40-1510-24



K-VBT-0720-24
K-VBT-0720-24




K-BT-0910-24
K-BT-0910-24

RELATED ACCESSORIES > RELATED LED > CRI 95+




K-CR-0480-24
K-CR-0480-24



K-CR-0960-24
K-CR-0960-24



K-CR-1440-24
K-CR-1440-24



KWP-CRHD-1910-24
KWP-CRHD-1910-24




KWP-CR-0960-24
KWP-CR-0960-24




KWP-CR-0480-24
KWP-CR-0480-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24
K-HEHD-0480-24



K-HE-0960-HD-24
K-HEHD-0960-24



K-HE-1440-HD-24
K-HEHD-1440-24



K-HE-1920-HD-24
K-HEHD-1920-24



K-VHE-0480-24
K-VHE-0480-24




K-VHE-0960-24
K-VHE-0960-24



K-VHE-1440-24
K-VHE-1440-24

RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT




K-1275-RGB-24
K-RGB-1275-24



K-RGBW-1530-24
K-RGBW-1530-24



KWP-RGBW-1530-24
KWP-RGBW-1530-24



K-1920-120-RGB-24
K-RGB-1920-120-24



KWP-1920-120-RGB-24
KWP-1920-120-RGB-24




K-RGB27T65-1200-24
K-RGB27T65-1200-24



K-RGB-1200-24
K-RGB-1200-24




K-RGB-0700-24
K-RGB-0700-24



K-RGB-1560-24
K-RGB-1560-24



KWP-RGB27T65-1200-24
KWP-RGB27T65-1200-24



KWP-RGB-0700-24
KWP-RGB-0700-24



KWP-RGB-1275-24
KWP-RGB-1275-24



KWP-RGB-1200-24
KWP-RGB-1200-24

RELATED ACCESSORIES > RELATED LED > SIDE EMITTING



KWP-SE-1210-24-8
KWP-SE-1210-24-8

RELATED ACCESSORIES > RELATED LED > WHITE MONO




K-1220-24
K-1220-24



K-1910-HD-24
K-HD-1910-24



KWP-1220-24
KWP-1220-24




KWP-1275-24
KWP-1275-24




KWP-GHD-1910-24
KWP-GHD-1910-24




K-0530-HD-24
K-HD-0530-24




K-1275-24
K-1275-24




K-2300-24
K-2300-24



K-0480-24
K-0480-24




K-0960-24
K-0960-24



K-1440-24
K-1440-24




K-2400-24
K-2400-24




K2-1920-24
K2-1920-24




K3-2880-24
K3-2880-24




K-HD-0480-24
K-HD-0480-24




K-HD-0960-24
K-HD-0960-24



K-HD-1440-24
K-HD-1440-24




KWP-HD-1910-24
KWP-HD-1910-24



KWP-1440-24
KWP-1440-24



KWP-0480-24
KWP-0480-24



KWP-0960-24
KWP-0960-24



KWP-GHD-0480-24
KWP-GHD-0480-24

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



HEAD
BZP-ZO
42214



FASTENER
DP-ZZ
00651



FASTENER
DP-ZO
00649



FASTENER
FI-8-LIN-ZMZ
C28171N00, C28171L10,
C28171L07



FASTENER
PUSZ-LIN-ZM
C28160N00, C28160L10,
C28160L07



FASTENER
PUSZ-LIN-MR
C28163N00, C28163L10,
C28163L07



FASTENER
PUSZ-PRET-ZM
C28161N00, C28161L10,
C28161L07



FASTENER
OS22-PRET-Z
C28186L07, C28186L10



FASTENER
OS22-DUO-PRET-Z
C28185L07, 42343L9010



FASTENER
OS22-LIN-Z
C28184L07, C28184L10



FASTENER

OS22-DUO-LIN-Z

C28183L07, C28183L10

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR

ZM-180

C28075N00



CONNECTOR

ZM-NA-PION-135

42727



CONNECTOR

ZM-NA-60

42305



CONNECTOR

ZM-NA-PION-120


42321



CONNECTOR

ZM-NA-120

C28242N00




CONNECTOR

ZM-NA-90

42723


RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > COUPLERS



COUPLER

X135


X135



COUPLER

X90


X90



COUPLER

T135L


T135L



COUPLER

T135R


T135R




COUPLER

T90


T90




COUPLER
L135
L135




COUPLER
L135PW
L135PW




COUPLER
L135PZ
L135PZ



COUPLER
L90
L90



COUPLER
L90PW
L90PW




COUPLER
L90PZ
L90PZ

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



HEAD
BZP
C28113N00



FASTENER
UCHO-ZM
C28192N00, C28192L07



FASTENER
DP
00644



FASTENER
FI-8-LIN-ZM
C28170N00, C28170L10,
C28170L07



FASTENER
FI-10-ZM-P
C28117N00



FASTENER
FI-10-ZM-W
C28116N00



FASTENER
FI-8-PRET-ZM
C28189

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > ISOLATING BASES



ISOLATING BASES
FI-6
C28109C00



ISOLATING BASES
ARMSTRONG
C28241C10

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > LATCHES



LATCH
TEKNIK
C24003C10

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS



MOUNTING BRACKET
GIP-STN
C24447N00



MOUNTING BRACKET
GIP-UV
C24310C02, C24328C07



MOUNTING BRACKET
GIP
C24332C02



MOUNTING BRACKET
REGIP-UV
C28057C02



MOUNTING BRACKET
AM-24
C24235N00



FASTENER SET
NEO-ZM-3
C28105N00



FASTENER SET
NEO-ZM-PLUS-3
C28107N00



FASTENER SET
NEO-ZM-4
C28106N00



FASTENER SET
NEO-ZM-PLUS-4
C28108N00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER




GLAND
6,4x3
C42264C07

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > PROFILE MASKING COVERS




MASKING COVER
MP-22
C28261L01_0.25,
C28261L10_0.25,
C28261L07_0.25

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SECURITY AND BLOCKS




BLOCK
ZM
C28194N00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SURFACE SPRINGS




SPRING
GP
C24500N00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER
ZM-150
42118




FASTENER
ZM-500
42119



FASTENER SET
RD-4
C28234P00, C28234P01,
C28234L10, C28234L07



FASTENER SET
W1
C28203N00



FASTENER SET
W2
C28204N00



FASTENER SET
W6
C28205N00




FASTENER SET
W7
42605



FASTENER SET
M11
42609



FASTENER SET
M12
42610



FASTENER SET
M13
42611



FASTENER SET
RD-1
C28231



FASTENER SET
RG-1
C28230P00, C28230P01,
C28230L10, C28230L07



FASTENER SET
RD-2
C28232P00, C28232P01,
C28232L10, C28232L07



FASTENER SET
RD-3
C28233P00, C28233P01,
C28233L10, C28233L07

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Mounting Accessories](#) category:

Click to view products by [KLUS](#) manufacturer:

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [C1900000](#) [C2910001](#) [E4900001S](#)
[E4990001](#) [C1010000S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#) [84000139](#) [H5010001](#) [A2000139](#)
[70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#) [89000639](#) [F1999901](#) [63580000](#) [C1999922](#)
[76320041S](#) [76000116](#) [J6999902](#) [A00758A07_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#) [A05554A_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#)
[B17013S_1](#) [A05556A07_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#) [C24338C02](#) [C24427C02TW](#) [C24427C10TW](#) [C24006C02](#)
[C24346C07](#)