

Profile OLEK

Ref. A08505

Ref. arch B8505



- Smooth profile surfaces
- Lighting fixture with round cross-section
- Continuous lighting angle adjustment possible
- Wide range of accessories

APPLICATION

- main and decorative lighting


MOUNTING

- suspended, using conductive end caps and dedicated accessories
- can be easily connected into runs and systems

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, polygonal
Profile cross-section	round
Width	18.5 mm
Height	15.2 mm
LED gluing width A	10 mm
Number of LED strips A (8 mm wide)	1
Lighting angle adjustment up to	360
Possibility of obtaining a line of light	yes
Building type	Commercial, Residential, Entertainment/ Arts, HoReCa object
Facility zone	kitchen, bathroom, furniture, wall lighting, green architecture
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Wire out end cap	yes


Color	Length	Ref
■ silver anodized	1000 mm	A08505A_1 B8505ANODA_1
	2005 mm	A08505A_2 B8505ANODA_2
	3010 mm	A08505A_3 B8505ANODA_3
■ black anodized	1000 mm	A08505A07_1 B8505K7_1
	2005 mm	A08505A07_2 B8505K7_2
	3010 mm	A08505A07_3 B8505K7_3
□ white lacquered	1000 mm	A08505L100D_1 B8505L90100D_1
	2005 mm	A08505L100D_2 B8505L90100D_2
	3010 mm	A08505L100D_3 B8505L90100D_3

Profile OLEK

Ref. A08505

Ref. arch B8505

SAMPLE PROJECTS



RELATED ACCESSORIES > RELATED COVERS









NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
PDS-LUK	PC	62 %	<input type="checkbox"/> frosted	B17076M 17076
LIGER	PC	70 %	<input type="checkbox"/> frosted	B17037M 17037
		32 %	<input checked="" type="checkbox"/> black	B17037C 17040
KA-COM	PVC	70 %	<input type="checkbox"/> frosted	B17179M 17179
		93 %	<input checked="" type="checkbox"/> clear	B17179T 17180
HS	PC	73 %	<input type="checkbox"/> frosted	B17208M 1369
		94 %	<input checked="" type="checkbox"/> clear	B17208T 1370
KA-PRO	PC	67 %	<input type="checkbox"/> frosted	B17064M 17064
		94 %	<input checked="" type="checkbox"/> clear	B17064T 17065
KA	PC	63 %	<input type="checkbox"/> frosted	B17035M 17035
		91 %	<input checked="" type="checkbox"/> clear	B17035T 17036

Profile OLEK


Ref. A08505

Ref. arch B8505

RELATED ACCESSORIES > RELATED END CAPS

NAME	MATERIAL	COLOR	REF.
OLEK	ABS	 gray	C28212C02 42619
		 white	C24203C10 24403
		 black	C24203C07 24381
OLEK-LUK	ABS, stainless steel	 gray	C28213C02 42620
		 white	C24204C10 24401
	ABS	 black	C24204C07 24380
OLEK-LUK-F15	ABS	 gray	C24204C02TW 24212
OLEK-LUK-HQ	aluminum	 gray	C28221A5 42629

RELATED ACCESSORIES > RELATED LED




K-1210-12V
K-1210-12
Ref. arch K-1210-12V



K-1275-12V
K-1275-12
Ref. arch K-1275-12V



WP-K-1220-12V
KWP-1220-12
Ref. arch WP-K-1220-12V



WP-K-1275-12V
KWP-1275-12
Ref. arch WP-K-1275-12V




WP-K-1220-IP65-12V
_błąd
Ref. arch WP-K-1220-IP65-12V




K-1275-RGB-12V
K-RGB-1275-12
Ref. arch K-1275-RGB-12V

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24V
K-HEHD-0480-24
Ref. arch K-HE-0480-HD-24V



K-HE-0960-HD-24V
K-HEHD-0960-24
Ref. arch K-HE-0960-HD-24V



K-HE-1440-HD-24V
K-HEHD-1440-24
Ref. arch K-HE-1440-HD-24V



K-HE-1920-HD-24V
K-HEHD-1920-24
Ref. arch K-HE-1920-HD-24V


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1530-RGB+W-24V
K-RGBW-1530-24
Ref. arch K-1530-RGB+W-24V



K-1920-120-RGB-24V
K-RGB-1920-120-24
Ref. arch K-1920-120-RGB-24V



WP-K-1920-120-RGB-24V
KWP-1920-120-RGB-24
Ref. arch WP-K-1920-120-RGB-24V

RELATED ACCESSORIES > RELATED LED > WHITE MONO



WP-K-1640-HD-IP65-24V
KWP-GHD-1640-24
Ref. arch WP-K-1640-HD-IP65-24V



WP-K-1910-HD-IP65-24V
KWP-GHD-1910-24
Ref. arch WP-K-1910HDIP6524V



WP-K-1220-IP65-24V
KWP-1220-IP65-24
Ref. arch WP-K-1220-IP65-24V

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > ADDITIONAL ITEMS




CANOPY
Fi-60mm
C24540

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



FASTENER
PUSZ-PRET-ZM
C28161N00, C28161L10,
C28161L07
Ref. arch 42276, 42276L9010,
42276L9005



FASTENER
FI-8-LIN-ZMZ
C28171N00, C28171L10,
C28171L07
Ref. arch 42286, 42286L9010,
42286L9005



FASTENER
PUSZ-LIN-MR
C28163N00, C28163L10,
C28163L07
Ref. arch 42278, 42278L9010,
42278L9005



FASTENER
PUSZ-LIN-ZM
C28160N00, C28160L10,
C28160L07
Ref. arch 42275, 42275L9010,
42275L9005



FASTENER
DP-ZO-PDS-O
C28255N00
Ref. arch 00650

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR
ZM-60
C28243N00
Ref. arch 42736

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



FASTENER
FI-8-LIN-ZM
C28170N00, C28170L10,
C28170L07
Ref. arch 42285, 42285L9010,
42285L9005




FASTENER
FI-10-ZM-P
C28117N00
Ref. arch 42244



FASTENER
FI-10-ZM-W
C28116N00
Ref. arch 42242



FASTENER
DP-PDS-O
C28254N00
Ref. arch 00648



FASTENER
UCHO-ZM
C28192N00, C28192L07
Ref. arch 42512, 42525



FASTENER
FI-8-PRET-ZM
C28189
Ref. arch 42347

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS



FASTENER SET
NEO-ZM-3
C28105N00
Ref. arch 42127



FASTENER SET
NEO-ZM-4
C28106N00
Ref. arch 42128



FASTENER SET
PLD-20
C28061C00
Ref. arch 42141

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND
6,4x3
C42264C07
Ref. arch 42264

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER SET
W8
C28206N00
Ref. arch 42606



FASTENER SET
RD-1
C28231
Ref. arch 42658NI, 42658GSS,
42658L9005, 42658L9010



FASTENER SET
RG-1
C28230P00, C28230P01,
C28230L10, C28230L07
Ref. arch 42647NI, 42647GSS,
42647L9010, 42647L9005



FASTENER SET
RD-2
C28232P00, C28232P01,
C28232L10, C28232L07
Ref. arch 42653NI, 42653GSS,
42653L9010, 42653L9005



FASTENER SET
RD-3
C28233P00, C28233P01,
C28233L10, C28233L07
Ref. arch 42659NI, 42659GSS,
42659L9010, 42659L9005



FASTENER SET
RD-4
C28234P00, C28234P01,
C28234L10, C28234L07
Ref. arch 42657NI, 42657GSS,
42657L9010, 42657L9005

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Mounting Accessories](#) category:

Click to view products by [KLUS](#) manufacturer:

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [A4980040](#) [C1900000](#) [C2910001](#)
[C7980001](#) [E4900001S](#) [E4990001](#) [C1010000S](#) [F7000120S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#)
[84000139](#) [H5010001](#) [89000116](#) [A2000139](#) [70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#)
[89000639](#) [F1999901](#) [63580000](#) [C1999922](#) [76320041S](#) [76000116](#) [J6999902](#) [A00758A07_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#)
[A05554A_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#) [B17013S_1](#) [A05556A07_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#)
[C24338C02](#)