

APPLICATION

- LED protection and light diffusion in lighting fixtures

MOUNTING

- Snapped in a dedicated profile

ADDITIONAL INFORMATION

- The maximum LED power 7 W/m
- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

| | |
|---------------------------|---------|
| Material | PVC |
| Shape | flat |
| Maximum length on request | 6000 mm |
| Width | 12.4 mm |
| Height | 4 mm |

| Finish | Light transmission | Length | Ref |
|---------|--------------------|---------|-----------|
| frosted | 54 % | 1000 mm | B17179F_1 |
| | | 2005 mm | B17179F_2 |
| | | 3010 mm | B17179F_3 |
| clear | 86 % | 1000 mm | B17179C_1 |
| | | 2005 mm | B17179C_2 |
| | | 3010 mm | B17179C_3 |

RELATED PROFILES > ARCHITECTURAL



KOZMA
A18040



OPK-4
A00370



PDS-T
A02057



PDS-UST
A02725



POK-US
A01234


Cover KA-T-11

Ref. B17179F, B17179C




POKET
A01179


RELATED PROFILES > FOR MAIN LIGHTING



DES
A18030




MOD-50
A18047



MOD-100
A18049

RELATED PROFILES > FOR SCONCES AND WALL LIGHTING



OBIT
A04826



LIT-L
A18033



PLAKIN-DUO
A04106A

RELATED PROFILES > ILLUMINATION OF COVES AND ARCHITECTURAL NICHES



POLI
A07176



NISA-KON
A18027



NISA-NI
A18029




NISA-KRA
A18026

RELATED PROFILES > STAIRS ILLUMINATION



POR
A06144



STEP
A18042

RELATED PROFILES > UNIVERSAL




45-16
A08504



45-ALU
A04023



MICRO-NK
A01587



MICRO-HG
A01419



KUBIK-45
A07697



OLEK
A08505



MICRO-H
A00599



PDS-H
A09204



PDS-NK
A01588



PDS-4-PLUS
A01263



PDS-ZMG
A01418



PDS-ZM-PLUS
A02056



MICRO-PLUS
A02966

NEW

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Mounting Accessories](#) category:

Click to view products by [KLUS](#) manufacturer:

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [A4980040](#) [C1900000](#) [C2910001](#)
[C7980001](#) [E4900001S](#) [E4990001](#) [C1010000S](#) [F7000120S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#)
[84000139](#) [H5010001](#) [89000116](#) [A2000139](#) [70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#)
[89000639](#) [F1999901](#) [63580000](#) [C1999922](#) [76320041S](#) [76000116](#) [J6999902](#) [A00758A07_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#)
[A05554A_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#) [B17013S_1](#) [A05556A07_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#)
[C24338C02](#)