



- Recommended for the construction of sealed lighting fixtures

### APPLICATION

- LED protection and light diffusion in lighting fixtures

### MOUNTING

- to the profile, by pressing

### ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance  $\pm 1.5$  mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

### TECHNICAL DRAWING



### TECHNICAL SPECIFICATIONS

Material	PC
Shape	flat
Maximum length on request	3000 mm
Width	12.5 mm
UV resistance	yes

Finish	Light transmission	Length	Possibility of obtaining a line of light	Ref
frosted	59 %	1000 mm	yes	B17208F_1
		2005 mm		B17208F_2
		3010 mm		B17208F_3
clear	88 %	1000 mm	no	B17208C_1
		2005 mm		B17208C_2
		3010 mm		B17208C_3

## RELATED PROFILES > ARCHITECTURAL



**KOZMA**  
A18040




**OPK-4**  
A00370



**PDS-T**  
A02057



**PDS-UST**  
A02725




**POK-US**  
A01234




**POKET**  
A01179


## RELATED PROFILES > FOR MAIN LIGHTING



**DES**  
A18030



**MOD-100**  
A18049




**MOD-50**  
A18047

## RELATED PROFILES > FOR SCONCES AND WALL LIGHTING



**LIT-L**  
A18033



**OBIT**  
A04826




**PLAKIN-DUO**  
A04106A

## RELATED PROFILES > ILLUMINATION OF COVES AND ARCHITECTURAL NICHES



**NISA-KON**  
A18027



**NISA-KRA**  
A18026



**NISA-NI**  
A18029




**POLI**  
A07176

## RELATED PROFILES > STAIRS ILLUMINATION



**POR**  
A06144



**STEP**  
A18042

## RELATED PROFILES > UNIVERSAL



**45-16**  
A08504



**45-ALU**  
A04023



**KUBIK-45**  
A07697



**MICRO-H**  
A00599



**MICRO-HG**  
A01419



**MICRO-NK**  
A01587



**MICRO-PLUS**  
A02966



**OLEK**  
A08505



**PDS-4-PLUS**  
A01263



**PDS-H**  
A09204

# Cover HS-11


Ref. B17208F, B17208C



**PDS-NK**  
A01588




**PDS-ZM-PLUS**  
A02056



**PDS-ZMG**  
A01418

---

## RELATED SYSTEMS > GENERAL LIGHTING SYSTEMS



**MOD-50**  
18047



**PK-4**  
A18044+A00370

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [LED Lighting Mounting Accessories](#) category:*

*Click to view products by [KLUS](#) manufacturer:*

Other Similar products are found below :

[3SU1900-0AC81-0AA0](#) [3SU1900-0AK10-0AA0](#) [3SU1401-2BB40-3AA0](#) [1SFA616921R2142](#) [A4970001](#) [C1900000](#) [C2910001](#) [E4900001S](#)  
[E4990001](#) [C1010000S](#) [F7000101](#) [1-2213678-6](#) [89270019](#) [C7940001](#) [F1000116](#) [A2000138](#) [A2000116](#) [84000139](#) [H5010001](#) [A2000139](#)  
[70330039P020](#) [84000116](#) [70000139](#) [J6999819](#) [V3000139](#) [J6000121](#) [89000138](#) [H5999901](#) [89000639](#) [F1999901](#) [63580000](#) [C1999922](#)  
[76320041S](#) [76000116](#) [J6999902](#) [A00758A07\\_1](#) [AE-WLPR-60P2](#) [PA-GLAX1M-AL-10](#) [A05554A\\_1](#) [C24005C10](#) [PA-ZASGLAXMNKK-00](#)  
[B17013S\\_1](#) [A05556A07\\_1](#) [PA-GLAXMICNK1M-AL](#) [AE-WBCUNI-10DIM](#) [C24338C02](#) [C24427C02TW](#) [C24427C10TW](#) [C24006C02](#)  
[C24346C07](#)