

Product information

28 71 280 SB

Long Reach Needle Nose Pliers

With transverse profiles

DIN ISO 5745






Long Reach Needle-Nose Pliers with wave profile

- For gripping, adjustment and assembly work in hard to reach areas thanks to slim, very long design
- Deep down situated parts can be easily reached using the slim, halfround tips
- Careful yet reliable gripping, holding and guiding of small copper pipes, screws and cables as well as other round parts thanks to milled grooves with smooth surfaces
- Serrated pipe grip to grip round parts
- Particularly suitable for work in the automotive trade and in mechanical engineering
- Slim yet robust tool
- Forged from special tool steel, oil-hardened and tempered

General	
Article No.	28 71 280 SB
EAN	4003773080879
Pliers	black atramentized
Head	polished
Handles	plastic coated
Weight	250 g
Dimensions	280 x 85 x 19 mm
Standard	DIN ISO 5745
Reach	no
RohS	no

Technical details	
Jaw thickness (joint) (T1)	9.0 mm
Tips width (W4)	3.0 mm
Tips thickness (T2)	2.5 mm
Jaw length (L3)	76.5 mm
Head width (W3)	20.0 mm




KNIPEX Quality – Made in Germany




Classification		
eCl@ss 5.1.4	21040301	
proficl@ss 6.0	EAB966c007	
UNSPSC 13.1	27112108	

technical change and errors excepted





Wave-shaped gripping profile: transverse profile for gripping, holding and guiding $\,$





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pliers & Tweezers category:

Click to view products by Knipex manufacturer:

Other Similar products are found below:

0031 32750 PN-5050/38D PG-TP-30D PG-DP-18-N G77015 4-1532129-2 77 12 115 0037 T0058765801 571 76C 37 31 125 RX 8130 37 33 125 DRP10N 32 11 135 36 12 130 0036 64 11 115 0032 6231-08 PN 5050/19D PNI 5000 TP 5000/15D TR 5000 PR TR 58 R A D 00 20 08 US2 13 01 614 87 28 250 SBA INCP8 30993 011820101 011830101 011910110 003780032 003780041 134-69-160 134-69-180 135-49-VDE-190 137-49-VDE-180 137-49-VDE-200 137-49-VDE-240 137-69-240 137-69-240 138-49-VDE-200 138-69-200 140-49-VDE-170 140-49-VDE-205